


BEAVER RIGGING SCREWS



Beaver Rated Rigging Hardware

Beaver Rated Rigging Hardware complies with a number of different standards. They have a working load limit (W.L.L) and are rated for lifting applications. Beaver's range of quality rigging hardware is manufactured from the finest milling techniques and designed for both heavy industry use and general hardware applications.



Beaver Rigging Screws and Turnbuckles



Beaver Eye and Eye Rigging Screws BS 4429

Tested Hot Dipped Galvanised




Code	Size mm	Finish	e Open mm	e Closed mm	L mm	D1 mm	D2 mm	D3 mm	G mm	H mm	W.L.L Tonne	Pack Qty	Weight Per 100 (kg)	UOM
327310	10	Galvanised	359	259	152	21	10	8	11	25	0.3	100	38	Each
327313	13	Galvanised	465	369	229	25	13	11	14	36	0.5	50	75	Each
327316	16	Galvanised	523	393	229	27	16	14	18	40	0.75	30	130	Each
327320	20	Galvanised	563	413	229	34	20	17	25	55	1.25	20	185	Each
327324	24	Galvanised	786	589	356	42	24	20	26	57	2.5	10	380	Each
327333	33	Galvanised	830	645	381	51	33	25	34	64	5	5	680	Each
327338	38	Galvanised	870	655	407	57	38	27	38	75	6	3	1000	Each



Beaver Jaw and Jaw Rigging Screws with Locknuts BS 4429

Tested Hot Dipped Galvanised

Code	Size mm	Finish	e Open mm	e Closed mm	L mm	D1 mm	D2 mm	D3 mm	G mm	H mm	W.L.L Tonne	Pack Qty	Weight Per 100 (kg)	UOM
328310	10	Galvanised	349	235	152	21	10	8	11	21	0.3	100	44	Each
328313	13	Galvanised	524	343	229	25	13	9	19	35	0.5	50	85	Each
328316	16	Galvanised	550	361	229	27	16	13	22	51	0.75	30	140	Each
328320	20	Galvanised	550	387	229	34	20	16	22	48	1.25	20	220	Each
328324	24	Galvanised	822	556	356	42	24	22	32	65	2.5	10	450	Each
328333	33	Galvanised	872	604	381	51	33	24	38	76	5	5	640	Each
328338	38	Galvanised	949	670	407	57	38	33	47	90	6	10	1260	Each
328350	50	Galvanised	977	743	407	76	48	42	51	121	10	5	2400	Each



BEAVER RIGGING SCREWS (CONT'D)

Beaver Jaw and Eye Rigging Screws BS 4429

Tested Hot Dipped Galvanised

Code	Size mm	Finish	e Open mm	e Closed mm	L mm	D1 mm	D2 mm	D3 mm	G mm	H mm	g mm	h mm	d3 mm	W.L.L Tonne	Pack Qty	Weight Per 100 (kg)	UOM
329310	10	Galvanised	349	235	152	21	10	8	11	21	11	25	8	0.3	40	40	Each
329313	13	Galvanised	527	334	229	25	13	9	19	35	14	36	11	0.5	20	100	Each
329316	16	Galvanised	556	375	229	27	16	13	22	51	18	40	14	0.75	15	140	Each
329320	20	Galvanised	654	385	229	34	20	16	22	48	25	55	17	1.25	15	200	Each
329324	24	Galvanised	812	528	356	42	24	22	32	65	26	57	20	2.5	5	440	Each

