



BEAVER GRADE 'S' SHACKLES IN BUCKETS



Beaver's shackles in buckets offer less handling to reduce cost whilst enabling better inventory control. Supplied in a merchandise display friendly with a P.O.S. Barcode Sales Aid available.




Beaver Colour Coded Screw Pin

Sizes 10mm - 25mm

Beaver Code	Size mm	Working Load Limit tonnes	Shackle Colour	Dia. d mm	Pin Dia. D mm	Inside Width W mm	Inside Length L mm	Dia. Boss e mm	Width of Bow B mm	Approx. Weight each kg	Square Bucket	Qty / Bucket	Weight / Bucket
242310MP	10 x 11	1.00	Violet	10	11	17	37	25	26	0.15	2L	30	4.23
242313MP	13 x 16	2.00	Green	13	16	21	48	33	33	0.37	2L	14	4.62
242316MP	16 x 19	3.20	Yellow	16	19	27	61	40	43	0.65	5L	20	12.40
242319MP	19 x 22	4.70	Grey	19	22	32	72	48	51	1.06	5L	10	10.70
242322MP	22 x 25	6.50	Brown	22	25	37	84	54	58	1.56	5L	8	13.12
242325MP	25 x 29	8.50	Blue	25	29	43	95	60	68	2.32	5L	4	9.20

- ▶ Beaver Alloy Grade 'S' colour coded shackles have been developed in accordance with Australian Standard AS 2741.
- ▶ All Beaver Grade 'S' shackles are easily identified with prominent stamping indicating MM/YY for quick reference of the products manufacture and working load limit.
- ▶ Test certificates are readily available on request.
- ▶ Suitable for mining, resource and construction industry applications.
- ▶ Our colour coded shackles take the guess work out of choosing the right capacity when matching lifting components.




The mark S/6 here indicates an Alloy Grade 'S' shackle suitable for lifting.

Alpha-numeric codes in conjunction with Month & Year of manufacture (mm/yy) give quick reference back to the test certificate.

Individually stamped with the W.L.L. showing the Working Load Limit in tonnes.

S/6 indicates an Alloy Grade 'S' shackle pin.



SHACKLES

SECTION 4




Beaver Hot Dipped Galvanised Screw Pin

Bow Shackle Bucket - Sizes 5mm - 25mm

Beaver Code	Size mm	Working Load Limit tonnes	Dia. d mm	Pin Dia. D mm	Inside Width w	Width of Bow B mm	Inside Length L mm	Dia. Boss e mm	Square Bucket	Qty / Bucket	Weight / Bucket
242305P	5 x 6	0.33	5	6	10	15	22	14	2L	100	2.70
242306P	6 x 8	0.50	6	8	12	20	29	17	2L	100	3.00
242308P	8 x 10	0.75	8	10	13	21	31	21	2L	50	4.30
242311P	11 x 13	1.50	11	13	18	29	43	27	2L	20	4.44

NOTE: Dimensions are nominal - actual dimensions fall within the tolerances of AS 2741.

BOW SHACKLES UP TO 8.5T ARE ONLY AVAILABLE IN BUCKETS




Beaver Hot Dipped Galvanised Screw Pin

Dee Shackle Bucket - Sizes 6mm - 25mm

Beaver Code	Size mm	Working Load Limit tonnes	Shackle Colour	Dia. d mm	Pin Dia. D mm	Inside Width W mm	Inside Length L mm	Dia. Boss e mm	Square Bucket	Qty / Bucket	Weight / Bucket
241306P	6 x 8	0.5	HDG	6	8	12	22	17	2L	100	2.80
241308P	8 x 10	0.75	HDG	8	10	13	26	21	2L	50	3.85
241310P	10 x 11	1.00	HDG	10	11	17	32	25	2L	30	3.90
241311P	11 x 13	1.50	HDG	11	13	18	37	27	2L	20	4.00
241313P	13 x 16	2.00	HDG	13	16	21	41	33	2L	14	4.20
241316P	16 x 19	3.20	HDG	16	19	27	51	40	5L	20	11.60
241319P	19 x 22	4.70	HDG	19	22	32	60	48	5L	10	10.20
241322P	22 x 25	6.50	HDG	22	25	37	71	54	5L	8	11.44
241325P	25 x 29	8.50	HDG	25	29	43	81	60	5L	4	8.62

NOTE: Dimensions are nominal - actual dimensions fall within the tolerances of AS 2741.

DEE SHACKLES UP TO 8.5T ARE ONLY AVAILABLE IN BUCKETS




SHACKLES

BEAVER YELLOW PIN GRADE 'S' SHACKLES

Beaver Yellow Pin Grade 'S' Screw Pin Shackles to AS 2741


Chain Dee Type - Capacities 0.5 - 35 tonne

Code	Size mm	W.L.L Tonne	Type	Shape	Closing Method	DIA d mm	DIA PIN D mm	Inside Width W mm	Inside Length L mm	DIA Boss F mm	Approx Weight Kg	UOM	Pack Qty
241329	29 x 32	9.50	Grade S	Dee	Screw	29	32	46	90	67	3.28	Each	8
241332	32 x 35	12.00	Grade S	Dee	Screw	32	35	52	100	76	4.51	Each	5
241335	35 x 38	13.50	Grade S	Dee	Screw	35	38	57	113	84	5.43	Each	4
241338	38 x 41	17.00	Grade S	Dee	Screw	38	41	60	124	92	7.89	Each	3
241344	44 x 51	25.00	Grade S	Dee	Screw	44	51	73	146	110	13.4	Each	2
241351	51 x 57	35.00	Grade S	Dee	Screw	51	57	83	171	127	18.85	Each	1



Beaver Yellow Pin Grade 'S' Screw Pin Shackles to AS 2741*Anchor Bow Type - Capacities 0.33 - 55 tonne*

Code	Size mm	W.L.L Tonne	Type	Shape	Closing Method	DIA d mm	DIA PIN D mm	Inside Width W mm	Inside Length L mm	Width of Bow B mm	DIA Boss F mm	Approx Weight Kg	UOM	Pack Qty
242329	29 x 32	9.5	Grade S	Bow	Screw	29	32	46	108	74	67	3.28	Each	6
242332	32 x 35	12	Grade S	Bow	Screw	32	35	52	119	83	76	4.51	Each	5
242335	35 x 38	13.5	Grade S	Bow	Screw	35	38	57	133	92	84	5.43	Each	3
242338	38 x 41	17	Grade S	Bow	Screw	38	41	60	146	98	92	7.89	Each	3
242344	44 x 51	25	Grade S	Bow	Screw	44	51	73	178	127	110	13.40	Each	2
242351	51 x 57	35	Grade S	Bow	Screw	51	57	83	197	146	127	18.85	Each	1
242363	63 x 70	55	Grade S	Bow	Screw	63	70	105	267	184	152	37.86	Each	1




BEAVER YELLOW PIN GRADE 'S' SAFETY PIN SHACKLES

Yellow Pin Grade 'S' Safety Pin Shackles to AS 2741


Dee Type - Capacities 2.0 - 13.5 tonne

Code	Size mm	W.L.L Tonne	Type	Shape	Closing Method	DIA d mm	DIA PIN D mm	Inside Width W mm	Inside Length L mm	DIA Boss F mm	Approx Weight Kg	UOM	Pack Qty
243313	13 x 16	2.00	Grade S	Dee	Safety Pin	13	16	21	41	33	0.44	Each	60
243316	16 x 19	3.20	Grade S	Dee	Safety Pin	16	19	27	51	40	0.79	Each	35
243319	19 x 22	4.70	Grade S	Dee	Safety Pin	19	22	32	60	48	1.26	Each	20
243322	22 x 25	6.50	Grade S	Dee	Safety Pin	22	25	37	71	54	1.88	Each	12
243325	25 x 29	8.50	Grade S	Dee	Safety Pin	25	29	43	81	60	2.78	Each	10
243329	29 x 32	9.50	Grade S	Dee	Safety Pin	29	32	46	90	67	3.87	Each	8
243332	32 x 35	12.00	Grade S	Dee	Safety Pin	32	35	52	100	76	5.26	Each	4



Beaver Yellow Pin Grade 'S' Safety Pin Shackles to AS 2741*Anchor Bow Type - Capacities 2.0 - 55 tonne*

Code	Size mm	W.L.L Tonne	Type	Shape	Closing Method	DIA d mm	DIA PIN D mm	Inside Width W mm	Inside Length L mm	Width of Bow B mm	DIA Boss F mm	Approx Weight Kg	UOM	Pack Qty
244313	13 x 16	2.00	Grade S	Bow	Safety Pin	13	16	21	48	33	33	0.44	Each	50
244316	16 x 19	3.20	Grade S	Bow	Safety Pin	16	19	27	61	43	40	0.79	Each	30
244319	19 x 22	4.70	Grade S	Bow	Safety Pin	19	22	32	72	51	48	1.26	Each	20
244322	22 x 25	6.50	Grade S	Bow	Safety Pin	22	25	37	84	58	54	1.88	Each	12
244325	25 x 29	8.50	Grade S	Bow	Safety Pin	25	29	43	95	68	60	2.78	Each	10
244329	29 x 32	9.50	Grade S	Bow	Safety Pin	29	32	46	108	74	67	3.87	Each	6
244332	32 x 35	12.00	Grade S	Bow	Safety Pin	32	35	52	119	83	76	5.26	Each	4
244335	35 x 38	13.50	Grade S	Bow	Safety Pin	35	38	57	133	92	84	6.94	Each	4
244338	38 x 41	17.00	Grade S	Bow	Safety Pin	38	41	60	146	98	92	8.79	Each	2
244345	45 x 51	25.00	Grade S	Bow	Safety Pin	45	51	73	178	127	110	14.99	Each	1
244351	51 x 57	35.00	Grade S	Bow	Safety Pin	51	57	83	197	146	127	20.65	Each	1
244357	57 x 63	45.00	Grade S	Bow	Safety Pin	57	63	97	218	156	136	32.50	Each	1
244363	63 x 70	55.00	Grade S	Bow	Safety Pin	63	70	105	267	184	152	41.05	Each	1




BEAVER GRADE 'M' SHACKLES

Beaver Grade 'M' Large Dee Shackles AS 2741

Self Colour - Capacities 0.5 - 20 tonne

Code	Size mm	W.L.L Tonne	Type	Finish	Shape	Closing Method	DIA d mm	DIA PIN D mm	Inside Width W mm	Inside Length L mm	DIA Boss F mm	Approx Weight Kg	UOM	Pack Qty
230010	10 x 13	0.50	Grade M	Self Colour	Dee	Screw	10	13	19	38	25	0.16	Each	200
230013	13 x 16	0.75	Grade M	Self Colour	Dee	Screw	13	16	28	54	32	0.35	Each	80
230016	16 x 19	1.50	Grade M	Self Colour	Dee	Screw	16	19	32	63	38	0.61	Each	50
230020	19 x 22	2.00	Grade M	Self Colour	Dee	Screw	19	22	38	73	44	1.10	Each	30
230023	22 x 25	3.00	Grade M	Self Colour	Dee	Screw	22	25	44	83	51	1.50	Each	25
230025	25 x 29	3.80	Grade M	Self Colour	Dee	Screw	25	29	51	95	57	2.14	Each	15
230028	29 x 32	5.00	Grade M	Self Colour	Dee	Screw	29	32	54	105	63	2.98	Each	10
230032	32 x 35	6.00	Grade M	Self Colour	Dee	Screw	32	35	60	114	70	3.10	Each	5
230035	35 x 38	7.00	Grade M	Self Colour	Dee	Screw	35	38	67	127	76	4.61	Each	5
230038	38 x 44	9.50	Grade M	Self Colour	Dee	Screw	38	44	70	137	89	8.01	Each	5
230042	41 x 48	11.00	Grade M	Self Colour	Dee	Screw	41	48	76	146	95	10.48	Each	3
230045	44 x 51	13.00	Grade M	Self Colour	Dee	Screw	44	51	83	156	102	12.65	Each	3
230050	51 x 57	16.00	Grade M	Self Colour	Dee	Screw	51	57	98	114	114	18.50	Each	1
230056	57 x 63	20.00	Grade M	Self Colour	Dee	Screw	57	63	108	210	127	28.00	Each	1



Beaver Grade 'M' Grade Dee Shackles AS 2741*Galvanised - Capacities 0.25 - 20 tonne*

Code	Size mm	W.L.L Tonne	Type	Finish	Shape	Closing Method	DIA d mm	DIA PIN D mm	Inside Width W mm	Inside Length L mm	DIA Boss F mm	Approx Weight Kg	UOM	Pack Qty
230306	6 x 10	0.25	Grade M	Galvanised	Dee	Screw	6	10	13	25	19	0.061	Each	600
230310	10 x 13	0.50	Grade M	Galvanised	Dee	Screw	10	13	19	38	25	0.16	Each	200
230313	13 x 16	0.75	Grade M	Galvanised	Dee	Screw	13	16	28	54	32	0.35	Each	80
230316	16 x 19	1.50	Grade M	Galvanised	Dee	Screw	16	19	32	63	38	0.61	Each	50
230320	19 x 22	2.00	Grade M	Galvanised	Dee	Screw	19	22	38	73	44	1.10	Each	30
230323	22 x 25	3.00	Grade M	Galvanised	Dee	Screw	22	25	44	83	51	1.50	Each	25
230325	25 x 29	3.80	Grade M	Galvanised	Dee	Screw	25	29	51	95	57	2.14	Each	15
230328	29 x 32	5.00	Grade M	Galvanised	Dee	Screw	29	32	54	105	63	2.98	Each	10
230332	32 x 35	6.00	Grade M	Galvanised	Dee	Screw	32	35	60	114	70	3.10	Each	5
230335	35 x 38	7.00	Grade M	Galvanised	Dee	Screw	35	38	67	127	76	4.61	Each	5
230338	38 x 44	9.50	Grade M	Galvanised	Dee	Screw	38	44	70	137	89	8.01	Each	5
230342	41 x 48	11.00	Grade M	Galvanised	Dee	Screw	41	48	76	146	95	10.48	Each	3

