


HITACHI
Inspire the Next



For our best warranty ever to date, we're giving you

3
YEAR

Warranty
Hitachi Power Tools Australia

DRILLING

QUICK REFERENCE GUIDE FOR DRILLS

Handle Type	Steel Drilling Dia. (mm)	Model	No Load Speed (min-1)	Power Input (W)	Speed Control Mode			Application	
					Variable Speed	2-Speed	Reversible	Medium Duty	Heavy Duty
Pistol Grip	6.5	D6SH	4,500	240				•	
Pistol Grip	10	D10VC2	0 – 2,300	460	•			•	
Pistol Grip	13	D13VL(H6)	0 – 1,100 / 0 – 3,000	860	•	•	•		•
Pistol Grip	13	D13VF	0 – 850	710	•		•		•
Pistol Grip	13	D13VG	0 – 600	710	•		•		•
D-Shaped	13	D13	550	720			•		•

DRILLS

D6SH

6.5mm Drill
04101104



- Compact and lightweight to reduce user fatigue
- Fast drilling speed with a top speed of 4,500 (min-1)
- Adjustable depth gauge can be mounted either side
- Ideal for pop rivet applications

Specifications

999041

Chuck	6.5mm keyless
Capacity	Steel: 6.5mm Wood: 9mm
Input power	240W
No load speed	4,500 (min-1)
Weight	0.9kg
Length	206mm
Standard accessories	Chuck key, hook and depth gauge



D10VC2

10mm Drill
00099309



- 10mm keyless chuck for easy bit changeover
- Variable speed trigger and dial to suit multiple drilling applications
- Forward and reversible for convenience
- Two position side handle

Specifications

999041

Chuck	10mm keyless
	Steel: 10mm
Capacity	Wood – flat spade: 25mm Wood – auger: 16mm
Input power	460W
No load speed	0 – 2,300 (min-1)
Weight	1.3kg
Length	238mm
Standard accessories	Side handle and carry case



D13VL(H6)

13mm Drill with Safety Slip Clutch



NEW



- 13mm keyless chuck for easy bit changeover
- Variable speed trigger and dial to suit multiple drilling applications
- Rotating carbon brush for rotation direction change, increased power & improved carbon brush life
- Aluminium Housing Body (AHB) for increased motor durability
- Slip clutch for added user safety

Specifications

999088

Chuck	13mm keyless
Capacity	Steel: 13mm Wood: 40mm
Input power	860W
No load speed	High: 0 – 3,000 (min-1) Low: 0 – 1,100 (min-1)
Weight	2.9kg
Length	363mm
Standard accessories	Side handle and depth gauge



DRILLS

Specifications

999041

Chuck	13mm keyed
Capacity	Steel – twist bit: 13mm
	Steel – hole saw: 51mm
	Wood – flat spade bit: 40mm
	Wood – auger: 32mm
	Wood – hole saw: 102mm
Input power	710W
Max. Torque	50Nm
No load speed	0 – 850 (min-1)
Weight	2.1kg
Length	287mm
Standard accessories	Chuck key, side handle and carry case



- Variable speed trigger to suit multiple drilling applications
- Forward and reversible for convenience
- Heavy duty keyed chuck for the toughest jobs
- Aluminium gear cover and inner cover for increased durability

D13VF
13mm High Torque Drill
03490396



Specifications

999041

Chuck	13mm keyed
Capacity	Steel – twist bit: 13mm
	Steel – hole saw: 70mm
	Wood – flat spade bit: 40mm
	Wood – auger: 38mm
	Wood – hole saw: 114mm
Input power	710W
Max. Torque	78Nm
No load speed	0 – 600 (min-1)
Weight	2.1kg
Length	287mm
Standard accessories	Chuck key, side handle, handle extension and carry case



- Variable speed to suit a variety of applications
- Forward and reversible for convenience
- Heavy duty keyed chuck for the toughest jobs
- Aluminium gear cover and inner cover for increased durability
- Suitable for auger, hole saw & mixing applications

D13VG
13mm High Torque Drill
03490413



Specifications

Auto Stop 999073

Chuck	13mm keyed
Capacity	Steel: 13mm
	Wood: 40mm
Input power	720W
No load speed	550 (min-1)
Weight	3.0kg
Length	378mm
Standard accessories	Chuck key, "D" shaped rear handle and side handle



- Powerful 720W motor for high torque applications
- Forward and reversible for convenience
- Heavy duty keyed chuck for the toughest jobs
- Triple reduction gearing for high torque applications
- Aluminium front cover for durability
- Ideal for mixing applications and timber augers

D13
13mm High Torque Drill
04513864



CORLASS

PNEUMATICS

DRILLING

ROPAKY & DEMOLITION

FASTENING

GRINDING & CUTTING

SANDING & POLISHING

SAWING

PLANING & ROUTING

BLOWER HEAT GUNS & WET DRY VACUUMS

HIGH PRESSURE WASHERS

OUTDOOR POWER EQUIPMENT

ACCESSORIES

PEDESTAL DRILL PRESS

B16RM

380mm Pedestal Drill Press
02025779



4 966 376 15 1677

Specifications

Chuck	16mm keyed
Capacity	Swing: 380mm (throat depth 190mm) Spindle travel: 85mm
Input power	750W induction motor
Rotation speeds (12 speeds)	210 – 2,580 (min-1)
Table size	336 x 336mm
Table tilt	45° left or right
Weight	75kg
Length	1,618mm
Standard accessories	Chuck key, wedge (drift) and hex keys

- Variable speed (12 speed sections)
- Patented X-Y laser guide that enables rapid and accurate pre-alignment of drilling location
- Keypad on/off switch for optimum safety
- Depth adjustment gauge for accurate drilling of repetitive depth holes
- Durable cast iron table surface tilts 45° right or left
- Quick belt tension releasing knob for fast speed setting
- Built in light



- LASER line shown here for illustration purposes
- Do not stare into LASER beam



QUICK REFERENCE GUIDE FOR IMPACT (HAMMER) DRILLS

Handle Type	Concrete Drilling Dia. (mm)	Model	No Load Speed (min-1)	Power Input (W)	Speed Control Mode			Application	
					Variable Speed	2-Speed	Reversible	Medium Duty	Heavy Duty
Pistol Grip	13	DV13VSS(H4)	0 – 2,900	550	•		•	•	
Pistol Grip	16	DV16V	0 – 2,900	590	•		•	•	
Pistol Grip	16	DV16VSS(H4)	0 – 2,900	600	•		•	•	
Pistol Grip	18	DV18V	0 – 1,000 / 0 – 3,000	690	•	•	•		•
Pistol Grip	20	DV20VBZ(H8)	0 – 1,000 / 0 – 3,000	730	•	•	•		•
Pistol Grip	20	DV20VD(H1)	0 – 1,100 / 0 – 3,000	860	•	•	•		•
Pistol Grip	22	DV22V(H6)	0 – 1,100 / 0 – 3,000	1,120	•	•	•		•
D-Shaped	35	VTV16	0 – 700 / 0 – 1,400	800	•	•			•

IMPACT (HAMMER) DRILLS

Specifications

999041

Chuck	13mm keyless
Capacity	Concrete: 13mm Steel: 13mm Wood: 20mm
Input power	550W
No load speed	0 - 2,900 (min-1)
Impact rate	0 - 46,400 (min-1)
Weight	1.4kg
Length	270mm
Standard accessories	Side handle, depth gauge and carry case



- 13mm keyless chuck for easy bit changeover
- Lightweight and compact for reduced user fatigue
- Variable speed trigger to suit multiple drilling applications
- Forward and reversible for convenience
- Durable cylindrical housing for increased tool life

DV13VSS(HA)
13mm Impact Drill
09954323



Specifications

999041

Chuck	13mm keyless
Capacity	Concrete: 16mm Steel: 13mm Wood: 25mm
Input power	600W
No load speed	0 - 2,900 (min-1)
Impact rate	0 - 46,400 (min-1)
Weight	1.5kg
Length	270mm
Standard accessories	Side handle, depth gauge and carry case



- 13mm keyless chuck for easy bit changeover
- Lightweight and compact for reduced user fatigue
- Variable speed trigger to suit multiple drilling applications
- Forward and reversible for convenience
- Durable cylindrical housing for increased tool life

DV16VSS(HA)
16mm Impact Drill
09954340



Specifications

999041

Chuck	13mm keyless
Capacity	Concrete: 16mm Steel: 13mm Wood: 25mm
Input power	590W
No load speed	0 - 2,900 (min-1)
Impact rate	0 - 34,500 (min-1)
Weight	1.5kg
Length	269mm
Standard accessories	Side handle, depth gauge and carry case



- Powerful 590W motor for the toughest jobs
- Variable speed trigger and dial to suit multiple drilling applications
- Compact design ensures high operation and efficiency
- Ergonomic grip for reduced user fatigue
- Durable cylindrical housing and aluminium die-cast inner cover and gear cover
- Suited to industrial drilling applications

DV16V
16mm Impact Drill
06066712



Specifications

999041

Chuck	13mm keyless
Capacity	Concrete: 18mm / Steel: 13mm / Wood: 40mm
Input power	690W
No load speed	Low: 0 - 1,000 (min-1) High: 0 - 3,000 (min-1)
Impact rate	Low: 0 - 8,400 (min-1) High: 0 - 27,300 (min-1)
Weight	2.0kg
Length	333mm
Standard accessories	Side handle, depth gauge and carry case



- Powerful 690W motor for the toughest jobs
- Variable speed trigger and dial to suit multiple drilling applications
- Compact and lightweight design for reduced user fatigue
- Aluminium gear cover and inner cover for increased durability

DV18V
18mm Impact Drill
06066729



CORROSION RESISTANT
PNEUMATICS
DRILLING
ROOFING & DEMOLITION
FASTENING
GRINDING & CUTTING
SANDING & POLISHING
SAWING
PLANTING & FLOTTING
BLOWER HEAT GUNS & WET DRY VACUUMS
HIGH PRESSURE WASHERS
OUTDOOR POWER EQUIPMENT
ACCESSORIES

IMPACT (HAMMER) DRILLS

DV20VB2(H8) 20mm Impact Drill 00099406



- Powerful 730W motor for the toughest jobs
- Variable speed trigger and dial to suit multiple drilling applications
- Compact and lightweight design to reduce user fatigue
- Easy to use mode switch
- Full speed reverse for added versatility

Specifications

999041

Chuck	13mm keyed
Capacity	Concrete: 20mm / Steel: 13mm / Wood: 40mm
Input power	730W
No load speed	Low: 0 – 1,000 (min-1) High: 0 – 3,000 (min-1)
Impact rate	Low: 0 – 8,000 (min-1) High: 0 – 26,000 (min-1)
Weight	2.2kg
Length	350mm
Standard accessories	Chuck key, side handle, depth gauge and carry case



DV20VD(H1) 20mm Impact Drill



NEW



- Powerful 860W motor for the toughest jobs
- Variable speed trigger and dial to suit multiple drilling applications
- Aluminium Housing Body (AHB) for increased motor durability
- Full speed reverse for added versatility
- Rotating carbon brush for rotation direction change, increased power & improved carbon brush life

Specifications

999088

Chuck	13mm keyed
Capacity	Concrete: 20mm / Steel: 13mm / Wood: 40mm
Input power	860W
No load speed	Low: 0 – 1,100 (min-1) High: 0 – 3,000 (min-1)
Impact rate	Low: 0 – 8,100 (min-1) High: 0 – 22,000 (min-1)
Weight	3kg
Length	365mm
Standard accessories	Chuck key, side handle, depth gauge and stackable case



Includes Stackable Case



AHB
ALUMINIUM HOUSING BODY

DV22V(H6) 22mm Impact Drill with Safety Slip Clutch 03348005



NEW



- Powerful 1,120W motor for the toughest jobs
- Lock off (deadman) variable speed trigger with dial for safety and multiple drilling applications
- Aluminium Housing Body (AHB) for increased motor durability
- Full speed reverse for added versatility
- Slip clutch for added user safety
- Rotating carbon brush for rotation direction change, increased power & improved carbon brush life

Specifications

999088

Chuck	13mm keyless
Capacity	Concrete: 22mm / Steel: 16mm / Wood: 40mm
Input power	1,120W
No load speed	Low: 0 – 1,100 (min-1) High: 0 – 3,000 (min-1)
Impact rate	Low: 0 – 8,100 (min-1) High: 0 – 22,000 (min-1)
Weight	3kg
Length	363mm
Standard accessories	Side handle, depth gauge and stackable case



Includes Stackable Case



AHB
ALUMINIUM HOUSING BODY

VTV16 35mm Impact Drill



- High and low selectable speeds for various applications
- 16mm all metal keyed chuck for heavy duty applications
- Variable speed trigger and dial to suit multiple drilling applications

Specifications

Auto Stop 999073

Chuck	16mm keyed
Capacity	Concrete: 35mm / Steel: 16mm
Input power	800W
No load speed	Low: 0 – 700 (min-1) High: 0 – 1,400 (min-1)
Impact rate	Low: 0 – 11,200 (min-1) High: 0 – 20,000 (min-1)
Weight	3.8kg
Length	443mm
Standard accessories	Chuck key, side handle and depth gauge

