

KC Tools offers a range of heavy duty, multi-purpose pliers that have you really get a grip a anything. Designed to prevent slippage our pliers have been product tested meeting professional Australian quality standards. Our pliers enable you to get a firm grip at any angle and are designed with the comfort of the user in mind providing greater leverage while preventing pinching and slippage.



# 8. Pliers



17350-17352

## COMBINATION PLIERS

17350-17352

Standards:		DIN 5746
Code	Description	Length (mm)
17350	Combination Pliers	150
17351	Combination Pliers	180
17352	Combination Pliers	200

Light insulation. Cutting force 1.6 / 580N. Single joint. Cutting edge hardness 58HRC UP. CR-V, anti-rust coating.



17350H-17352H

## COMBINATION PLIERS HEAVY GRIP

17350H-17352H

Standards:		DIN 5746
Code	Description	Length (mm)
17350H	Combination Pliers Heavy Grip	150
17351H	Combination Pliers Heavy Grip	180
17352H	Combination Pliers Heavy Grip	200

Heavy insulation. Cutting force 1.6 / 580N. Single joint. Cutting edge hardness 58HRC UP. CR-V, anti-rust coating.



17360-17361

## LONG NOSE PLIERS

17360-17361

Standards:		DIN 5745
Code	Description	Length (mm)
17360	Long Nose Pliers	150
17361	Long Nose Pliers	200

Light insulation. Cutting force 1.6 / 580N. Single joint. Cutting edge hardness 58HRC UP. CR-V, anti-rust coating.



17360H-17361H

## LONG NOSE PLIERS HEAVY GRIP

17360H-17361H

Standards:		DIN 5745
Code	Description	Length (mm)
17360H	Long Nose Pliers Heavy Grip	150
17361H	Long Nose Pliers Heavy Grip	200

Heavy insulation. Cutting force 1.6 / 580N. Single joint. Cutting edge hardness 58HRC UP. CR-V, anti-rust coating.



17390-17391

## BENT NOSE PLIERS

17390-17391

Standards:		DIN 5745
Code	Description	Length (mm)
17390	45° Bent Nose Pliers	150
17391	45° Bent Nose Pliers	200

Light insulation. Cutting force 1.6 / 580N. Single joint. Cutting edge hardness 58HRC UP. CR-V, anti-rust coating.



17390H-17391H

## 45° BENT NOSE PLIERS HEAVY GRIP

17390H-17391H

Standards:		DIN 5745
Code	Description	Length (mm)
17390H	45° Bent Nose Pliers Heavy Grip	150
17391H	45° Bent Nose Pliers Heavy Grip	200

Heavy insulation. Cutting force 1.6 / 580N. Single joint. Cutting edge hardness 58HRC UP. CR-V, anti-rust coating.

**DIAGONAL CUTTERS**

17370-17372

Standards:		DIN 5749
Code	Description	Length (mm)
17370	Diagonal Cutters	150
17371	Diagonal Cutters	180
17372	Diagonal Cutters	200

Light insulation. Single joint. Cutting edge hardness 58HRC UP. CR-V, anti-rust coating.  
 17370: 1.6 / 460N Cutting force.  
 17371 & 17372: 1.6 / 580N Cutting force.



17370-17372

**DIAGONAL CUTTERS HEAVY GRIP**

17370H-17372H

Standards:		DIN 5749
Code	Description	Length (mm)
17370H	Diagonal Cutters Heavy Grip	150
17371H	Diagonal Cutters Heavy Grip	180
17372H	Diagonal Cutters Heavy Grip	200

Heavy insulation. Cutting force 1.6 / 460N. Single joint. Cutting edge hardness 58HRC UP. CR-V, anti-rust coating.



17370H-17372H

**END CUTTING PLIERS**

17373

Standards:		DIN 5748
Code	Description	Length (mm)
17373	End Cutting Pliers	200

Single joint. Cutting force 1.6/580N. Cutting edge hardness 58HRC UP. CR-V, anti-rust coating.



17373

**MINI COMBINATION PLIERS**

17400

Code	Description	Length (mm)
17400	Mini Combination Pliers	125

Body hardness 43HRC UP. Joint rivet hardness 30HRC UP. S45C, satin finish.



17400

**MINI LONG NOSE PLIERS**

17401

Standards:		DIN 9655
Code	Description	Length (mm)
17401	Mini Long Nose Pliers	125

Body hardness 43HRC UP. Joint rivet hardness 30HRC UP. S45C, satin finish.



17401

**MINI DIAGONAL CUTTING PLIERS**

17402

Standards:		DIN 9655
Code	Description	Length (mm)
17402	Mini Diagonal Cutting Pliers	115

Body hardness 43HRC UP. Joint rivet hardness 30HRC UP. S45C, satin finish.



17402

**MINI FLAT NOSE PLIERS**

17403

Standards:		DIN 9655
Code	Description	Length (mm)
17403	Mini Flat Nose Pliers	125

Body hardness 43HRC UP. Joint rivet hardness 30HRC UP. S45C, satin finish.



17403

# 8. Pliers



17404

## MINI BENT NOSE PLIERS

17404

Code	Description	Length (mm)
17404	Mini Bent Nose Pliers	125

45° bent nose. Body hardness 43HRC UP. Joint rivet hardness 30HRC UP. S45C, satin finish.



17405

## MINI END CUTTING PLIERS

17405

Code	Description	Length (mm)
17405	Mini End Cutting Pliers	115

Body hardness 43HRC UP. Joint rivet hardness 30HRC UP. S45C, satin finish.



17500-17503

## LONG NOSE PLIERS STRAIGHT

17500-17503

Standards:		DIN 5745
Code	Description	Length (mm)
17500	Long Nose Pliers	275
17503	Long Nose Pliers	400

Body hardness 45HRC UP. Joint rivet hardness 35HRC UP. CR-V, anti-rust. 0° angled gripping jaw.



17501-17504

## LONG NOSE PLIERS 45° BENT

17501-17504

Code	Description	Length (mm)
17501	Long Nose Pliers	275
17504	Long Nose Pliers	400

Body hardness 45HRC UP. Joint rivet hardness 35HRC UP. CR-V, anti-rust. 45° angled gripping jaw.



17502-17505

## LONG NOSE PLIERS 90° BENT

17502-17505

Code	Description	Length (mm)
17502	Long Nose Pliers	275
17505	Long Nose Pliers	400

Body hardness 45HRC UP. Joint rivet hardness 35HRC UP. CR-V, anti-rust. 90° angled gripping jaw.



17380

## MULTIGRIP PLIERS CURVED JAW

17380

Standards:		DIN 8976	
Code	Description	Maximum Opening (mm)	Length (mm)
17380	Multigrip Pliers Curved Jaw	41.4	250

Curved slip jaw. Body hardness 43HRC UP. CR-V, anti-rust coating.



17385-17388

## MULTIGRIP PLIERS STRAIGHT JAW

17358-17388

Standards:		DIN 8976	
Code	Description	Maximum Opening (mm)	Length (mm)
17385	Straight Jaw Heavy Duty	28.35	250
17386	Straight Jaw Heavy Duty	52.6	300
17387	Straight Jaw Heavy Duty	87.2	400
17388	Straight Jaw Heavy Duty	137	500

Curved slip jaw. Body hardness 43HRC UP. Joint rivet hardness 45 - 60HRC UP. CR-V, anti-rust coating.



**TRIMMING PLIERS**

17600

Code	Description	Length (mm)
17600	Trimming Pliers	350

Body hardness 43HRC UP. Joint rivet hardness 30HRC UP. Jaw hardness 30HRC UP. CR-V, anti-rust coating.



17600

**WIRE ROPE CUTTING PLIERS**

17550

Code	Description	Length (mm)
17550	Wire Rope Cutting Pliers	180

Cutting capacity 5mm (3/16") wire rope and 1.6mm (1/16") spring wire. Cutting edge hardness 60 ±3 HRC. CR-V, anti-rust.



17550

**WIRE TWISTING PLIERS**

17450-17451

Code	Description	Length (mm)
17450	Wire Twisting Pliers	150
17451	Wire Twisting Pliers	225

Used in aero, defence and racing industries for wire locking nuts in safety critical applications. Manufactured from CR-V hardened tempered, chrome plated spiral screw assembly and polished faces. Fast twist wire links, securing assemblies subjected to vibration. Side cutter stainless and inconel wire. Slim nose tip for optimum manoeuvrability. Jaw hardness 50-55HRC UP.



17450 - 17451

**CRIMPING TOOL KIT**

10636

Code	Description	Length (mm)
10636	Crimping Tool Kit	240

Cushioned grip pliers with 100 assorted terminals. Made from steel 60 - 75 HRC.



10636

**CRIMPING TOOL & STRIPPER**

10639

Code	Description	Length (mm)	Sizes
10639	Multi-functioning Crimping Tool & Stripper	245	M2.6 - M5

Professional quality. Crimps insulated and non insulated terminals. Strips 6 sizes and includes a wire cutter.



10639

**CRIMPING PLIERS**

10638

Code	Description	Length (mm)	Weight (grams)
10638	Crimping Pliers	215	512

High power crimping ideal for insulated terminals. Made from carbon steel HRC 42 - 48.



10638

**AUTOMATIC WIRE STRIPPER**

10635

Code	Description	Length (mm)
10635	Automatic Wire Stripper	215

Strips, cuts and crimps including ribbon and co-ax cable.



10635

# 8. Pliers



08234



17601-17602



17150




17658



17650

17652




17654

17656




17659



17651

17653



17655

17657

## MIG WELDING PLIERS

08234

Standards:		DIN 5746
Code	Description	Length (mm)
08234	Mig Welding Pliers	215

## FENCING PLIERS

17601-17602

Code	Description	Length (mm)
17601	Fencing Pliers	260
17602	Fencing Pliers	330

## MINI CIRCLIP PLIERS SET 80mm 4PC

17150

Code	Description	Capacity (mm)	Length (mm)
17150	4 Piece Circlip Pliers Set Electronic	3 - 10	140

Parallel tip. Internal and external bent and straight. Spring loaded. Red handles external, black handles internal.

## CIRCLIP PLIERS SET 140mm 4PC

17658

Standards:		DIN 5256	
Code	Description	Code	Description
17658	4 Piece Electronic Circlip Pliers Set		
17650	Internal Straight	17652	External Straight
17654	Internal Bent	17656	External Bent

Parallel tip.

## ELECTRONIC CIRCLIP PLIERS 140mm

17650-17656

Standards:		DIN 5256	
Code	Description	Capacity (mm)	Length (mm)
17650	Internal Straight Circlip Pliers	3 - 10	140
17652	External Straight Circlip Pliers	3 - 10	140
17654	Internal Bent Circlip Pliers	3 - 10	140
17656	External Bent Circlip Pliers	3 - 10	140

Parallel tip. Circlip pliers will easily remove or install a circlip or snap ring. There are two basic types of circlips and circlip pliers. Internal and External. This refers to whether they are fitted into a "tube" or over a "shaft". Circlips are often used to secure pinned connections.

## CIRCLIP PLIERS SET 140mm 4PC

17659

Standards:		DIN 5256	
Code	Description	Code	Description
17659	4 Piece Circlip Pliers Set		
17651	Internal Straight	17653	External Straight
17655	Internal Bent	17657	External Bent

Parallel tip.

## CIRCLIP PLIERS 140mm

17651-17657

Standards:		DIN 5256	
Code	Description	Capacity (mm)	Length (mm)
17651	Internal Straight Circlip Pliers	8 - 25	140
17653	External Straight Circlip Pliers	8 - 25	140
17655	Internal Bent Circlip Pliers	8 - 25	140
17657	External Bent Circlip Pliers	8 - 25	140

Parallel tip. Circlip pliers will easily remove or install a circlip or snap ring. There are two basic types of circlips and circlip pliers. Internal and External. This refers to whether they are fitted into a "tube" or over a "shaft". Circlips are often used to secure pinned connections.

**CIRCLIP PLIERS SET 180mm 4PC** 17674

Standards:		DIN 5256/5254	
Code	Description	Capacity (mm)	
17674	4 Piece Circlip Pliers Set	19 - 60mm	
Code	Description	Code	Description
17670	Internal Straight	17671	External Straight
17672	Internal Bent	17673	External Bent

Parallel tip.




17674

**CIRCLIP PLIERS 180mm** 17670-17673

Standards:		DIN 5256/5254	
Code	Description	Capacity (mm)	Length (mm)
17670	Internal Straight	19 - 60	180
17671	External Straight	19 - 60	180
17672	Internal Bent	19 - 60	180
17673	External Bent	19 - 60	180

Parallel tip. Circlip pliers will easily remove or install a circlip or snap ring. There are two basic types of circlips and circlip pliers. Internal and External. This refers to whether they are fitted into a "tube" or over a "shaft". Circlips are often used to secure pinned connection.



**CIRCLIP PLIERS SET 230mm 4PC** 17694

Standards:		DIN 5256/5254	
Code	Description	Capacity (mm)	
17694	4 Piece Circlip Pliers Set	40 - 100mm	
Code	Description	Code	Description
17690	Internal Straight	17691	External Straight
17692	Internal Bent	17693	External Bent

Parallel tip.




17694

**CIRCLIP PLIERS 230mm** 17690-17693

Standards:		DIN 5256/5254	
Code	Description	Capacity (mm)	Length (mm)
17690	Internal Straight	40 - 100	230
17691	External Straight	40 - 100	230
17692	Internal Bent	40 - 100	230
17693	External Bent	40 - 100	230

Parallel tip. Circlip pliers will easily remove or install a circlip or snap ring. There are two basic types of circlips and circlip pliers. Internal and External. This refers to whether they are fitted into a "tube" or over a "shaft". Circlips are often used to secure pinned connection.



**CIRCLIP PLIERS SET 10PC** 10626

Code	Description			Length (mm)
10626	10 Piece Circlip Pliers Set			270
Size	Size	Size	Size	
2 0.108"	2 0.108"	2 0.120"	2 0.120"	
0° Tips	45° Tips	0° Tips	45° Tips	
2 0.108"	2 0.108"	2 0.120"	2 0.120"	
15° Tips	90° Tips	15° Tips	90° Tips	
Accessories:			2 Handles	

With interchangeable tips. Spring ratchet mechanism to hold circlip securely against tension.



10626

# 8. Pliers



10630

## CIRCLIP PLIERS SET 4PC

10630

Code	Capacity (mm)	Handle Length (mm)	Head Length (mm)
10630	4 - 26	135	63

With 4 interchangeable tips. Parallel tip internal and external bent and straight. Spring loaded, insulated handles.

## SNAP RING PLIERS SET 10PC

10629

Size	Size	Size
5.5" Bent 1mm Tip	7.5" Bent 1.8mm Tip	5" Hook Tool
6" Straight 1mm Tip	8" Straight 1.8mm Tip	5" Pick Tool
5.5" Bent 1.2mm Tip	8.5" Bent 2.3mm Tip	-
6" Straight 1.2mm Tip	9" Straight 2.3mm Tip	-



10629



17100



17105

## LOCK RING PLIERS

17100-17105

Code	Description	Opening (mm)	Length (mm)
17100	Straight Tip Lock Ring Pliers	38	225
17105	Angle Tip Lock Ring Pliers	38	225

External action pliers which spread snap lock springs used on brakes, transmissions, pedal and clutch shafts and also machine tools. Drop forged from alloy steel. Jaws have deep serrations on the outside of tip to hold lock rings in place.



60150

## LOCKING PLIERS SET 3PC

60150

Code	Description	Pieces
60150	Locking Pliers Set	3

Set includes:

- 17027 - 150mm Long Nose Locking Pliers,
  - 17026 - 230mm Long Nose Locking Pliers,
  - 17033 - 250mm Straight Jaw Locking Pliers.
- Packaged in a wallet.



17024

## LOCKING PLIERS

17024

Code	Description	Length (mm)
17024	Locking Pliers	250

Curve jaw locking pliers grip and holds square and rounded objects. CR-V.



17018



17019

## LOCKING PLIERS

17018-17019

Code	Description	Length (mm)
17018	Locking Pliers	125
17019	Locking Pliers	175

Curve jaw locking pliers grip and holds square and rounded objects. CR-V.



**LOCKING PLIERS**

17031

Code	Description	Length (mm)
17031	Locking Pliers	250

Curved jaws with cutter, drop forged CR-V steel, nickel plated, heat treated and hardened. Holds objects for easy and safe working.



17031

**LOCKING PLIERS**

17033

Code	Description	Length (mm)
17033	Locking Pliers	250

Straight jaws with cutter, drop forged CR-V steel, nickel plated, heat treated and hardened. For secure clamping, holding and gripping. Holds objects for easy and safe working.



17033

**LONG NOSE LOCKING PLIERS**

17026-17027

Code	Description	Length (mm)
17027	Long Nose Locking Pliers	150
17026	Long Nose Locking Pliers	230

Long nose locking pliers with cutter, drop forged CR-V steel, nickel plated, heat treated and hardened. Holds objects for easy and safe working.



17026 - 17027

**C CLAMP LOCKING PLIERS**

17036

Code	Description	Length (mm)
17036	C Clamp Locking Pliers	280

Jaws open to 95mm. CR-V.



17036

**C CLAMP LOCKING PLIERS**

17037

Code	Description	Length (mm)
17037	C Clamp Flex Head Locking Pliers	280

Jaws open to 95mm. CR-V. Flexible tips.



17037

**C CLAMP LOCKING PLIERS**

17038

Code	Description	Length (mm)
17038	C Clamp Long Reach Locking Pliers	460

Jaws open to 175mm. CR-V.



17038

# 8. Pliers



17040

## C CLAMP LOCKING PLIERS

17040

Code	Description	Length (mm)
17040	C Clamp Long Reach Flex Head Locking Pliers	460

Jaws open to 175mm. CR-V. Flexible tips.



17046

## WELDING CLAMP LOCKING PLIERS

17046

Code	Description	Length (mm)
17046	Welding Clamp Pliers	230

Locking welding clamp holds workpiece firmly in position for easy and safe working. Use for clamping profile sections when welding.



17044

## SHEET METAL LOCKING PLIERS

17044

Code	Description	Length (mm)
17044	Sheet Metal Clamping Pliers	250

Flat grip for holding sheet metal or workpiece in place for easy working.



SHAD14

## SHADOWBOARD

SHAD14

Code	Description	Size
SHAD14	Pliers Shadowboard	600 x 900

Code	Description	Capacity
17350 - 27352	150, 180 & 200mm Long Nose Pliers	3 Each
17370 - 17372	150, 180 & 200mm Diagonal Cutting Pliers	3 Each
17360 - 17361	150 & 200mm Long Nose Pliers	3 Each
17390	200mm Bent Nose Pliers	2 Each
17380	250mm Curved Jaw Multi-Grip Pliers	2 Each
17381	300mm Curved Jaw Multi-Grip Pliers	2 Each
17372H	200mm Heavy Duty Diagonal Cutting Pliers	2 Each
17361H	200mm Heavy Duty Longnose Pliers	2 Each
17352H	200mm Heavy Duty Combination Pliers	2 Each
17373	200mm End Cutting Pliers	2 Each
17670	180mm Internal Straight Circlip Pliers	2 Each
17672	180mm Internal Bent Circlip Pliers	2 Each
17671	180mm External Straight Circlip Pliers	2 Each
17673	180mm External Bent Circlip Pliers	2 Each



15610

## COMBINATION PLIERS

15610

Code	Weight (grams)	Length (mm)	Body HRC	Cutting HRC
15610	439	200	42 - 45	56 - 62

Fully polished, carbon steel with insulated handles, PVC grip. Used for clamping, picking and cutting

**LONG NOSE PLIERS**

15612

Code	Weight (grams)	Length (mm)	Body HRC	Cutting HRC
15612	286	200	42 - 45	56 - 62

Fully polished, carbon steel with insulated handles, PVC grip. Used for clamping, picking and cutting



15612

**DIAGONAL CUTTERS**

15614

Code	Weight (grams)	Length (mm)	Body HRC	Cutting HRC
15614	250	185	42 - 45	56 - 62

Fully polished, carbon steel with insulated handles, PVC grip. Used for clamping, picking and cutting



15614

**MULTIGRIPS**

15616

Code	Weight (grams)	Length (mm)	Maximum Opening (mm)	Body HRC	Cutting HRC
15616	459	250	27.35	42 - 45	56 - 62

Groove joint, fully polished, carbon steel with insulated interlocking handles.



15616

**MULTIGRIPS**

10618

Code	Weight (grams)	Length (mm)	Maximum Opening (mm)
10618	1400	400	83.85

Insulated interlocking handles.



10618

**LOCKING PLIERS**

15625

Code	Weight (grams)	Length (mm)
15625	500	250

Curved jaw. Made of chrome plated carbon steel.




15625

**CIRCLIP PLIERS**

10601-10604

Code	Description	Weight (grams)	Length (mm)
10601	External Bent Circlip Pliers	166	175
10602	External Straight Circlip Pliers	166	175
10603	Internal Bent Circlip Pliers	156	175
10604	Internal Straight Circlip Pliers	156	175



**CIRCLIP PLIERS**

10621-10624

Code	Description	Weight (grams)	Length (mm)
10621	External Bent Circlip Pliers	313	230
10622	External Straight Circlip Pliers	318	230
10623	Internal Bent Circlip Pliers	282	230
10624	Internal Straight Circlip Pliers	302	230

Duckbill.

