



ALL APN ■ AND UPC ● CODE NUMBERS SHOWN ARE PRECEDED BY THE MANUFACTURER APN OR UPC I.D. NUMBER ■ 9337103 & ● 037103.

Crescent™ Locking Pliers

Now you have a choice in quality locking pliers. The new line from Crescent offers performance which meets that of the leading competitor at a substantially lower cost. But don't take our word for it. Compare Crescent head-to-head against any other locking pliers and we guarantee the only difference you'll find is on the price tag. We have the most popular sizes and styles



of locking products, including sheet metal and welder's clamps, and even a range of cushion grip locking pliers.

C7SV	C6NV	C11CCV Crescent
Crescent	C8SMV Crocon	O Createring
C20CH	CLE Crescent	PSSET







* Display racks available. Refer to your Apex Tool Group Sales Representative.

Material Number	Description mm/in	Jaw Capacity	APN/UPC	Shelf Pack
Straight Jaw				
C7SV	175/7	34mm	● 206664	3
C10SV	250/10	45mm	● 206800	3
Curved Jaw w	vith Wire Cutter			
C5CV	125/5	32mm	● 206817	3
C7CV	175/7	42mm	● 206695	3
C10CV	250/10	48mm	● 206701	3
Long Nose wi	th Wire Cutter			
C6NV	150/6	58mm	● 206718	3
C9NV	230/9	73mm	● 206725	3
Locking C-Cla	amp (Reg Tips)			
C6CCV	150/6	51mm	● 206732	3
C11CCV	280/11	102mm	● 206756	5
Locking C-Cla	amp (Swivel Tips)			
C6CCSV	150/6	73mm	● 206749	3
C11CCSV	280/11	102mm	● 206763	5
Locking Shee	t Metal Clamp			
C8SMV	200/8	19mm	● 206770	3
Locking Weld	ing Clamp			
C9W	230/9	38mm	● 206787	5
Locking Chair	n Clamp			
C20CH	230/9 Chain - 460mm Circumfe	rence	● 206794	5
2 Piece Curve	ed Locking Plier Set			
CLP2SET	175/7 & 250/10		● 202864	3
3 Piece Curve	ed Locking Plier Set			
CLP3SET	125/5, 175/7, 250/10		● 202871	3
5 Piece Set				
CLP5SET	3 Curved, 2 Long Nose 125/5, 175/7, 250/10 150/6, 230/9		● 202895	3
3 Piece Set - 0	Cushion Grips			
CLP3SETC	3 Curved Jaw 125/5, 175/7, 250/10		202888	3
CLPR1	Rack - 5 Positions		■ 470845	1
Features & Benef	ïts			

Features & Benefits

- Maximum jaw opening capacity per ASME specs
- Integral wire cutter on curved jaw and long nose
- Precisely machined ferrule for fine jaw adjustment
- Nickel-plated finish resists rust and corrosion
- Compound action for powerful non-slip locking grip
- Patented angled tooth pattern provides better grip

Crescent™ Pliers

Introducing the bigger and better Pliers Range from Crescent. New, Upgraded range, with three different price points.

Range includes Ultimate, ProSeries and S-Series.



FEATURES & BENEFITS

- FEATURES & BENEFITS

 Premium quality forged alloy steel for toughness and durability
 Insulated grips

 Precise jaw gap for wire work

 Cross hatch jaws for positive grip

 Serrated pipe grip (3800 models & 4800 models)

 Shear cut action in jaws (4800 models)

 Renowned for providing years of work and performance

 Extended and hardened cutting jaw for use with flat multicore cabling (3800 & 4800 models)
- Built in crimper for use on 1.5mm² to 6mm² solderless connectors (3800 & 4800 models)
- Australian Made



The features in detail:





Slim line jaw with precise jaw gap.

Hardened crimping jaw built into handle for use with solderless connectors.

Pliers - Ultimate

	Material Number	Description mm/in	APN/UPC	Shelf Pack
4800CTV	4800CTV	SHEAR CUT Action Universal plier, 200mm	■ 008574	6
(везтиции мин)	3800CTV	Universal plier with crimper, 200mm	■ 466817	6
3800CTV	3800CTP	Universal plier with crimper in nylon pouch, 200mm	■ 473709	4
3800CTP	72-7CV	End cutting nippers with cushion grip, 180mm	■ 003166	6
CONTRACTOR MAIN	72-8CV	End cutting nippers with cushion grip, 200mm	■ 463007	6
72-7CV	72-9CV	End cutting nippers with cushion grip, 230mm	467418	6
	542-7CV	Diagonal cutting pliers with cushion grip, 180mm	■ 004149	6
542-7CV	542-8CV	Diagonal cutting pliers with cushion grip, 200mm	■ 464745	6
654-7CV	654-7CV	Long nose pliers with cushion grip, 180mm	■ 004156	6

Pliers - Ultimate High Voltage















crimper, 200mm

1000V Universal plier with

1000V Diagonal cutter, 200mm





■ 321512

4

4


















5428HV

3800CHV









ALL APN ■ AND UPC ● CODE NUMBERS SHOWN ARE PRECEDED BY THE MANUFACTURER APN OR UPC I.D. NUMBER ■ 9337103 & ● 037103.

FEATURES & BENEFITS

- Unlike standard pliers with pivot on the centre-bolt only, additional leverage can be applied to PivotPro™ Pliers creating leverage and force to cutting edges
 PivotPro™ unique pivot action requires 40% less force to cut
- Easy one-handed use and controlled cut
- Forged body with Dual material grips for added comfort
 Compound Action increases cutting pressure by 50%, are 1/3 lighter in weight than standard pliers

Pliers - Compound Action



	Material Number	Description mm/in	APN/UPC	Shelf Pack
NEW PRODUCT	CCA20509	PivotPro™ Linesman Plier 228mm/9"	• 274489	3
NEW PRODUCT	CCA6548	PivotPro™ Long Nose 203mm/8"	• 274509	3
NEW PRODUCT	CCA5428	PivotPro™ Diagonal Plier 203mm/8"	• 274496	3
	PS20509C	Compound Action Universal pliers, 230mm/9"	● 216861	3
	PS5429C	Compound Action Diagonal cutting pliers, 230mm/9"	● 216847	3
	PS6549C	Compound Action Long Nose pliers, 230mm/9"	● 216823	3

FEATURES & BENEFITS

- Heat treated forged alloy steel with hardened cutting edges
- Non-slip cushion grip on most models (as per depictions)
- Proven, reliable tools from reputable trusted brand, Crescent


Pliers - S-Series



508CVN	Universal Pliers with side cutter, 200mm/8"	● 213365	6
727CVN	End cutting nippers, 180mm/7"	● 213150	6
GT28CN	End cutting nippers with carbide jaw, 200mm/8"	● 213785	6
728CVN	End cutting nippers, 200mm/8"	● 213112	6
5427CVN	Diagonal cutting pliers, 180mm/7"	● 212801	6
5428CVN	Diagonal cutting pliers, 200mm/8"	• 212771	6
6546CVSMLN	Long Nose Pliers, 150mm/6"	• 212832	3
6547CVN	Long Nose Pliers, 180mm/7"	● 212993	3
7776CVN	Long Needle Nose pliers, 150mm/6"	• 213372	6
7777CVN	Long Needle Nose pliers, 180mm/7"	• 213396	6
8886CVN	Curved Needle Nose pliers, 150mm/6"	• 213020	6

Pliers High Voltage - S Series APN/UPC Shelf Material Description Number mm/in Pack **CHV508** 1000V HV, Universal Pliers, ■ 004279 6 200mm/8" **CHV410** 1000V HV, Multi-Grip Pliers, ■ 004255 6 250mm/10" CHV5428 1000V HV, Diagonal Cutting ■ 004248 6 Pliers, 200mm CHV6548 1000V HV, Long Nose Pliers, ■ 004262 6 200mm/8"

Multi-Grip Pliers - S Series




R210CV	Multi-Grip Plier, Straight Jaw, 254mm/10"	• 463685	6
R212CV	Multi-Grip Plier, Straight Jaw, 300mm/12"	• 463739	6
R216CV	Multi-Grip Plier, Straight Jaw, 406mm/16"	• 469687	3
R410CV	Multi-Grip Plier, Curved Jaw, 254mm/10"	• 464705	6
R200SET3	Multi-Grip Pliers Set, 3 Piece, Straight Jaw, 7", 10", 12"	■ 205742	4

Rapid Grip Auto Adjustable Multi-Grip Pliers - S Series



CMGP10	Multi-Grip Plier, Curved Jaw, 254mm - auto adjustable	■ 002985	5
CMGP12	Multi-Grip Plier, Curved Jaw, 300mm - auto adjustable	■ 002978	5

Fencing Tools - S Series



T193610VN	Prong & Hammer Head fence tool, 254mm/10"	● 212955	6
193610CVSMN	Prong & Hammer Head fence tool, cushion grip, 254mm/10"	• 212948	3
10008VN	Button Pliers Fence Tool, 200mm/8"	● 213068	6
100010VN	Button Pliers Fence Tool, 254mm/10"	• 213051	6
100012VN	Button Pliers Fence Tool, 300mm/12"	● 213099	6

Retaining Ring Pliers Kit - S Series



DR23H Retaining Ring Pliers Kit	043127068102	6
---------------------------------	--------------	---

- Cushion handle gripsKit contains one external ring plier, one Nit contains one external ring piler, one internal ring piler
 One pair each of .035, .047 and .070 tips
 Available in skin pack only
 Use retaining ring pliers for installing,

- removing retaining ring clips
 Always use the largest tips that fit the holes in
- retaining ring clips
 Engage tips in holes as far as possible before squeezing plier handles



ALL APN ■ AND UPC ● CODE NUMBERS SHOWN ARE PRECEDED BY THE MANUFACTURER APN OR UPC I.D. NUMBER ■ 9337103 & ● 037103.

Crimping Tools



Material Description Number mm/in	APN/UPC	Shelf Pack
-----------------------------------	---------	---------------

Ratcheting Crimping Tool Set - with Interchangeable Jaws

10 Piece

- Parallel mechanism for precise crimping Compound action requires 30-50% less
- Plier releases once correct pressure is obtained
- Insulated Terminals 0.5mm² 6mm²
- (22-10 AWG)
 Open Barrel Connectors N/I 0.5mm² 6mm² (22-10 AWG)
- Non Insulated Terminals 0.5mm² 10mm² (22-8 AWG)
 Coaxial Connectors RG58, RG59, RG62 Hex, 6.8mm, 5.41mm, 1.73mm
 Coaxial Connectors RG59, RG-6 Hex, 8.89mm, 8.13mm, 6.48mm
 Modular Connectors RU59, CATES CATES

5

003654

- Modular Connectors RJ45, CAT5e CAT6





Ratcheting Data Crimper and Stripper

CDC68	Ratcheting Data Crimper and	■ 004507	6
	Stripper		

- Crimps 6P & 8P connectors. No die changes
- Integrated cable cutter, length stopper & stripper
 Ratcheting system requires less force
 Precision CNC ground crimping teeth
 SK5 steel on cutting blade

Non Insulated Terminals



- Adjustment wheel for adjusting crimping pressure
- Multiple crimp sizes
- Co-moulded ergonomic handle for improved comfort and extra length CCT8 is suitable for Non-Insulated terminals 22-8AWG (0.5-10mm²) CCT10 is suitable for Insulated terminals 22-10AWG (0.5-6mm²)

Cable Cutters





Ratcheting Cable Cutter

•	For clean and easy cutting of copper and
	aluminium cable with an outer diameter of
	up to 45mm diameter (not suitable for cutting

340mm

- steel wire, steel braided cable or hardened cable) Specially sharpened and hardened blades for
- clean cuts Ratcheting mechanisim with compact design allows easy one handed operation, requiring
- minimal force to operate

471231

Locking blade with blade release allows blade to be opened in mid-cut (push handles apart and press blade release button)

Quick adjustment allowed by pushing handles

5

3

Shelf

Pack

10

- apart, press blade release button and adjust
- blade to required position Blade Lock Can be locked (red position) or unlocked (blue position)



Electrical Cable Cutter

0890CSJ 241/91/2

- · Special Alloy hardened blades
- · Comfort grips

Material

CRCC1

- · High-leverage jaws with shear-cut blades
- Do NOT cut steel or ACSR

• 911919

APN/UPC

471224

NOT an insulated tool

Conduit Cutters







- Number mm/in **Conduit Cutter** CCC42 Heavy duty tool

Description

- Cuts 3mm-42mm profile
- Heat treated cutting blade for cutting P.V.C. pipe and water hose up to 42mm diameter
- Cuts cleanly without the need for de-burring
- Heavy duty design and construction
- Bright red colour for easy standout in the tool box and workplace
- Jaw insert enables cutting of additional profiles, including square





Twist Conduit Pipe Cutters

	Programme and the second secon		
CTPC20	Crescent Twist Pipe Cutter, 20mm	■ 004491	10
CTPC25	Crescent Twist Pipe Cutter, 25mm	■ 004484	10

- Auto tube cutters automatically tighten and cut as you turn it around the tube
- Each tool fits one size of pipe Cuts conduit cleanly with ease
- No protruding handle allows it to be used in confined spaces
- Convenient to store Convenient Display Pack of 10

Wire Strippers



Material Number	Description mm/in	APN/UPC	Shelf Pack
--------------------	-------------------	---------	---------------

5 in 1 Scissor Action Tool

WS19HAU	8" Crimper/Cutter	■ 008550	6
---------	-------------------	----------	---

- Wire stripper, wire cutter, bolt cutter, plier and
- crimper
 Pliers nose permits wire pulling and looping
 Cleanly strips and cuts 10 22 AWG wire
- Cuts bolts through No. 10, leaving perfect lead
- thread
- Crimps isulated and non-insulated solderless terminals
- Lifetime pivot bearing and red cushion handle

Wire Stripper

WS15H 6" Stripper Cutter 043127231506

- · Ideal for general purpose wire stripping and
- Plier style nose permits pulling and looping of
- Strips and cuts 20 10 AWG and .5mm -5.3mm wire sizes
- Full 1/2", scissor cutting edge cuts and strips clean down to conductor
- Handle lock protects blades when not in use Lifetime pivot bearing and comfortable cushion handle grips
- Handle spring speeds scissor action

Self Adjusting Wire Stripper

Cuts and strips 24-10 AWG **471248**

- · Used for stripping and cutting wire, crimping insulated and non-insulated terminals and crimping ignition terminals
- Cuts and strips 24-10 AWG (0.2-6mm²) copper or aluminium wire
- Crimps 22-10 AWG (0.5-6mm²) insulated & non-insulated terminals
- Crimps 7-8mm ignition terminals
- Fine adjustments can be made to strip wire insulation smaller than AWG24 (0.2mm²) without cutting into the wire
- Stopper for adjusting wire strip length (rotate stopper when stripper length is not required)

Electricians Pocket Stripper

CPS12 **Electricians Pocket Stripper** ■ 003715

- · Lightweight and easy to use
- Strips regular cable 20-10AWG (0.5 6mm²)
- Strips RG59 and RG6 coaxial cable
- · Strips low volt cable 8-13mm
- Slip resistant rubber grip

Fish Tape and Lubricant





Fish Tape Roll

CFT30	30m x 6mm	■ 003746	6

- 3 strands for additional strength
- Made of POM plastic. Polyoxymethylene (POM) is an engineering thermoplastic used in precision parts that require low friction and excellent abrasion resistance Includes storage/dispensing tube

Lubricant

CL100	1 litre	■ 003708	12

- Wax based formula provides superior
- lubricating
 Applies easily and uniformly
 Clings to cable even through long pulls
- Temperature stable it does not liquefy
- No mixing required Does not dry out fast

Voltage Detector



- CVS600V 12V-600V, 50-60Hz **■** 001872
- Voltage detection range 12-600V AC, 50-60Hz
- Adjustable sensitivity allows tracing of wires behind walls, at switches or receptacles
- Features include Sensing Tip, 360° Visual Indicator and Sensitivity Adjustment

Electric Irons Soldering and Wood Burning







Irone

irons			
N25D	25 Watt / 240 Volt Electric Soldering Iron	■ 907006	6
N40D	40 WattT / 240 Volt Electric Soldering Iron	■ 907013	6
N80D	80 Watt / 240 Volt Electric Soldering Iron	■ 907020	6
NW30D	30 Watt / 240 Volt Wood Burning Iron. Ideal for the Hobbyist 6 x stamps included for wood burning	■ 921057	6