



BEAVER REGULAR LINK PROOF COIL CHAIN



Beaver Regular Link Proof Coil Commercial Chain


Beaver Proof Coil Commercial Chain is a non-rated chain, manufactured from low carbon steel and is for general purpose use only. "Proof coil" relates to the number of consistent links in any one length.

- Not Suitable for any lifting purposes.
- Lengths include – regular link and long link
- Available in Hot Dipped Galvanised, Electro Galvanised and Self Colour

Beaver Regular Link Proof Coil Chain

Hot Dipped Galvanised – Sizes 3 - 24mm

Code	Nominal Size mm	S mm	R mm	F mm	Finish	UOM	Metres Per 100(kg)
100303	3	3.2	16	12	Galvanised	Metre	498
100304	4	4	18.5	14.5	Galvanised	Metre	305
100305	5	4.7	19	17	Galvanised	Metre	193
100306	6	6.35	22	21	Galvanised	Metre	120
100308	8	7.94	26.5	27.2	Galvanised	Metre	74.1
100310	10	9.5	30	32	Galvanised	Metre	47.1
100313	13	12.7	39	43	Galvanised	Metre	27.7
100316	16	15.8	45	53	Galvanised	Metre	18.2
100320	20	19	55	63	Galvanised	Metre	11.6
100324	24	25.4	73	84	Galvanised	Metre	8.04




Metres per drum are subject to + or - 10% on actual metrage

NOT TO BE USED FOR LIFTING

Beaver Regular Link Proof Coil Chain

Self Colour – Sizes 3 - 24mm

Code	Nominal Size mm	S mm	R mm	F mm	Finish	UOM	Metres Per 100(kg)
100103	3	3.2	16	12	Self Colour	Metre	511
100104	4	4	18.5	14.5	Self Colour	Metre	320
100105	5	4.7	19	17	Self Colour	Metre	203
100106	6	6.35	22	21	Self Colour	Metre	129
100108	8	7.94	26.5	27.2	Self Colour	Metre	77.8
100110	10	9.5	30	32	Self Colour	Metre	48.5
100113	13	12.7	39	43	Self Colour	Metre	29.7
100116	16	15.8	45	53	Self Colour	Metre	20.2
100120	20	19	55	63	Self Colour	Metre	12.3
100124	24	25.4	73	84	Self Colour	Metre	8.5



Metres per drum are subject to
+ or - 10% on actual metrage

**NOT TO BE USED
FOR LIFTING**

Customised Beaver Proof Coil Chain

Sizes 4 - 8mm

Code	Nominal Size mm	Finish	UOM	Length Metres
100304-VTC-AC	4	Hot Dipped Galvanised	Metre	3.1
100206-2.5	6	Electro Galvanised	Metre	2.5
100206-1.2	6	Electro Galvanised	Metre	1.2
130206-2.5	6	Electro Galvanised	Metre	2.5
130308-1.5	8	Electro Galvanised	Metre	1.5
130206-1.5	8	Hot Dipped Galvanised	Metre	1.5

Above are held on stock at customer's request.
Beaver can design for every application. eg. underground vent tube chain, conveyor hanging chain, etc.

**NOT TO BE
USED FOR
LIFTING**

BEAVER REGULAR LINK PROOF COIL CHAIN (CONT'D)

Beaver Regular Link Hardware Chain

Pre-Packed 50kg Handy Hardware Display Pail

Code	Size mm	UOM	Metres Per 50(kg)	Finish
100103PP	3	Pail	256	Self Colour
100203PP	3	Pail	249	Electro Galvanised
100303PP	3	Pail	249	Galvanised
100104PP	4	Pail	160	Self Colour
100304PP	4	Pail	170	Galvanised
100105PP	5	Pail	102	Self Colour
100305PP	5	Pail	97	Galvanised
100106PP	6	Pail	64.5	Self Colour
100306PP	6	Pail	60	Galvanised
100108PP	8	Pail	39	Self Colour
100308PP	8	Pail	37	Galvanised
100110PP	10	Pail	24.3	Self Colour
100310PP	10	Pail	23.6	Galvanised
100113PP	13	Pail	14.85	Self Colour
100313PP	13	Pail	13.8	Galvanised



Metres per pail are subject to + or - 10% on actual metreage


**NOT TO BE USED
FOR LIFTING**

BEAVER LONG LINK PROOF COIL CHAIN

Beaver Long Link Proof Coil Chain

Hot Dipped Galvanised – Sizes 4 - 10mm

Code	Nominal Size mm	S mm	R mm	F mm	Finish	UOM	Metres Per 100(kg)
130304	4	4	25.4	18.6	Galvanised	Metre	318
130305	5	5	29.3	21.8	Galvanised	Metre	206
130306	6	6.3	34.5	26.1	Galvanised	Metre	128
130308	8	8	41.2	31.9	Galvanised	Metre	78.1
130310	10	10	49	38	Galvanised	Metre	50.2




Metres per drum are subject to + or - 10% on actual metrage **NOT TO BE USED FOR LIFTING**

Beaver Long Link Proof Coil Chain

Self Colour – Sizes 4 - 10mm

Code	Nominal Size mm	S mm	R mm	F mm	Finish	UOM	Metres Per 100(kg)
130104	4	4	25.4	18.6	Self Colour	Metre	335
130105	5	5	29.3	21.8	Self Colour	Metre	217
130106	6	6.3	34.5	26.1	Self Colour	Metre	135
130108	8	8	41.2	31.9	Self Colour	Metre	82.2
130110	10	10	49	38	Self Colour	Metre	52.9




Metres per drum are subject to + or - 10% on actual metrage **NOT TO BE USED FOR LIFTING**

Beaver Long Link Proof Coil Chain

Electro Galvanised – Sizes 5 - 8mm

Code	Nominal Size mm	S mm	R mm	F mm	Finish	UOM	Metres Per 100(kg)
130205	5	5	29.3	21.8	Electro Gal	Metre	206
130206	6	6.3	34.5	26.1	Electro Gal	Metre	128
130208	8	8	41.2	31.9	Electro Gal	Metre	78.1



Metres per drum are subject to + or - 10% on actual metrage **NOT TO BE USED FOR LIFTING**

BEAVER GENERAL PURPOSE STAINLESS STEEL CHAIN



Beaver Stainless Steel General Purpose Chain

Beaver General Purpose Stainless Steel Chain, manufactured in 304 and 316 grade stainless steel.

- Not Suitable for any lifting or towing purposes
- Lengths include – short link, regular link and long link
- For Stainless Steel Lifting Chain – refer to Grade 50 Stainless Steel Chain


Beaver Grade 304 Stainless Steel Chain

Regular Link – Sizes 4 - 10mm

Code	Nominal Size mm	S mm	R mm	F mm	Finish	UOM	Metres Per 100(kg)
147104	4	4	18.6	16	Stainless Steel	Metre	384.6
147106	6	6	26	23.5	Stainless Steel	Metre	137.3
147108	8	8	32.2	29.5	Stainless Steel	Metre	80
147110	10	10	39	36.2	Stainless Steel	Metre	49.6

Metres per drum are subject to + or - 10% on actual metrage

NOT TO BE USED FOR LIFTING




Beaver Grade 316 Stainless Steel Chain

Regular Link – Sizes 2 - 13mm

Code	Nominal Size mm	S mm	R mm	F mm	Finish	UOM	Metres Per 100(kg)
146102	2	2	14.8	8.25	Stainless Steel	Metre	1666.6
146104	4	4	18.6	16	Stainless Steel	Metre	384.6
146106	6	6	26	23.5	Stainless Steel	Metre	137.3
146108	8	8	32.2	29.5	Stainless Steel	Metre	80
146110	10	10	39	36.2	Stainless Steel	Metre	49.6
146113	13	13	49.1	46.1	Stainless Steel	Metre	28.7

Metres per drum are subject to + or - 10% on actual metrage


NOT TO BE USED FOR LIFTING



Beaver Grade 316 Stainless Steel Chain

Short Link – Sizes 4 - 8mm

Code	Nominal Size mm	S mm	R mm	F mm	Finish	UOM	Metres Per 100(kg)
146206	6	6	30.5	19.2	Stainless Steel	Metre	133.3
146208	8	8	40	25.6	Stainless Steel	Metre	74.8




Metres per drum are subject to + or - 10% on actual metrage

NOT TO BE USED FOR LIFTING

Beaver Grade 316 Stainless Steel Chain

Long Link

Code	Nominal Size mm	S mm	R mm	F mm	Finish	UOM	Metres Per 100(kg)
146102L	2	2	26	8	Stainless Steel	Metre	1639



Metres per drum are subject to + or - 10% on actual metrage

NOT TO BE USED FOR LIFTING

