

SAFETY MATTERS



Building on our trusted quality and performance, we've made wheel selection even safer & easier with...

- High Visibility between wheel and work surface
- Material colour selector
- Application identifier
- Made to a high standard

Australian Standards
AS 1788-1:1987



EN12413

Material

Size

Material
Colour Code

Application
Indicator



Made in Australia from local and imported components.

flexOvit

FOR PROFESSIONAL CUTTING AND GRINDING

FLAT CUTTING-OFF WHEELS

FOR HAND HELD MACHINES

CUTTING-OFF / DRY



Type: 41



Flexovit - ZA60Y MAXX™

FEATURES & BENEFITS

Stainless Steel
1.3mm thick

Ultra thin NorZon® Plus grain, premium grade - for cutting stainless steel, alloy steels & hard ferrous metals.

Fast burr-free cutting & long life



SPECIFICATION	SIZE (mm)	MAX. RPM	PACK QTY	LEGACY CODE	BARCODE	PRODUCT NUMBER
ZA60Y MAXX™ Premium Grade NorZon® Plus Stainless Steel, Alloy Steels & Hard Ferrous Angle Grinder Circular Saw	100 x 1.0 x 16.00	15,300	25	15102010MX	9314188134855	66252837153
	115 x 1.0 x 22.23	13,300	25	15115010MX	9314188134862	66252841589
	125 x 1.0 x 22.23	12,250	25	15127010MX	9314188134879	66252837155
	100 x 1.3 x 16.00	15,300	25	15102013MX	9314188135692	66252841586
	125 x 1.3 x 22.23	12,250	25	15127013MX	9314188135715	66252841597



Flexovit - ZA60X mega INOX

FEATURES & BENEFITS

Stainless Steel
1.0mm thick

Ultra thin Zirconia, premium grade - for cutting stainless steel, alloy steels & hard ferrous metals

Free of iron, sulphur & chlorine

Fast, burr-free cutting & long life



SPECIFICATION	SIZE (mm)	MAX. RPM	PACK QTY	LEGACY CODE	BARCODE	PRODUCT NUMBER
ZA60X MEGA INOX Premium Grade Zirconia Stainless Steel, Alloy Steels & Hard Ferrous Angle Grinder Circular Saw	125 x 1.0 x 22.23	12,250	100	15512510	9314188038184	66252923781



DO always have machine speeds checked regularly, especially after maintenance or repair, and perform regular maintenance.



DON'T stop the wheel by applying pressure to the periphery or face. Always switch the machine off and allow the wheel to stop revolving.

SAFETY MATTERS IN YOUR WORKSHOP

ORDER YOUR FREE POSTER
CHECK OUT PAGE 17

flexOvit

NOTE: Some materials sourced from Australian Standards Association 1788.2-1987

Dimensions Key: SIZE = Wheel Diameter x Thickness x Bore/Centre Hole



Flexovit - A46T-BF41 Mega INOX

FEATURES & BENEFITS

Ultra thin, premium grade - for cutting stainless steel, alloy steels & hard ferrous metals

Stainless Steel
1.0mm thick

Free of iron, sulphur & chlorine

Fast, burr-free cutting & long life



SPECIFICATION	SIZE (mm)	MAX. RPM	PACK QTY	LEGACY CODE	BARCODE	PRODUCT NUMBER
A46T-BF41 MEGA INOX Stainless Steel, Alloy Steels & Hard Ferrous Angle Grinder Circular Saw	100 x 1.0 x 16.00	15,300	100	15102010	9314188005032	66252841585
	100 x 1.6 x 16.00	15,300	100	15102016	9314188004295	66252841587
	100 x 2.0 x 16.00	15,300	100	1510216	9314188038030	66252841588
	115 x 1.0 x 22.23	13,300	100	15115010	9314188004288	66252919966
	115 x 1.6 x 22.23	13,300	100	15115016	9314188004325	66252919970
	115 x 2.0 x 22.23	13,300	100	1511522	9314188038078	66252841591
	125 x 1.0 x 22.23	12,250	100	15127010	9314188004271	66252919991
	125 x 1.6 x 22.23	12,250	100	15127016	9314188004332	66252841598
	125 x 2.0 x 22.23	12,250	100	1512722	9314188038108	66252841599
	180 x 1.6 x 22.23	8,500	50	15180016	9314188134916	66252841600
	180 x 2.0 x 22.23	8,500	50	15178020	9314188004318	66252920038
	230 X 1.9 x 22.23	6,650	50	15230019	9314188134782	66252841601
	230 x 2.0 x 22.23	6,650	50	15230020	9314188004301	66252920062

25 pack

FEATURES & BENEFITS

Text

Text
Text

SPECIFICATION	SIZE (mm)	MAX. RPM	PACK QTY	LEGACY CODE	BARCODE	PRODUCT NUMBER
Text Text	100 x 1.0 x 22.2	12,250	4	-	XXXX	XXXX
	115 x 1.0 x 22.2	12,250	4	-	XXXX	XXXX
	125 x 1.0 x 22.2	12,250	4	-	XXXX	XXXX

Multi Material

FEATURES & BENEFITS

Text

Text
Text

SPECIFICATION	SIZE (mm)	MAX. RPM	PACK QTY	LEGACY CODE	BARCODE	PRODUCT NUMBER
Text Text	100 x 1.0 x 22.2	12,250	4	-	XXXX	XXXX
	115 x 1.0 x 22.2	12,250	4	-	XXXX	XXXX
	125 x 1.0 x 22.2	12,250	4	-	XXXX	XXXX

Ion

FEATURES & BENEFITS

Text

Text
Text

SPECIFICATION	SIZE (mm)	MAX. RPM	PACK QTY	LEGACY CODE	BARCODE	PRODUCT NUMBER
Text Text	100 x 1.0 x 22.2	12,250	4	-	XXXX	XXXX
	115 x 1.0 x 22.2	12,250	4	-	XXXX	XXXX
	125 x 1.0 x 22.2	12,250	4	-	XXXX	XXXX

FLAT CUTTING-OFF WHEELS

FOR HAND HELD MACHINES

CUTTING-OFF / DRY



Type: 41



Flexovit - ZA60X mega INOX

FEATURES & BENEFITS

Stainless Steel
0.89mm thick

Ultra thin, general purpose cutting of ferrous metals

I/F suitable for cutting stainless steel

I/F = Iron Free



SPECIFICATION	SIZE (mm)	MAX. RPM	PACK QTY	LEGACY CODE	BARCODE	PRODUCT NUMBER
Small Diameter Wheels A60TBF41/F General Purpose Stainless Steel, Ferrous Angle Grinder Die Cutter	50 x 0.89 x 9.53	30,600	25	3505010	9314188002710	66252841636
	50 x 0.89 x 9.53 3 PACK	30,600	25	3505010P	9314188134831	66252841637
	76 x 0.89 x 6.35	23,900	25	3507606	9314188027041	66252841638
	76 x 0.89 x 9.53	23,900	25	3507610	9314188027089	66252841639
	76 x 0.89 x 9.53 3 PACK	23,900	25	3507610P	9314188134848	66252841640
Small Diameter Wheels A36tbf41/F	50 x 1.6 x 6.35	30,600	25	3505006	9314188027126	66243411395
Small Diameter Wheels Medallion	76 x 1.60 x 9.53	23,900	25	3507616	9314188027256	07660789030
Small Diameter Wheels A30s	76 x 3.4 x 10.00	19100	100	6307634	9314188063049	66252829580
Small Diameter Wheels A600	80 x 0.89 x 6.35	23,900	25	3508006	9314188027164	66243528573

Dimensions Key: SIZE = Wheel Diameter x Thickness x Bore/Centre Hole

FLAT CUTTING-OFF WHEELS

FOR HAND HELD MACHINES

CUTTING-OFF / DRY



Type: 41



Flexovit - A30V-EXTRA

FEATURES & BENEFITS

Metal
Metal
Mild Steel

For cutting ferrous thin gauge sheet steel, roofing iron, plate & small section

Long life



SPECIFICATION	SIZE (mm)	MAX. RPM	PACK QTY	LEGACY CODE	BARCODE	PRODUCT NUMBER
A30V - EXTRA Premium Grade Thin Gauge, Sheet, Roofing Iron, Plate & Small Section Angle Grinder Circular Saw	100 x 2.5 x 16.00	15300	100	1110216	9314188040057	66252841578
	115 x 2.5 x 22.23	13300	100	1111522	9314188040095	66252841579
	125 x 2.5 x 22.23	12250	100	1112722	9314188040132	66252841580
	230 x 2.5 x 22.23	6650	50	1123022	9314188040217	66252841582



Flexovit - FH38-A36S

FEATURES & BENEFITS

Metal
Metal
Mild Steel

General purpose cutting of ferrous metals

I/F suitable for cutting stainless steel

(I/F = Iron Free)



SPECIFICATION	SIZE (mm)	MAX. RPM	PACK QTY	LEGACY CODE	BARCODE	PRODUCT NUMBER
FH38-A36S General Purpose Ferrous Angle Grinder Circular Saw	51 x 2.5 x 10.00	24300	200	1005110	9314188001027	66252919937
	65 x 2.5 x 10.00	24300	200	1006510	9314188001065	66252919939
	76 x 2.5 x 10.00	19100	200	1007610	9314188001102	66252918968
	100 x 2.5 x 16.00	15300	100	1010216	9314188001287	66252841558
	115 x 2.5 x 22.23	13300	100	1011522	9314188001324	66252841560
	125 x 2.5 x 16.00	12250	100	1012716	9314188001416	66252920010
	125 x 2.5 x 22.23	12250	100	1012722	9314188001454	66252841561
	150 x 2.5 x 20.00	10200	50	1015220	9314188001621	66252841562
	150 x 2.5 x 22.23	10200	50	1015222	9314188001676	66252841563
	180 x 2.5 x 16.00	8500	50	1017816	9314188001751	66252841564
	180 x 2.5 x 20.00	8500	50	1017820	9314188001805	66252841565
	180 x 2.5 x 22.23	8500	50	1017822	9314188001843	66252841566
	200 x 2.5 x 16.00	7650	50	1020316	9314188001935	66252841568
	200 x 2.5 x 22.23	7650	50	1020322	9314188001973	66252841569
	200 x 2.5 x 25.40	7650	50	1020325	9314188002031	66252841570
	200 x 2.5 x 35.00	7650	50	1020335	9314188002116	66252841571
	230 x 2.5 x 16.00	6650	50	1023016	9314188002161	66252841573
	230 x 2.5 x 22.23	6650	50	1023022	9314188002208	66252841574
	230 x 2.5 x 25.40	6650	50	1023025	9314188002246	66252841576
	230 x 2.5 x 35.00	6650	50	1023035	9314188002338	66252841577
	230 x 2.5 x 22.23	6650	50	1023022R	9314188003625	66252841575
	230 x 3.1 x 22.23	6650	50	1423022	9314188003601	66252841584
	230 x 4.0 x 16.00	6650	50	1023004	9314188002048	66252841572

Dimensions Key: SIZE = Wheel Diameter x Thickness x Bore/Centre Hole



Flexovit -A24V Mega INOX

FEATURES & BENEFITS

 **Stainless Steel**
2.5mm thick

Premium grade - for cutting stainless steel and ferrous metals

Free of iron, sulphur & chlorine

Long life



SPECIFICATION	SIZE (mm)	MAX. RPM	PACK QTY	LEGACY CODE	BARCODE	PRODUCT NUMBER
A24V MEGA INOX General Purpose Ferrous Angle Grinder Circular Saw	100 x 2.5 x 16.00	15300	100	1310216	9314188002611	66252919957
	115 x 2.5 x 22.23	13300	100	1311522	9314188002680	66252919978
	125 x 2.5 x 22.23	12250	100	1312722	9314188002598	66252920011
	180 x 2.5 x 22.23	8500	50	1317822	9314188002581	66252920042
	230 x 2.5 x 22.23	6650	50	1323022	9314188002574	66252920067



Flexovit -FH38-A36 Iron Free

FEATURES & BENEFITS

 **Stainless Steel**
2.5mm thick

Standard grade - for cutting stainless steel and ferrous metals

Free of iron (I/F)

Excellent cutting performance and long life



SPECIFICATION	SIZE (mm)	MAX. RPM	PACK QTY	LEGACY CODE	BARCODE	PRODUCT NUMBER
Flexovit FH38-A36 I/F Standard Grade Stainless Steel & Ferrous Angle Grinder Circular Saw	100 x 2.5 x 16.00	15,300	100	1810216	9314188006039	66252841607
	115 x 2.5 x 22.23	13,300	100	1811522	9314188006169	66252841608
	125 x 2.5 x 22.23	12,250	100	1812722	9314188006299	66252841610
	150 x 2.5 x 22.23	10,200	50	1815222	9314188006428	66252841612
	180 x 2.5 x 22.23	8,500	50	1817822	9314188006558	66252841613
	230 x 2.5 x 22.23	6,650	50	1823022	9314188006688	66252841614

FLAT CUTTING-OFF WHEELS

FOR HAND HELD MACHINES

CUTTING-OFF / DRY



Type: 41



Flexovit -FH38-A36S ALU

FEATURES & BENEFITS

Aluminium
Brass
Copper

For cutting nonferrous metals such as aluminium, copper, brass and bronze

Has a load resistant bond



SPECIFICATION	SIZE (mm)	MAX. RPM	PACK QTY	LEGACY CODE	BARCODE	PRODUCT NUMBER
FH38-A36S ALU General Grade Aluminium, copper, brass & bronze Angle Grinder Circular Saw	100 x 2.5 x 16.00	15,300	100	1610216	9314188005025	66252841602
	115 x 2.5 x 22.23	13,300	100	1611522	9314188005155	66252841603
	125 x 2.5 x 22.23	12,250	100	1612722	9314188005285	66252841604
	180 x 2.5 x 22.23	8,500	50	1617822	9314188005582	66252841605
	230 x 2.5 x 22.23	6,650	50	1623022	9314188005674	66252841606



Flexovit -FH64-C30T

FEATURES & BENEFITS

Masonry
Concrete
Brick

General purpose, dry cutting of most masonry products (e.g. brick, concrete pavers, ceramic & stone)

Also suitable for nonferrous metals

Long life



SPECIFICATION	SIZE (mm)	MAX. RPM	PACK QTY	LEGACY CODE	BARCODE	PRODUCT NUMBER
FH64-C30T General Purpose Masonry, Non-Ferrous Angle Grinder Circular Saw	100 x 3.2 x 16.00	15,300	100	4010216	9314188030140	66252841642
	115 x 3.2 x 22.23	13,300	100	4011522	9314188030188	66252841643
	125 x 3.2 x 22.23	12,250	100	4012722	9314188030355	66252841644
	152 x 3.2 x 22.23	10,200	50	4015222	9314188030614	66252841646
	180 x 3.2 x 16.00	8,500	50	4017816	9314188030799	66252841647
	180 x 3.2 x 20.00	8,500	50	4017820	9314188030836	66252841648
	180 x 3.2 x 22.23	8,500	50	4017822	9314188030874	66252841649
	203 x 3.2 x 16.00	7,650	50	4020316	9314188031024	66252841650
	200 x 3.2 x 22.23	7,650	50	4020322	9314188031062	66252841651
	200 x 3.2 x 25.40	7,650	50	4020325	9314188031109	66252841652
	230 x 3.2 x 16.00	6,650	50	4023016	9314188031284	66252841654
	230 x 3.2 x 22.23	6,650	50	4023022	9314188031321	66252841655
	230 x 3.2 x 25.40	6,650	50	4023025	9314188031369	66252841656