



TORQUE ANGLE INDICATOR

- ✦ Additional angle-regulated tightening for controlled torque and angle activation
- Features:
- ✦ Torque angle indicator with 1/2" or 3/4" square drive
- ✦ For additional precise angle tightening (0 - 360°)
- ✦ 1/2" square drive with ball locking device or 3/4" square drive with pin locking device
- ✦ No. 8200-01/-02 models with sliding magnetic and gripping arm
- ✦ No. 8200-11 only with magnetic arm - simple design
- ✦ To operate with a suitable torque wrench
- ✦ The maximum output of the torque wrench must not be passed
- Scope of delivery:
- ✦ Torque angle indicator
- ✦ Delivered in a strong plastic case (no. 8200-01/-02), model no. 8200-11 in sturdy hard cardboard packaging

Product Code: R7718480S



Torque Angle Indicator

- ✦ Additional angle-regulated tightening for controlled torque and angle activation
- Features:
- ✦ Torque angle indicator with 1/2" or 3/4" square drive
- ✦ For additional precise angle tightening (0 - 360°)
- ✦ 1/2" square drive with ball locking device or 3/4" square drive with pin locking device
- ✦ No. 8200-01/-02 models with sliding magnetic and gripping arm
- ✦ No. 8200-11 only with magnetic arm - simple design
- ✦ To operate with a suitable torque wrench
- ✦ The maximum output of the torque wrench must not be passed
- Scope of delivery:
- ✦ Torque angle indicator
- ✦ Delivered in a strong plastic case (no. 8200-01/-02), model no. 8200-11 in sturdy hard cardboard packaging

Product Code: R7716510S



To enable ease of use RAD are pleased to offer a range of secondary support handles to facilitate two handed operation of the tool to further increase safety. A range of lifting eyes are also available to allow the suspension of all tool models using a spring balancer. Both secondary handles and lifting eyes clamp positively to the tool whilst still allowing it to rotate through 360 degrees.

To Suit Model	Lifting Ring
RAD 350SL / 550SL / 7GX / 10GX / 7GX-R	13939
RAD 1400NG/ 1800NG / 2000 / 1400NGX-R / 1800NGX-R / 2000NGX-R	13679
RAD 25GX	14845
RAD 30 / 34GX	13680
RAD 50 / 60DX	12729
RAD 85GX	15504



To enable ease of use RAD are pleased to offer a range of secondary support handles to facilitate two handed operation of the tool to further increase safety. A range of lifting eyes are also available to allow the suspension of all tool models using a spring balancer. Both secondary handles and lifting eyes clamp positively to the tool whilst still allowing it to rotate through 360 degrees.

To Suit Model	Support Handle
RAD 350SL / 550SL / 7GX / 10GX / 7GX-R	14430
RAD 1400NG/ 1800NG / 2000 / 1400NGX-R / 1800NGX-R / 2000NGX-R	14953
RAD 25GX	15959
RAD 30 / 34GX	15658
RAD 50 / 60DX	15956
RAD 85GX	15956



RAD Powered Torque Tools - SPECIAL Accessories



As part of our standard range of accessories RAD Torque Systems are pleased to offer an extensive range of special reaction arms to suit a multitude of applications.

In addition to this a full range of trigger guards are available for all tool models within the RAD Range.

Trigger Guards

A full range of Trigger guards are available to suit all RAD Pneumatic Series Tools. These guards can be retro-fitted to all tools providing additional safety to the operator.

Part Number	To Suit Model
15438	RAD 350SL/550SL / 7GX/10GX / 7GX-R
15439	RAD 800NG/1400NG/1800NG / 2000 / 25GX / 1400NGX-R/ 1800NGX-R / 2000NGX-R
15440	RAD 30 / 34GX / 60DX / 50