



PRODUCT GUIDE 2015





**GARDEN TOOLS** 

HAND TOOLS

**AIR TOOLS** 

**ECLIPSE TOOLS** 

**ECLIPSE MAGNETICS** 



CONTACT US: Ph: 1300 731 818

Fax: 1300 735 858

Email: sales@spear-and-jackson.com.au Web: www.spearandjackson.com.au









# Contents












GARDEN TOOLS	
GARDEN DIGGING	
County Timber	4 - 8
County Fibreglass	•
Trade Timber	10
Trade Fibreglass	11
Solid Core	12
Contractor	1;
Lawn Care	14 - 10
Select	17 - 20
Traditional	21 - 23
Neverbend	24 - 29
E-Series	26 - 21
Garden Digging Overview	28
GARDEN CUTTING	29
Secateurs	30 - 32
Loppers	32 - 33
Shears	34 - 30
Scythettes	3
Bowsaws & Pruning Saws	38 - 39
Axes & Blocksplitters	40 - 4
Handles	4:
COLOURS COLLECTION	43-40
HAND TOOLS	47

HAND TOOLS	41
Hand Saws	48 - 50
Hammers	<b>51 - 5</b> 4
HUCKSON	55
General Hand Tools	<b>56 - 58</b>
Measuring & Marking	59 - 60
Workwear	61 - 63
STAEDTLER	64
FOOTPRINT	65 - 68
MASONRY	69
<b>Brickworking Tools</b>	70 - 75
Plastering Tools	76 - 82
Cement Tools	83 - 87
Tiling Tools	88 - 91
RAGNI	92 - 94
TRILINE	95 - 100

AIR TOOLS	101
Blow Guns / Tyre Inflators & Oils	103
Staplers, Bradders & Nailers	104 - 105
Kits & Accessories	106
Spray Guns	107
Air Hose & Fittings	108 - 109
Staples, Brads & Nails	110

ECLIPSE PROFESSIONAL TOOLS	113
Metal Cutting	115 - 120
Chisels	121
Locking Jaw Pliers	122 - 125
Workholding Solutions	126 - 133
Magnetic Lifters	134 - 136
Gripping & Plumbing	137 - 141
Riveters & Threaded Insert Setting Tools	140 - 142
Engineers' Tools	143 - 145
Magnetic Solutions	146 - 148
INDEX	150 - 151



# COUNTY TIMBER RANGE garden digging



The Spear & Jackson County Digging Range consists of a comprehensive range of shovels, forks, scoops, rakes & mattocks. The combination of the heavy duty carbon steel heads and hard wearing timber handles make them the ideal choice for gardeners and DIY users. This range offers great value for money without compromising on quality, durability or appearance.



### **Post Hole Shovel** Long Timber Handle



Part No.

SJ-CGPH1 Post Hole

Ideal For Digging Post Holes, Clearing & Mixing Work

275mm x 200mm

- 2mm Carbon Steel Head
- · Reinforced Collar
- 1190mm Long Timber Handle
- FSC Certified Handle

# Square Mouth Shovel





Qtv

SJ-CGSH1L Square Mouth 315mm x 256mm

- Ideal For Shoveling Soils, Sand & Garden Materials
- 2mm Carbon Steel Head
- · Reinforced Collar
- 1190mm Long Timber Handle
- FSC Certified Handle

### **Round Mouth Shovel** Long Timber Handle



- SJ-CGSP1L Round Mouth 320mm x 285mm
- Ideal For Digging, Shoveling, Spreading & Shifting
- · 2mm Carbon Steel Head
- · Reinforced Collar • 1190mm Long Timber Handle
- FSC Certified Handle

### Trenching Shovel Long Timber Handle



SJ-CTS1L Trenching

300mm x 105mm

- Ideal For Digging Trenches, Drains & Narrow Tasks
- 2mm Carbon Steel Head
- · Reinforced Collar
- 1190mm Long Timber Handle
- FSC Certified Handle

# COUNTY TIMBER RANGE garden digging

**Shovels - D-Handle** 







**Back Strain When In Use** 



SJ-CCS1 Cottage Spade 240mm x 155mm

- · Ideal For Narrow Digging Tasks
- · 2mm Carbon Steel Head
- · Reinforced Collar
- FSC Certified Timber
- Timber Shaft with Plastic D-Handle

# **Garden Spade** D-Handle



SJ-CGSP1 Garden Spade 305mm x 190mm

- Ideal For Digging In Soils & Clay
- · 2mm Carbon Steel Head
- Reinforced Collar
- FSC Certified Timber

# **Square Mouth Shovel** D-Handle



SJ-CGSH1 Square Mouth 280mm x 210mm

- · Ideal For Shoveling Soils, Sand & Garden Materials
- 2mm Carbon Steel Head
- Reinforced Collar
- FSC Certified Timber
- . Timber Shaft with Plastic D-Handle



SJ-CGSRMD Round Mouth 320mm x 285mm • Ideal For Digging, Shoveling, Spreading & Shifting

- 2mm Carbon Steel Head
- Reinforced Collar
- FSC Certified Timber
- Timber Shaft with Plastic D-Handle

# **Garden Fork - D-Handle**



### **Plastic D-Handle Reduces Back Strain When In Use**



# Garden Fork




- · 4 Strong Carbon Steel Tines
- FSC Certified Timber
- · Timber Shaft with Plastic D-Handle

# COUNTY TIMBER RANGE garden digging



The Spear & Jackson County Range consists of a concise range of Forks, Mattocks and Scoops specifically designed for gardeners and D.I.Y users.

# Forks - Hay & Manure



# Manure Fork Long Timber Handle



· Ideal For Spreading & Turning Manure

4 x Tapered Oval Steel Tines

. 1200mm Long Timber Handle FSC Certified Timber


Factory Sharpened Tines

**Hay Fork** Long Timber Handle



- - Ideal For Shifting Hay • 3 x Tapered Oval Steel Tines
  - Factory Sharpened Tines
  - 1200mm Long Timber HandleFSC Certified Timber

## **Mattocks**



**Mattock - Cutter End** 

Timber Handle

# Mattock - Pick End



- SJ-CMATT/W Mattock Cutter 430 x 90mm • Ideal For Trenching & Breaking Up Soil
- Heavy Duty Carbon Steel Head
- Solid Timber Handle ESC Certified Timber



Ideal For Trenching & Cutting Through Roots & Debris

SJ-CMATT/PK Mattock - Pick 490 x 90mm

- Heavy Duty Carbon Steel Head
- Solid Timber Handle FSC Certified Timber

# **Aluminium Scoops**



**Grain / Mulch Scoop** Long Timber Handle



- SJ-ASG55 Soil Scoop 420mm x 290mm
- Ideal For Shifting And Spreading Grain & Mulch
- Large Aluminium Scoop
- . 1200mm Long Timber Handle
- FSC Certified Timber

**Grain / Mulch Scoop** 



- SJ-AS56 Soil Scoop 420mm x 290mm
- Ideal For Shifting And Spreading Grain & Mulch
- Large Aluminium Scoop
- . Timber Shaft with Plastic D-Handle
- FSC Certified Timber

# COUNTY TIMBER RANGE garden digging & spreading

Rakes & Soil Spreaders

**Provide Extra Support & Durablity** 

**FSC Certified Timber Handle** 

Carbon Steel Stays Designed to

Long Durable Timber Handle

Rake - 14 Tines Long Timber Handle

Rake - 16 Tines Long Timber Handle

**Strong Carbon Steel Tines** 

**Landscapers Rake** Long Timber Handle

**Soil Spreader** Long Timber Handle



· Ideal For Raking And Clearing Soils, Leaves, Stones & Other Garden Fillings

- Powder Coated Carbon Steel Head
- 1200mm Long Timber Handle
- Tapered Socket
- FSC Certified Timber



- Ideal For Raking And Clearing Soils, Leaves, Stones & Other Garden Fillings
- Powder Coated Carbon Steel Head
- 1200mm Long Timber Handle
- Tapered Socket
- FSC Certified Timber



Ideal For Raking And Clearing Soils, Leaves, Stones & Other Garden Fillings

- Spreading Bar for Added Strength
- Powder Coated Carbon Steel Head with Stavs
- 1200mm Long Timber Handle
- Tapered Socket
- FSC Certified Timber



- 700mm Spreading Width
- · Tubular Steel Spreading
- · Long Hardwood Timber Handle
- FSC Certified Timber


**Hoes & Cultivators** 



Hoe - Dutch Long Timber Handle







Swan Neck Designed for deeper hoeing and cultivating. Ideal for breaking up soil, weeding and cultivating. Works soil and destroys weeds with a chopping action

Mortar Hoe Designed for breaking up soil, weeding & cultivating. Can also be used for quick mixing of brick, plaster, mortar and small quantities of concrete with outlets in the blade to assist the mixing action.

Cultivator For cultivating and general garden maintenance. Suitable for shallow cultivation and aeration of garden beds and around small seedlings to established plants and shrubs.



SJ-CGDH2 Dutch Hoe 150mm x 125mm

- · Ideal For Chipping, Weeding, Cultivating & Mulching
- Powder Coated Carbon Steel Head
- Long Timber Handle
- FSC Certified Timber



SJ-CGH1 Swan Neck Hoe 150mm x 110mm

- Ideal For Deeper Hoeing & Cultivating
- · Powder Coated Carbon Steel Head
- Long Timber Shaft
- FSC Certified Timber



SJ-MH1 Mortar Hoe 230mm x 150mm

- Ideal For Breaking Up Soil, Weeding & Cultivating
- Powder Coated Carbon Steel Head
- Long Timber Shaft
- FSC Certified Timber



Cultivator - 3 Prong

Long Timber Handle

SJ-CGC1 3-Prong Cultivator 200mm x 150mm

- Ideal For Cultivating & General Garden Maintenance
- · Powder Coated Carbon Steel Head
- Timber Shaft
- FSC Certified Timber

# COUNTY TIMBER RANGE garden digging hand tools



### **Hand Tools**

Spear & Jackson offers a small range of hand tools specially designed for planting small plants, weeding, breaking up light soils and cultivating.

# **Hand Trowel** PVC Handle



Part No	Туре	Head Size	Paci Qt	
SJ-SDT/10	Trowel	160mm x 80mm	(	

- Ideal for planting small plants, cuttings and seedlings
- . Epoxy Coated Carbon Steel Head
- · Lightweight Design

# Hand Transplanter PVC Handle



Part No	Туре	Head Size	Pack Qty
SJ-SDT/20	Transplanter	150mm x 50mm	6

- · Ideal for planting small plants, cuttings and seedlings
- Epoxy Coated Carbon Steel Head
- Lightweight Design

### **Hand Weeder PVC Handle**



Part No	Туре	Head Size	Pacl Qt
SJ-SDT/30	Weeder	170mm x 50mm	(

- · Ideal for removing weeds & small plants from lawns & garden beds
- Epoxy Coated Carbon Steel Head
- PVC Handle
- Lightweight Design

# **Hand Cultivator**



Part No	Туре	Head Size	Pack Qty
SJ-SDT/40	Cultivator	150mm x 70mm	6

- Ideal for breaking up light soils and weeding
   Epoxy Coated Carbon Steel Head

- · Lightweight Design

### **Hand Fork - Twist PVC Handle**



Part No	Type	Head Size	Qty
SJ-SDT/50	Fork - Twist	150mm x 75mm	6

- · Ideal for cultivating light soils
- Epoxy Coated Carbon Steel Head
- PVC Handle
- Lightweight Design

## **Gutter Scoop**

art No	Туре	Head Size	Pack Qty
J-GS1	Gutter Scoop	290mm x 60mm	20

- Ideal for gutter cleaning
- · Long handle for extra reach
- Large holding capacityLightweight & simple design

# **Bulb planter** Plastic Handle



Part No	Туре	Head Size	Pack Qty
SJ-6941	Bulb Planter	113mm x 73mm	10

- · Ideal for planting bulbs & digging small holes
- · Carbon Steel Body & Plastic Handle
- · Quick Release Handle



# COUNTY FIBREGLASS RANGE garden digging



The Spear & Jackson County Fibreglass Digging Range consists of a concise range of long handled shovels & mattocks. The combination of the heavy duty carbon steel head and high quality fibreglass shaft make this the ideal choice for gardeners and DIY users. Offers great value for money without compromising on quality, durability or appearance.

## **Shovels - Long Fibreglass Handle**



### **Post Hole Shovel** Long Fibreglass Handle



- Ideal For Digging Post Holes, Clearing & Mixing Work One Piece Blade & Socket with Powder Coat Finish
- 2mm Heat Treated, High Grade Carbon Steel
- . High Quality Fibreglass Shaft with Soft Grip Cap
- Reinforced Collar

### **Plumbers Shovel** Long Fibreglass Handle



- SJ-SHO/80FG Plumbers 285mm x 180mm
- Ideal for Digging Drains, Holes & General Garden Jobs One Piece Blade & Socket with Powder Coat Finish
- · 2mm Heat Treated, High Grade Carbon Steel
- . High Quality Fibreglass Shaft with Soft Grip Cap
- Reinforced Collar

### **Round Mouth Shovel** Long Fibreglass Handle



SJ-SHO/15FG Round Mouth 320mm x 285mm

- Ideal For Digging, Shoveling, Spreading & Shifting . One Piece Blade & Socket with Powder Coat Finish
- 2mm Heat Treated, High Grade Carbon Steel
- High Quality Fibreglass Shaft with Soft Grip Cap
- Reinforced Collar

### **Square Mouth Shovel** Long Fibreglass Handle



SJ-SHO/60FG Square Mouth 315mm x 256mm

- · Ideal For Shoveling Soils, Sand & Garden Materials
- . One Piece Blade & Socket with Powder Coat Finish
- 2mm Heat Treated, High Grade Carbon Steel
- High Quality Fibreglass Shaft with Soft Grip Cap
- Reinforced Collar

### Trenching Shovel Long Fibreglass Handle



SJ-SHO/90FG Trenching 300mm x 105mm

- · Ideal For Digging Trenches, Drains & Narrow Tasks One Piece Blade & Socket with Powder Coat Finish
- 2mm Heat Treated, High Grade Carbon Steel
- . High Quality Fibreglass Shaft with Soft Grip Cap
- · Reinforced Collar

# **Mattocks - Fibreglass Handles**

## **Mattock - Cutter End**

Fibreglass Handle - Soft Grip



Qty SJ-MATTFG Mattock - Cutter 420 x 290mm

- Ideal For Trenching & Breaking Up Soil
- Heavy Duty Carbon Steel Head
- High Quality Fibreglass Shaft
- Soft Grip Comfortable Handle

### Mattock - Pick End Fibreglass Handle - Soft Grip



SJ-MATTPKFG Mattock - Pick 420 x 290mm


- Ideal For Trenching & Cutting Through Roots & Debris
- · Heavy Duty Carbon Steel Head
- High Quality Fibreglass Shaft
- Soft Grip Comfortable Handle

# TRADE TIMBER RANGE garden digging



### Shovels - Trade Timber Handle

The Combination of the Heavy Duty Carbon Steel Heads and High Quality Oak Timber Handles Make them the Ideal Trades Tool. A Professional Range at Extremely Competitive Pricing.



art No	Туре	Head Size	Р
LI-OPS	Plumhers	285mm v 180mm	

- · Ideal for Digging Drains, Holes & General Garden Jobs
- Trade Quality
- Strong Oak Timber Handle
- Reinforced Steel Collar
- · 2mm Carbon Steel Blade
- FSC Certified Handle • Maximum Downforce To Handle 130kg+



SJ-ORMS Round Mouth 320mm x 285mm

- · Ideal For Digging, Shoveling, Spreading & Shifting
- Trade Quality
- Strong Oak Timber Handle
- Reinforced Steel Collar
- 2mm Carbon Steel Blade
- FSC Certified Handle
- Maximum Downforce To Handle 130kg+



SJ-OSMS Square Mouth 315mm x 256mm

- · Ideal For Shoveling Soils, Sand & Garden Materials
- Trade Quality
- Strong Oak Timber Handle
- Reinforced Steel Collar
- · 2mm Carbon Steel Blade
- FSC Certified Handle
- Maximum Downforce To Handle 130kg+



rt No	Туре	Head Size	Pack Qty
J-OTS	Trenchina	300mm x 105mm	6

- Ideal For Digging Trenches, Drains & Narrow Tasks
- Trade Quality
- Strong Oak Timber Handle
- Reinforced Steel Collar
- · 2mm Carbon Steel Blade ESC Certified Handle
- Maximum Downforce To Handle 130kg+

# TRADE FIBREGLASS RANGE garden digging



SJ-FGPS Plumbers

· Reinforced Steel Collar

2mm Carbon Steel Blade

Trade Quality Fibreglass Handle

• Solid Fibreglass Head / Handle Insert

Maximum Downforce To Handle 140kg

285mm x 180mm

• Ideal for Digging Drains, Holes & General Garden Jobs

## **Shovels - Trade Fibreglass Handle**

Heavy Duty Carbon Steel Heads and High Quality Fibreglass Handles Make Them the Ideal Trades Tool. A Professional Range Designed For The True Tradesman



SJ-FGSMS Square Mouth 315mm x 256mm

Trade Quality Fibreglass Handle

Solid Fibreglass Head / Handle Insert

Maximum Downforce To Handle 140kg

· Reinforced Steel Collar

2mm Carbon Steel Blade

Ideal For Shoveling Soils, Sand & Garden Materials

SJ-FGTS

Trenchina

• Solid Fibreglass Head / Handle Insert

Maximum Downforce To Handle 140kg

Trade Quality Fibreglass Handle

Reinforced Steel Collar

2mm Carbon Steel Blade

• Ideal For Digging Trenches, Drains & Narrow Tasks

300mm x 105mm

SJ-FGRMS Round Mouth 320mm x 285mm

Trade Quality Fibreglass Handle

· Solid Fibreglass Head / Handle Insert

Maximum Downforce To Handle 140kg

Reinforced Steel Collar

2mm Carbon Steel Blade

. Ideal For Digging, Shoveling, Spreading & Shifting

# SOLID CORE RANGE garden digging



**Shovels - Solid Core Fibreglass Handle** A professional trade range ideal for everyday use.





- Ideal For Digging Post Holes, Clearing & Mixing Work
- . Trade Quality Fibreglass Handle
- Heavy Duty 2mm Carbon Steel Head with Reinforced Collar
- 1180mm Solid Fibreglass Head / Handle Insert
- Top and Centre Grip For Extra Comfort & Control
- High Visabilty Flourescent Handle for Added Safety
- Maximum Downforce To Handle 140kg

### **Plumbers Shovel** Solid Core - Fibreglass Handle



SJ-SCPS Plumbers

- · Ideal For Digging Drains, Holes & General Garden Jobs
- Trade Quality Fibreglass Handle
- . Heavy Duty 2mm Carbon Steel Head with Reinforced Collar
- 1180mm Solid Fibreglass Head / Handle Insert
- Top and Centre Grip For Extra Comfort & Control
- High Visabilty Flourescent Handle for Added Safety
- Maximum Downforce To Handle 140kg

### General Purpose Shovel Solid Core - Fibreglass Handle



- Heavy Duty 2mm Carbon Steel Head with Reinforced Collar

Qty

- 1180mm Solid Fibreglass Head / Handle Insert
- Top and Centre Grip For Extra Comfort & Control High Visabilty Flourescent Handle for Added Safety
- Maximum Downforce To Handle 140kg

# **CONTRACTOR** digging

## **Professional Solid Forged**

The Spear & Jackson Contractor Range consists of a concise range of Spades, Forks and Pincers specifically designed for professional and trade use.





SJ-1071AL Spade 290mm x 190mm

- MYD Handle
- Solid Forged Carbon Steel Head & Socket
- · Long Lipped Socket, Riveted For Added Strength . Hammer Finish Epoxy Coated Head For
- Improved Resistance To Rust, Scratches, Humidity & Alkalis In The Soil Weatherproofed Hardwood Shaft For Greater
- Durability
- . Treaded For More Comfortable Digging

**Square Mouth** All Steel Long Handle

SJ-WS360L Square Mouth 300mm x 255mm

 All Steel Construction · Long Handle with Soft Grip End Cap

Overall Length1240mm

• Ideal For Shovelling / Mixing Soils, Sand & Concrete

### **Fork** Solid Forged Head



Part No	Туре	Head Size	Pack Qty
SJ-1570AL	Fork	290mm x 190mm	5

- MYD Handle
- Solid Forged Carbon Steel Head & Socket
- Long Lipped Socket, Riveted For Added Strength Hammer Finish Epoxy Coated Head For
- Improved Resistance To Rust, Scratches, Humidity & Alkalis In The Soil
- · Weatherproofed Hardwood Shaft For Greater Durability

# **Draining Spade** Solid Forged Head



- MYD Handle
- · Solid Forged Carbon Steel Head & Socket

SJ-2154HK Draining Spade 405mm x 165mm

- · Rotary Welded Shaft & Head
- · Hammer Finish Epoxy Coated Head For Improved Resistance To Rust, Scratches, Humidity & Alkalis In The Soil

### All Steel Shovels



**Square Mouth** All Steel D-Handle



• Ideal For Shovelling / Mixing Soils, Sand & Concrete

SJ-WS350 Square Mouth 300mm x 255mm

- All Steel Construction
- Extra Long 30" Handle for Extra Reach
- All Metal D-Handle

# **Post Hole Pincers**

**Rubber End Grips** 



2.5mm Heat Treated Carbon Steel Head



**Post Hole Pincers Tubular Steel Handles** 



SJ-PPHM Post Hole Pincers 250mm x 120mm

- . Ideal For Digging & Clearing Post Holes
- · Reinforced Collar
- 2.5mm Heat Treated Carbon Steel Head
- · High Strength Tubular Steel Handles
- Rubber End Grips

# LAWN CARE grass & leaf rakes

The Spear & Jackson Grass & Leaf Rake Range consists of a comprehensive range of plastic rakes perfectly designed for raking leaves, grass cuttings and garden rubbish over large areas.



Spreader Bar Used For Levelling & Spreading

# **LAWN CARE** grass & leaf rakes

### Spreader Bar Rake Long Steel Handle



- Ideal For Raking Leaves, Grass Cuttings & Garden Rubbish Over Large Areas
- · Spreader Bar Used For levelling & Spreading
- Hard Wearing Poly Head and Tines

SJ-SFR1 Rake with Spreader

- Lightweight design
- · Strong long handle

### **Fan Rake Deluxe** Steel Handle - Telescopic



SJ-FRTS1 Telescopic Rake

- · Ideal For Raking Leaves, Grass Cuttings & Garden Rubbish Over Large Areas
- · Lightweight Telescopic Steel Shaft for Easy Storage
- Replaceable Heavy Duty Flexible Tines
- · Comes with 6 Spare Tines

### Fan Rake - Soft Grip Long Steel Handle



SJ-FR1 Rake - Adjustable

- Ideal For Raking Leaves, Grass Cuttings & Garden Rubbish Over Large Areas
- · Lightweight Steel Shaft
- Long Comfort Soft Grip
- Extra Tough Heavy Duty Flexible Tines and Head
- · Hangable for Easy Storage



The Spear & Jackson Fan Rake Soft Grip Features Extremely **Durable Plastic Tines** & Head. Its' Long Comfortable Soft Grip Handle Makes Raking Easier Then Ever Before.

### **Fan Rake Deluxe**

Steel Telescopic Handle

The Spear & Jackson Fan Rake Deluxe features a steel telescopic handle which allows for easy storage after use. Equipped with 23 strong replaceable plastic tines and an extra 6 supplied with each product the Fan Rake Deluxe is the perfect tool for all your lawn care needs.

23 Replaceable Plastic Tines



"Supplied with 6 spare tines"



**Hanger Hole For Easy Storage** 

# **LAWN CARE** sprayers & accessories

# 500ml



Part No	Туре	Size	Pack Qty
SJ-P723	Sprayer - Trigger Action - 0.5lt	200mm x 100mm	100

- Polypropylene Body
- Viton Seals
- Adjustable Nozzle
- All Componets Are Made From Corrosion-Resistant Materials
- Mist & Strong Jet Spray Options
- Designed To Be Used With Some Chemicals

# 1 Litre

Trigger Sprayer



Part No	Туре	Size	Pack Qty
SJ-P722	Sprayer - Trigger Action - 1It	260mm x 120mm	60
<ul> <li>Polypropylene Body</li> </ul>			

- Viton SealsAdjustable Nozzle
- All Componets Are Made From Corrosion-Resistant Materials
- Mist & Strong Jet Spray Options
- Designed To Be Used With Some Chemicals

### Flower Garden



**Shrubs & Trees** 



### 1 Litre Pressure Sprayer



Part No	Туре	Size	
SJ-P7240	Sprayer - Pressure - 1lt	260mm x 120mm	
Correcion Eroo 1 Litro Polyothylana Tank			

- Pump Action Pressure Sprayer
- . Easy Use Thumb Trigger
- Measuring Scale On Bottle
- Optimum Working Pressure 50-70psi
- Intended For Use With Most Insecticides, Weed Killers, Fertilizers, Germicides, Fungicides, Herbicides, Detergents & Cleaning Solutions

2 Litre Pressure Sprayer



Part No	Туре	Size	Pack Qty
SJ-P7250	Sprayer - Pressure - 2lt	350mm x 150mm	12
Correcion From C	Litra Dalyathylana Tank		

- Corrosion Free 2 Litre Polyethylene TankPump Action Pressure Sprayer
- Easy Use Thumb Trigger
- Measuring Scale On Bottle
- Optimum Working Pressure 50-70psi
   Intended For Use With Most Insecticides. Weed Killers. Fertilizers. Germicides, Fungicides, Herbicides, Detergents & Cleaning Solutions

**5 Litre** Pressure Sprayer



arrivo	.,,,,	0.20
SJ-SPY/500	5L Pressure Sprayer	480mm x 160mm
Corrosion Free 5 Litr		

- Dual Action Carry Handle & Pump Trigger Operated
- Chrome Plated Brass Lance
   Optimum Working Pressure 50-70psi
- Intended For Use With Most Insecticides, Weed Killers, Fertilizers, Germicides, Fungicides, Herbicides, Detergents & Cleaning Solutions

# Hose Tidy Plastic



	**	
SJ-P730	Hose Tidy - Plastic	240mm x 145i
· Reduces the likel	ihood of your hose kinki	ng and twisting

- Durable Plastic Construction
- With Fixing Holes

# **Hose Tidy**



rt No	Туре	Size	Pac
-P725	Hose Tidy - Metal	260mm x 135mm	2

- Powder Coated

60

Reduces the likelihood of your hose kinking and twisting
Durable Metal Construction

## Lawn Care



**Masonry Spraying** 





# SELECT garden digging

# **STAINLESS**



Extra wide handle for comfort

Polypropylene shaft with integral ergonomic forward tilting handle





Mirror polished stainless steel head for rust resistance and minimal soil adhesion

# **Digging Spade**



# **Digging Fork**







**Border Fork** 



Part No	Туре	Head Size
SJ-1190EL	Digging Spade	290mm x 180mm

- · Mirror Polished Stainless Steel Head For Rust
- Resistance & Minimal Soil Adhesion
   Polypropylene Shaft With Integral Ergonomic Forward Tilting Extra Wide Handle
- Manufactured To Exceed BS3388 British Stan-
- **SJ-1990EL** Digging Fork 300mm x 180mm
- Manufactured To Exceed BS3388 British Standard Load Tests
- SJ-1194EL Border Spade 230mm x 145mm
- · Mirror Polished Stainless Steel Head For Rust Resistance & Minimal Soil Adhesion
  • Polypropylene Shaft With Integral Ergonomic Forward Tilting Extra Wide Handle
- Manufactured To Exceed BS3388 British Stan-
- · Mirror Polished Stainless Steel Head For Rust

240mm x 140mm

SJ-1994EL Border Fork

- Resistance & Minimal Soil Adhesion
   Polypropylene Shaft With Integral Ergonomic Forward Tilting Extra Wide Handle
- Manufactured To Exceed BS3388 British Standard Load Tests

- · Mirror Polished Stainless Steel Head For Rust Resistance & Minimal Soil Adhesion
  • Polypropylene Shaft With Integral Ergonomic Forward Tilting Extra Wide Handle





Powder Coated Carbon Steel Head

• Comfort Soft Touch End & Centre Grips

• Unique Modern Ergo Design

· Powder Coated Carbon Steel Head

• Comfort Soft Touch End & Centre Grips

• Unique Modern Ergo Design

· Powder Coated Carbon Steel Head

• Comfort Soft Touch End & Centre Grips

# SELECT hand tools


# **STAINLESS**

# Hand Trowe



**Weed Fork** 





**Edging Knife** 



Type SJ-3164EL Edging Knife 210mm x 110mm

. Ideal For Lawn Edges And Turf Cutting Mirror Polished Stainless Steel Head for Rust Resis

tance & Minimal Soil Adhesion

· Treaded Blade for Comfort

Lightweight Aluminium ShaftSoft Grip T Handle



Part No

SJ-3058EL Hand Trowel

12"

· Mirror Polished Stainless Steel Head For Rust

Resistance And Minimal Soil Adhesion Bi-material Contoured Handle

• Tanged For Knuckle Clearance

Part No

SJ-3053EL Weed Fork 12"

· Mirror Polished Stainless Steel Head For Rust Resistance And Minimal Soil Adhesion

Bi-material Contoured Handle

Tanged For Knuckle Clearance





with gloves and twine



Туре SJ-TWINESET3 Select 4pc Gift Set

Contains: Hand Trowel, Weed fork, Gloves & Twine • Mirror Polished Stainless Heads For Rust Resistance & Minimal Soil Adhesion

- Ergonomic Soft Feel Handles
- Tanged For Knuckle Clearance
- · Hard Wearing "Rigger" Style Garden Gloves
- 100m of Jute Garden Twine





- Designed For Collecting Leaves and Grass
- 500mm (19 1/2") Wide Collecting Blades
   Overall Length Of 920mm (36") Which Allows
  User To Collect Leaves Without Needing To Bend Over
- Non-Slip Grips








Part No	Туре	Pack Qty
SJ-LITTERPICKER	Litterpicker 1070mm	5


- 1070mm (42") Long Handle For Extra Reach
- Firm, Clean Claw Action
- · Locking Catch For Safer Storage



# **TRADITIONAL** digging

# STAINLESS





**Double riveted** for extra strength

> Mirror polished stainless steel head for rust resistance and minimal soil adhesion



# Digging Spade



# **Digging Fork**



# **Border Spade**



**Border Fork** 



SJ-4450DS	Digging Spade	290mm x 180mm

- · Mirror Polished Stainless Steel Head For Rust Resistance And Minimal Soil Adhesion
- · Weatherproofed Hardwood Shaft For Greater
- · One-Piece Hardwood Shaft, Split To Form A Wishbone Handle

SJ-4550DF	Digging Fork	300mm x 180mm

- · Mirror Polished Stainless Steel Head For Rust Resistance And Minimal Soil Adhesion

  • Weatherproofed Hardwood Shaft For Greater
- One-Piece Hardwood Shaft, Split To Form A Wishbone Handle

- SJ-4454BS Border Spade 230mm x 145mm
- · Mirror Polished Stainless Steel Head For Rust Resistance And Minimal Soil Adhesion
- Weatherproofed Hardwood Shaft For Greater Durability
- One-Piece Hardwood Shaft, Split To Form A Wishbone Handle

		**		
;	SJ-4552BF	Border Fork	240mm x	140mm
•	Mirror Polish	ed Stainless	Steel Head	For Rus

- Resistance And Minimal Soil Adhesion · Weatherproofed Hardwood Shaft For Greater
- One-Piece Hardwood Shaft, Split To Form A Wishbone Handle

# **TRADITIONAL** hand tools

# **STAINLESS**





# 51/2" Handle eed Fork







3J-30301h	nanu mowei	14011111	
Mirror Polish	ned Stainless	Steel Head Fo	or Rust
Resistance and	d Minimal Soi	I Adhesion	

- · Weatherproofed Hardwood Handle For Greater
- · Tanged For Knuckle Clearance
- · Leather Wrist Strap

- SJ-5040WF Weed Fork 140mm · Mirror Polished Stainless Steel Head For Rust Resistance and Minimal Soil Adhesion
- · Weatherproofed Hardwood Handle For Greater
- Tanged For Knuckle Clearance
- · Leather Wrist Strap

- · Mirror Polished Stainless Steel Head For Rust Resistance and Minimal Soil Adhesion
- Weatherproofed Hardwood Handle For Greater
- Tanged For Knuckle Clearance

SJ-5080TT Transplanting Trowel

· Leather Wrist Strap

- Soil Scoop 140mm Mirror Polished Stainless Steel Head For Rust Resistance and Minimal Soil Adhesion
- Weatherproofed Hardwood Handle For Greater
- Tanged For Knuckle Clearance
- · Leather Wrist Strap

SJ-5060SS



Fork	Handle	P
Weed	12,	





Length

140mm



Part No	Туре	Handle Length	Pack Qty
SJ-5010TR	Hand Trowel	280mm	5

- · Mirror Polished Stainless Steel Head For Rust Resistance and Minimal Soil Adhesion
  • Weatherproofed Hardwood Handle For Greater
- Durability
- · Tanged For Knuckle Clearance
- · Leather Wrist Strap

· Mirror Polished Stainless Steel Head For Rust Resistance and Minimal Soil Adhesion

280mm

- · Weatherproofed Hardwood Handle For Greater
- Tanged For Knuckle Clearance
- · Leather Wrist Strap

SJ-5110WF Weed Fork

 Mirror Polished Stainless Steel Head For Rust Resistance and Minimal Soil Adhesion

SJ-5210PC 3 Prong Cultivator 280mm

- · Weatherproofed Hardwood Handle For Greater Durability
- · Tanged For Knuckle Clearance
- Leather Wrist Strap
- Mirror Polished Stainless Steel Head For Rust Resistance and Minimal Soil Adhesion

SJ-5070DG Daisy Grubber 140mm


- Weatherproofed Hardwood Handle For Greater
- Tanged For Knuckle Clearance
- · Leather Wrist Strap



SJ-TRAD3PCS Traditional 3pc Gift Set

- Mirror Polished Stainless Steel Head For Rust Resistance and Minimal Soil Adhesion

  • Weatherproofed Hardwood Handle
- For Greater Durability
- Tanged For Knuckle Clearance · Leather Wrist Strap





# **NEVERBEND**

# range

The range of Neverbend® Stainless garden tools has also benefited from a change of livery. Each product is produced with a mirror polished Stainless Steel head which provides reduction in soil adhesion.

The Supergrip® handle is tilted to provide the user with the best possible digging angle. A comfortable soft grip and hardwood handle complete this concise, professional range of digging tools.



Supergrip® handle forward tilt gives the ideal digging angle

Mirror polished stainless steel head for rust resistance and minimal soil adhesion

# NEVERBEND digging

# **STAINLESS**



# Digging Spade





**Border Spade** 



**Border Fork** 



SJ-1160SP Digging Spade 290mm x 180mm

- · Mirror Polished Stainless Steel Head For Rust Resistance And Minimal Soil Adhesion · Extra Long Socket For Added Strenath
- · Weatherproofed Hardwood Shaft For Greater
- Supergrip® Handle Forward Tilt Gives The Ideal Digging Angle

### SJ-1560SF Digging Fork 290MM x 185MM

- Mirror Polished Stainless Steel Head For Rust Resistance And Minimal Soil Adhesion
- Extra Long Socket For Added Strength
- · Weatherproofed Hardwood Shaft For Greater Durability
- . Supergrip® Handle Forward Tilt Gives The Ideal Digging Angle

### SJ-1161BS Border Spade 230mm x 145mm

- · Mirror Polished Stainless Steel Head For Rust Resistance And Minimal Soil Adhesion
- Extra Long Socket For Added Strength
- Durability
- Weatherproofed Hardwood Shaft For Greater
- · Supergrip® Handle Forward Tilt Gives The Ideal Digging Angle

- SJ-1561BF Border Fork 230mm x 140mm Mirror Polished Stainless Steel Head For Rust
- Resistance And Minimal Soil Adhesion
- Extra Long Socket For Added Strength
- · Weatherproofed Hardwood Shaft For Greater Durability
- Supergrip® Handle Forward Tilt Gives The Ideal Digging Angle

# Hand Trowel



# **Weed Fork**



# **Fransplanting**



SJ-3010TR Hand Trowel . Handle Length 127mm (5")

Туре

Part No

- · Mirror Polished Stainless Steel Head For Rust Resistance & Minimal Soil Adhesion
- Weatherproofed Hardwood Handle For Greater Durability
- Stainless Steel Ferrule
- Tanged For Knuckle Clearance

### Part No Туре SJ-3060WF Weed Fork 5'

. Handle Length 127mm (5")

Qty

- · Mirror Polished Stainless Steel Head For Rust Resistance & Minimal Soil Adhesion
- Weatherproofed Hardwood Handle For Greater Durability
- Stainless Steel Ferrule
- Tanged For Knuckle Clearance

### Part No SJ-3020SP Transplanting Trowel 5" . Handle Length 127mm (5")


- · Mirror Polished Stainless Steel Head For Rust Resistance & Minimal Soil Adhesion
- Weatherproofed Hardwood Handle For Greater Durability
- Stainless Steel Ferrule

Qty

10

Tanged For Knuckle Clearance





# E-SERIES digging



### **Ergonomic** forward tilting handle

for comfortable use at the ideal digging angle





- reduces slippage and unbalance
- delivers more digging power with less muscle effort and strain











# SJ-7301DS Digging Spade 295mm x 180mm

• Heat Treated (Hardened) Stainless Steel Head & Stirrup For Strength And Durability

- Mirror Polished Stainless Steel Head For Rust Resistance And Minimal Soil Adhesion
- Tubular Stainless Steel Shaft For Rust Resistance
- · Soft-Feel Lower Shaft For Comfortable Safe Use and Extra Grip
- · Large Soft-Feel Handle For A Comfortable Two-Handed Grip When Digging In Hard Ground

SJ-7302DF Digging Fork 305mm x 180mm

- Heat Treated (Hardened) Stainless Steel Head & Stirrup For Strength And Durability
- Mirror Polished Stainless Steel Head For Rust Resistance And Minimal Soil Adhesion
- Tubular Stainless Steel Shaft For Rust Resistance
- Soft-Feel Lower Shaft For Comfortable Safe Use and Extra Grip
- · Large Soft-Feel Handle For A Comfortable Two-Handed Grip When Digging In Hard Ground

### SJ-7309HT Hand Trowel 10

- · Mirror Polished Stainless Steel Head For Rust Resistance And Minimal Soil Adhesion
- Soft-Feel Handle For Comfortable Use And Extra Grip
- SJ-7310WF Weed Fork 10
- · Mirror Polished Stainless Steel Head For Rust Resistance And Minimal Soil Adhesion
- Soft-Feel Handle For Comfortable Use And Extra Grin

# **GARDEN DIGGING**

# overview

### **Post Hole Shovels**

Ideal For Digging Post Holes, Clearing And Mixing Work

Part No	Handle Type	Head Material	Pack Qty	Page No.
SJ-CGPH1	County Timber	Carbon Steel	6	4
SJ-SHO/75FG	County Fibreglass	Carbon Steel	6	9
SJ-OPHS	Trade Timber	Carbon Steel	6	10
SJ-FGPHS	Trade Fibreglass	Carbon Steel	6	11
SJ-SCPH	Solid Core	Carbon Steel	6	12









### **Square Mouth Shovels**

Ideal For Shoveling Soils, Sand & Garden Materials.

Part No	Handle Type	Head Material	Pack Qty	Page No.	
SJ-CGSH1I	<ul> <li>County Timber</li> </ul>	Carbon Steel	6	4	<b>数</b> 图从
SJ-CGSH1	County Timber D-Handle	e Carbon Steel	6	5	
SJ-SHO/60	FG County Fibreglass	Carbon Steel	6	9	100
SJ-OSMS	Trade Timber	Carbon Steel	6	10	
SJ-FGSMS	Trade Fibreglass	Carbon Steel	6	11	100
SJ-WS360L	. All Steel	Carbon Steel	6	13	
SJ-WS350	All Steel D-Handle	Carbon Steel	6	13	1
	7				7
County Timber	County County Timber Fibreglass D-Handle	Trade Timber	Trade Fibregla		All Steel D-Handle

### **Plumbers Shovels**

Ideal For Digging Drains, Holes & General Garden Jobs

Part No	Handle Type	Head Material	Pack Qty	Page No.
SJ-SHO/80FG	County Fibreglass	Carbon Steel	6	9
SJ-OPS	Trade Timber	Carbon Steel	6	10
SJ-FGPS	Trade Fibreglass	Carbon Steel	6	11
SJ-SCPS	Solid Core	Carbon Steel	6	12
	1	1	1	



### **Trenching Shovels**

Ideal For Digging Trenches, Drains & Narrow Tasks

Part No	Handle Type	Head Material	Pack Qty	Page No.
SJ-CTS1L	County Timber	Carbon Steel	6	4
SJ-SHO/90FG	County Fibreglass	Carbon Steel	6	9
SJ-OTS	Trade Timber	Carbon Steel	6	10
SJ-FGTS	Trade Fibreglass	Carbon Steel	6	11
		1	1	
County	County	Trade	Trade	
Timber	Fibreglass	Timber	<b>Fibreglass</b>	



### **Round Mouth Shovels**

Ideal For Digging, Shoveling, Spreading And Shifting

Part No	Handle Type	Head Material	Pack Qty	Page No.
SJ-CGSP1L	County Timber	Carbon Steel	6	4
SJ-CGSRMD	County Timber D-Handle	Carbon Steel	6	5
SJ-SHO/15FG	County Fibreglass	Carbon Steel	6	9
SJ-ORMS	Trade Timber	Carbon Steel	6	10
SJ-FGRMS	Trade Fibreglass	Carbon Steel	6	11











## **Spades**

Ideal For Digging In Soils And Clay

Part No	Handle Type	Head Material	Pack Qty	Page No.
SJ-CGSP1	County Timber D-Handle	Carbon Steel	6	5
SJ-1071AL	MYD Timber Handle	Solid Forged	5	13
SJ-1190EL	Select Ergonomic D-Handle	Stainless Steel	5	18
SJ-4450DS	Traditional Timber D-Handle	e Stainless Steel	5	22
SJ-1160SP	Neverbend SuperGrip D-Hai	ndle Stainless Steel	5	25
SJ-7301DS	E-Series Ergonomic D-Hand	dle Stainless Steel	5	27
County	MYD Select		erbend	E-Series





Ideal For Digging, Cultivating And Turning Over Soil

Part No	Handle Type	Head Material	Pack Qty	Page No.
SJ-CGF1	County Timber D-Handle	Carbon Steel	6	5
SJ-1570AL	MYD Timber Handle	Solid Forged	5	13
SJ-1990EL	Select Ergonomic D-Handle	Stainless Steel	5	18
SJ-4550DF	Traditional Timber D-Handle	Stainless Steel	5	22
SJ-1560SF	Neverbend SuperGrip D-Handle	Stainless Steel	5	25
SJ-7302DF	E-Series Ergonomic D-Handle	Stainless Steel	5	27



















# **GARDEN CUTTING**

The new Spear & Jackson Razorsharp® cutting tool range introduces a number of innovative new products designed to complement our existing lines, resulting in a totally comprehensive range of cutting tools with a logical price and quality hierarchy.



# RAZORSHARP secateurs



Innovation in technology has improved almost every aspect of our daily life. Now, the Razorsharp® Secateurs collection incorporates innovations such as geared and ratchet mechanisms, ergonomic design and new materials to make gardening so much easier and enjoyable.





Anvil



• Ratchet Action Means Easy Pruning In 4 Short Steps

Anvil Secateur 20mm

- High Carbon Steel Blade, PTFE Coated For Smooth Cutting
- Lightweight Cast Aluminium Body
- Metal Locking Catch

SJ-6358RS








 Part No
 Type
 Max Cutting Cap.
 Pack Qty

 SJ-6458RS
 Anvil Secateur
 20mm
 5

- Ratchet Action Means Easy Pruning In 4 Short Steps
   Auto-Rotating Lower Handle Helps Minimise Strain
   Fatigue
- High Carbon Steel Blade, PTFE Coated For Smooth Cutting
- Lightweight Cast Aluminium Body



Anvil Secateurs Are designed to cut through dead stems, they have one blade which closes on to a flat surface. They are better for cutting hard woody stems as the blade is less likely to stick to the stem as it cuts.



# **RAZORSHARP** secateurs





## **Medium**

**Bypass** 



		Max
No	Type	Con

SJ-6059BS Bypass Secateur 15mm

- · Medium Sized Handle
- SK5 Carbon Steel Blades
- Bi-Material Non-Slip Comfort Grips
- PTFE Coated Blades For Rust Resistance
- & Smooth Cutting
- Drop Nose Blades For Easier Pruning
- Contoured Ergonomic Handles
- Ambidextrous Locking Catch
- Sap Groove In Blade
- Shock Absorber
- · Stem Crusher

# Large Bypass



- Bypass Secateur · Large Handle Suitable For Larger Hands
- Sk5 Carbon Steel Blades

SJ-6060BS

- · Bi-Material Non-Slip Comfort Grips
- PTFE Coated Blades For Rust Resistance & Smooth Cutting
- . Drop Nose Blades For Easier Pruning
- Contoured Ergonomic HandlesAmbidextrous Locking Catch
- Sap Groove In Blade
- Shock Absorber
- Stem Crusher

## **Medium**



Anvil Secateur SJ-6058AS 15mm

- Medium Sized Handle
- SK5 Carbon Steel Blades
- · Bi-Material Non-Slip Comfort Grips
- PTFE Coated Blades For Rust Resistance & Smooth Cutting
- Drop Nose Blades For Easier Pruning
- Contoured Ergonomic Handles
- Ambidextrous Locking Catch
- Sap Groove In Blade
- Shock Absorber
- Stem Crusher

# Ergo twist Bypass





# **Premium**

**Bypass** 



### Type SJ-6259BS Bypass Secateur 15mm

- Auto-Rotating Lower Handle Helps Minimise Strain and Fatique
- SK5 High Carbon Steel Blades
- Stepped Locking Catch For Either Wide Or Narrow Cutting Width PTFE Coated For Smooth Cutting
- · Lightweight Cast Aluminium Body



Type

SJ-6160BS Bypass Secateur 15mm

- · SK5 High Carbon Steel Blades Ergonomic Lightweight Aluminium Handles
- Adjustable Hand-Opening For Individual User Com-
- . PTFE Coated For Smooth Cutting & Rust Resistance

### 6 in 1 Blade

Sharpener



### Type SJ-4056BS 6 In 1 Blade Sharpener

- Ideal For Sharpening Secateurs, Shears, Loppers Scissors, Knifes And Other Small Cutting Tools
- 4 Sharpening Options To Cover A Wide Range Of Different Blade Types
- Cleaning Sponge And Lubricating/Anti-Corrosion Oil Stored Inside Handle
- · Soft-Feel Non-Slip Grip
- Built-In Hand Guard

ack Qty





### **How To Sharpen Your Blade**

- Secure The Tool To Be Sharpened Either In A Vice Or Held Against A Firm Surface, With The Edge Of The Blade Facing Upright.
- Yourself Running It From One Edge Of The Blade To The Other, Usually 4 To 5 Strokes Will Be Sufficient.
- · Select Optimum Sharpener Based On Icons Printed On The Handle.
  • Press Down Firmly And Pull The Sharpener Towards
- · Cleaning Sponge And Anti Rust Oil Are Provided To Wipe Down Sharpened Blade.



**Bypass Secateurs** Are designed to prune live stems, the two blades work like a pair of scissors with the blades passing each other to make the cut. They are suitable for cutting delicate stems as the action is less likely to cause bruising to the stem.

# RAZORSHARP PRO Secateurs





The new Spear & Jackson Razorsharp® PRO cutting tool range of loppers & secateurs has been designed to satisfy the needs of professional gardeners and landscapers. Competitively priced, the range features drop forged carbon steel interchangeable blades, forged aluminium handles for strength and durability and adjustable blade tensioning.

# **Heavy Duty**

Bypass

# **Short Blade Bypass**



Spare Blade & **Ergo** Bypass **Spring** Bypass





SPECIAL ORDER ONLY

20mm

(3/4")

- SJ-6659BS Bypass Secateur 20mm
- · SK5 High Carbon Steel Blades
- Forged Aluminium Handle Construction
- Sap Groove & Riveted Lower Blade
- Rubber Shock Absorber
- Notched Blade For Thicker Stems

- SJ-6657BS Bypass Secateur
- SK5 High Carbon Steel Blades
- Forged Aluminium Handle Construction
- Sap Groove & Riveted Lower Blade
- Rubber Shock Absorber
- Notched Blade For Thicker Stems

# SJ-6959BS Bypass Secateur

- · SK5 High Carbon Steel Blades
- · Forged Aluminium Handle Construction
- Sap Groove & Riveted Lower Blade
- Rubber Shock Absorber
- Notched Blade For Thicker Stems
- SJ-6659BLADE SJ-6659BS SJ-6657BLADE SJ-6657BS

SJ-6959BS

Drop Forged, High Carbon Steel Blade

SJ-6959BLADE

- Blade Notch For Cutting Thicker Stems
- · Blade Change Instructions Supplied

# **RAZORSHARP PRO** loppers

# Heavy Duty 231/2" (600mm)

# 32mm 10 YEAR (1.26")

600mm

- Drop Forged, Carbon Steel Blades
- Forged Aluminium Handle End Caps
- · Lightweight But Strong Aluminium Handles

Bypass Lopper H/D 32mm

- Adjustable Blade Tension
- Shock Absorbers

SJ-8310RS

· Soft Feel Non-Slip Grips

# Heavy Duty 271/2" (700mm)



Max Cutting Cap.

700mm

•	Drop	Forged,	Carbon	Steel	Blades

- Forged Aluminium Handle End Caps
- Lightweight But Strong Aluminium Handles

Bypass Lopper H/D 32mm

- Adjustable Blade Tension
- Shock Absorbers

SJ-8330RS

· Soft Feel Non-Slip Grips

# **Heavy Duty Blade**



Part No	Suits Model Types	Pack Qty
C L COAODI ADE	C   0210DC 9 C   0220DC	-

- Drop Forged, Carbon Steel Blade
- Allen Key & Replacement Screws Included
- Blade Change Instructions Supplied

# **RAZORSHARP** loppers





# 22" Bypass

Qtv

5

# 22" Anvil

# 27" Bypass









•	Bypass	Acton	to Minimise	Stem	Bruising	for Green
St	ems					

33mm

- PTFE Coated C50 Carbon Steel Blades
- Lightweight Aluminium Handles
- · Shock Absorbers
- Ergonomic Soft-Feel Grips

SJ-8230RS Mini Lopper

• C50 Carbon Steel Blades, Hardened And Tempered For Durability

38mm

- PTFE Coated Blade For Rust Resistance And Smooth Cutting
- Non-Slip Comfort Grips

SJ-8010RS Bypass Lopper

- · Lightweight Aluminium Handles
- . C50 Carbon Steel Blades, Hardened And Tempered For Durability

38mm

 PTFE Coated Blade For Rust Resistance And Smooth Cutting

Anvil Lopper

Non-Slip Comfort Grips

SJ-8020RS

- Lightweight Aluminium Handles
- C50 Carbon Steel Blades, Hardened And Tempered For Durability
- PTFE Coated Blade For Rust Resistance And Smooth Cutting
- Non-Slip Comfort Grips
- Lightweight Aluminium Handles

**Telescopic** 

# **Telescopic**





- SJ-4903RSS Bypass Lopper 42mm · Polished And Lacquered Blades For Rust Resistance And Smooth Cutting
- Tubular Steel Handles For Maximum Strength
- PVC Coated For Rust Resistance & Durability Twist And Lock Telescopic Mechanism
- Soft-Feel Grips







- PTFE Coated C50 Carbon Steel Blades
- · Lightweight Ergonomic Aluminium Handles
- Geared Cutting Action







- Cutting
- · Non-Slip Comfort Grips
- Lightweight Aluminium HandlesSerrated Anvil For Extra Grip When Cutting,
- Minimising Twisting Action



· Twist And Lock Extendable Mechanism

Туре

SJ-8090RS Bypass Lopper

- C50 Carbon Steel Blades, Hardened And Tempered For Durability
- PTFE Coated Blade For Rust Resistance And Smooth Cutting
- Non-Slip Comfort Grips
- · Lightweight Aluminium Handles

# **RAZORSHARP**





The Spear & Jackson Razorsharp Shears range consists of a comprehensive range of standard, wishbone and telescopic shears designed to suit the needs of the D.I.Y & professional gardener.





- SJ-4875RSS 8" Stardard 203mm . Blade Notched For Cutting Thicker Stems
- Lasting Sharpness Solid Hardwood Handles
- Chrome Plated Blades For Rust Resistance

Hollow Ground C50 Carbon Steel Blades For

### Wishbone 8" Timber Handle

length 203mm (8")

- SJ-4868SS 8" Wishbone 203mm
- · Blade Notched For Cutting Thicker Stems Chrome Plated Blades For Rust Resistance

230mm (9")

- · Ergonomically Designed Wishbone Shaped, Weatherproofed Hardwood Handles

## Wishbone 9"

Ergonomic Handle



- 9" Wishbone Blade Notched For Cutting Thicker Stems
- Chrome Plated Blades For Rust Resistance

230mm

- · Ergonomically Designed Wishbone Handles
- Shock Absorbing Bumpers


SJ-4888HS

- Adjustable Tensioning Nut
- Chrome Plated C50 Carbon Steel Blade

## Wishbone 9" Ergonomic Handle

With these ergonomic 'wishbone' shears, trimming shrubs and bushes will become a lot easier, giving you a precise, clean cut every time. Featuring shock absorbing bumpers, adjustable tensioning nut, ergonomic grips and a notched blade for cutting thicker stems.





# **RAZORSHARP**

# shears







Chrome Plated Blades For Rust Resistance

230mm

- · Blade Notched For Cutting Thicker Stems
- Shock Absorber

SJ-8110RS 9" Standard

· Soft-Feel Grips

# **Telescopic 9"**Soft Grip Handle



- SJ-8120RS 9" Telescopic Adjustable Blade Tension Nut
- · Lightweight Aluminium Telescopic Handles

230mm

- Twist And Lock Mechanism
- Shock Absorber
- Soft-Feel Grips

# **Telescopic 9"**Soft Grip Handle



- SJ-4904RSS 9" Telescopic 230mm • Telescopic Tubular Steel Handles For Maximum
- Strength . Blade Notched For Cutting Thicker Stems
- . C50 Carbon Steel Blades For Lasting Sharpness
- · Polished & Lacquered Blades For Rust Resistance
- Soft-Feel Grips



The super tough 9" Telescopic Hedge Shear is designed to meet some of the most demanding standards, with tubular steel handles for extra strenath & durability.



The Standard 9" Soft Grip Shears feature the finest precision cutting and is the obvious choice for gardeners who demand and expect precise, powerful performance

### **Topiary** Shears



**SJ-4855TS** 6.5" Topiary High Carbon Steel Blades

Soft-Feel Handles For Extra Comfort

164mm


Safety Lock Catch

# Single-Handed

Grass Shears



- Cuts At Any Angle
- Twist To Required Position
- Bi-Material Non-Slip Comfort Grips
- Single Handed Operation
- . PTFE Coated Blades For Rust Resistance And Smooth Cutting




# **RAZORSHARP** shears





- Total length 1165mm (45") length 200mm
- Innovative Ergonomic DesignErgonomically Designed Long Handles For Comfortable Use
  - Reduces Required Arm Movement By 50%
  - 8"/200mm PTFE Coated Blades For Rust Resis-
  - · High Performance Carbon Steel Cutting Edge



Encourages the user to adopt a more upright stance, resulting in reduced back strain





- Operate As Straight, Long Reach Shears Extendable Hand Grip
- Adjustable Setting Of Blade Angle & Head Angle Allows User To Achieve Neater, Tidier Cutting And Edge Finishing





Total length 910mm (36")Rotates 180 Blade lenath (6")Туре SJ-4873MS Advance Multi Shears 150mm

# **Edging Shears** Steel Handles

SJ-8250RS Advance Edging Shear 200mm

Type

# Edging Shears Soft Grip Handles



- SJ-4900RSS Edging Shears 9" Tubular Steel Handles For Maximum, Strength
- Hollow Ground C50 Carbon Steel Blades For Last-
- ing Sharpness
- Soft-Feel Grips
- Polished And Lacquered Blades For Rust Resis-



- · C50 Carbon Steel Blades, Hardened And Tempered For Durability
- PTFE Coated Blades For Rust Resistance And Smooth Cutting Longer Handles To Enable A More Comfortable,
- Upright Position • Non-Slip Comfort Grips



### **Lawn Shears** Steel Handles



- Tubular Steel Handles For Maximum Strength
- Hollow Ground C50 Carbon Steel Blades For Lasting
- Soft-Feel Grips
- Polished And Lacquered Blades For Rust Resistance

# RAZORSHARP scythettes & fern hooks



## Scythette Little Gaint 305mm

## Scythette Long Handle 305mm

## **Scythette**Spare Blade 305mm

**Fern Hook** Hardwood Handle



SJ-4731SL Scythette Short Hdle 305mm

Weeds And Brush

• Ideal For Cutting Long Grass, Nettles & Removing

SJ-4752SS Scythette Long Hdle

SJ-4732SY Scythette Spare Blade 305mm



Spare Blade



SJ-4655BM

Fern Hook Long Hdle 380mm

• Ideal For Thinning, Trimming And Cleaning Brush

Epoxy Coated Head For Resistance To Rust

Solid Forged Socket

· Weatherproofed Hickory Handle

# · Weatherproofed Hardwood Handle Hardened Steel Blade



- Hardened Steel Blade



#### **Cane Knife** Timber Handle



Part No SJ-2100615 Cane Knife

Length 360mm

- Made From Sheffield Steel
- Edge Sharpened & Tempered • 2.5mm Thick Roll Forged Blade
- · Hardened For Strength And Reliability
- Weatherproofed Hardwood Handle

#### **Fern Hook** Single Edge Head



SJ-4680AU Fern Hook - Head Only

· Ideal For Removing Blackberrys, Vines, Thickets

And Heavy Undergrowth

• Curved Factory Sharpened Blade

- Fully Forged Epoxy Coated Head For Rust Resistance
- Head Only

## **RAZORSHARP** predator bow saws

Predator Bow Saw T-Frame 21"

**Predator** Bow saw 21"

**Predator** Bowsaw 24"

**Predator** Bowsaw 30"









Part No	Туре	Qty
SJ-B9821BOWSAWTF	Bow Saw 21" T-Frame	5

- Holds 21" Peg Tooth & Raker Tooth Blades
- . Tampered Frame Allows For Angled Cuts In Tight Areas Eg. Roofing & Dense Foliage
- Adjustable Blade Tensioner
- Soft Feel Ergonomic Handle
- Tubular Steel Frame
- · Built-In Hand Guard For Extra Protection
- . Simplistic Design Allows For Quick And Easy Blade Changes
- · Saws Sold Fitted With Peg Tooth Blades (Raker Blades Are Also Available, Sold Separately).
- SJ-B9821BOWSAW Bow Saw 21'
- Holds 21" Blades Peg Tooth & Raker Tooth
- Adjustable Blade Tensioner
- · Soft Feel Ergonomic Handle
- Tubular Steel Frame
- Built-In Hand Guard For Extra Protection
- Simplistic Design Allows For Quick And Easy Blade
- · Saws Sold Fitted With Peg Tooth Blades (Raker Blades Are Also Available, Sold Separately).

**Tubular Steel Frame** 

- SJ-B9824BOWSAW Bow Saw 24
- Holds 24" Blades Peg Tooth & Raker Tooth
- Adjustable Blade Tensioner
- · Soft Feel Ergonomic Handle
- Tubular Steel Frame
- Built-In Hand Guard For Extra Protection
- Simplistic Design Allows For Quick And Easy Blade Changes
- Saws Sold Fitted With Peg Tooth Blades (Raker) Blades Are Also Available, Sold Separately).
- SJ-B9830BOWSAW Bow Saw 30
- Holds 30" Blades Peg Tooth & Raker Tooth
- · Adjustable Blade Tensioner
- · Soft Feel Ergonomic Handle
- Tubular Steel Frame
- Built-In Hand Guard For Extra Protection
- Simplistic Design Allows For Quick And Easy Blade Changes
- · Saws Sold Fitted With Peg Tooth Blades (Raker Blades Are Also Available, Sold Separately),

## Peg & Raker **Tooth Blades** 21", 24", 30"



Raker Tooth	
Raker	4
44	
Peg Tooth	
bea	,
443	

Part No	Туре	Size	Pack Qty
SJ-B9821DRYBLADE	Peg	21"	10
SJ-B9824DRYBLADE	Peg	24"	10
SJ-B9830DRYBLADE	Peg	30"	10
SJ-B9821WETBLADE	Raker	21"	10
SJ-B9824WETBLADE	Raker	24"	10
SJ-B9830WETBLADE	Raker	30"	10
Hardnoint Carbon Steel B	ladae		

- Hardpoint Carbon Steel Blades
- Avaliable In
- 21" (530MM) 4TPI (Teeth Per Inch) 24" (610MM) 4TPI (Teeth Per Inch) 30" (760MM) 4TPI (Teeth Per Inch)
- Made In Portugal

## PEG TOOTH (DRY) CALLALALA RAKER TOOTH (WET) PALE ALAL

#### **Ergonomic Soft Feel Handle**

Adjustable Blade Tensioner

The Spear & Jackson Predator Bow Saw range offers two types of blades Peg Tooth (Dry) & Raker Tooth (Wet).

**Peg Tooth Blade** 

#### PEG TOOTH BLADE (DRY)

The peg toothing blade is for mature and dry wood. Every third gullet is extended for high chip removal and is made uniquely for fast and efficient cutting of mature and dry wood.

#### RAKER TOOTH BLADE (WET)


The raker toothing blade is for live and green wood. Every fifth tooth is raker and unset which functions like a chisel to remove the chips out of the green wood.



#### **Predator Bow Saw Merchandiser**

- Holds 12 Predator Bow Saws
- Holds 48 Predator Bow Saw Blades
- Provides Blade Selection Information To Help Customers With Their Product Choice
- Made From Powder Coated Carbon Steel
- Designed To Fit Most Display Types

# RAZORSHARP - other cutting pruning saws & bow saws



## SJ-4960RSA Folding Pruning Saw

- 7" (178mm) Carbon Steel Blade
- . Hollow Ground Blade For Enhanced Cutting Performance
- · Ultra Sharp 7TPI Precision Ground Teeth
- Folds For Storage And Blade Protection
- Blade Locks In Open And Closed Position

## **Pruning Saw**

Large Folding



Part No	Туре	Blade Length	Pack Qty
SJ-4948PS	Folding Pruning Saw	12"	5

- 12" (305mm) SK5 Carbon Steel Blade For Lasting Sharpness
- Ultra Sharp 7TPI Precision Ground Teeth
- Chrome Plated Blade For Rust Resistance

**Bowsaw** 

Blade Locks In Open And Closed Position

### **Pruning Saw**

Plastic Handle



Part No	Туре	Blade Length	Pack Qty
SJ-66PS	Pruning Saw - Plastic	14"	5

- 14" (350mm) Carbon Steel Blade
- Cuts Branches Up To 90mm
- Strong Plastic Handle

Pruning Saw Timber Handle



Part No	Туре	Length	Qty
SJ-P9325	Pruning Saw - Timber	13"	6

- 13" (325mm) Carbon Steel Blade
- · Laquered Hardwood Handle
- Cuts Branches Up To 90mm

**Bowsaw** 



SJ-3621K · Hardpoint Blade Which Stays Sharp Up To 5 Times Longer Than Untreated Blades

 Teeth Designed For Fast And Free Cutting On Forward And Backward Strokes

· Lever Tension Device For Simple Blade Changing


Spare Blade: SJ-3921W





- . Teeth Designed For Fast And Free Cutting On Forward And Backward Strokes
- · Lever Tension Device for Simple Blade Changing





# RAZORSHARP - other cutting timber & fibreglass axes

#### Axe 1.5lb Timber Handle

#### Axe 2.5lb Timber Handle

#### **Axe 4.5lb Timber Handle**









Part No	Туре	Handle Length	F
SJ-3715AB	Axe 1.5lb Timber Hdle	380mm	

- · Drop Forged Carbon Steel Head
- · Hardened and Tempered for Durability
- Dual Cylindrical Wedges
- High Quality Hickory Shafts
- 1.5lb (680g)
- FSC Certified Handle

SJ-3725CD Axe 2.5lb Timber Hdle 485mm

- · Drop Forged Carbon Steel Head
- · Hardened and Tempered for Durability
- Dual Cylindrical Wedges
- . High Quality Hickory Shafts
- 2.5lb (1.1kg)
- FSC Certified Handle
- Drop Forged Carbon Steel Head
- · Hardened and Tempered for Durability

SJ-3745EF Axe 4.5lb Timber Hdle 845mm

- Dual Cylindrical Wedges
- · High Quality Hickory Shafts
- 4.5lb (2kg)
- FSC Certified Handle

#### **Each Axe**

- Has A Drop Forged Carbon Steel Head, Hardened & **Tempered For Durability**
- Has A Quality Hickory Shaft **For Strength**
- Has A Blade Guard For **Added Safety When Not In** Use

#### Axe 1.5lb Fibreglass Handle

#### Axe 2.5lb Fibreglass Handle

#### Axe 4.5lb Fibreglass Handle







Axe 4.5lb F/G Hdle

Qtv

845mm



Drop Forged Carbon Steel Head

Hardened and Tempered for Durability

Axe 1.5lb F/G Hdle

- · Quality Fibreglass Shaft
- Non Slip Soft Grip
- 1.5lb (680g)

Part No

SJ-AFG15

Qtv

380mm

Part No SJ-AFG25

- Axe 2.5lb F/G Hdle 485mm
- Drop Forged Carbon Steel Head
- Hardened and Tempered for Durability
- Quality Fibreglass Shaft • Non Slip Soft Grip
- 2.5lb (1.1kg)
- - · Drop Forged Carbon Steel Head
  - Hardened and Tempered for Durability
    - Quality Fibreglass Shaft
      - Non Slip Soft Grip

SJ-AFG45

4.5lb (2kg)

# RAZORSHARP - other cutting blocksplitters & hatchets

# Blocksplitter 6lb Timber Handle

# **Blocksplitter 6lb** Fibreglass Handle





SPEAR & JACKSON

- Part No SJ-3750BS Blocksplitter 6lb
- Drop Forged Carbon Steel Head
- · Hardened and Tempered for Durability
- High Quality Hickory Shaft6.0lb (2.7kg)
- FSC Certified Handle

- Part No Qty SJ-BFG60 Blocksplitter 6lb 845mm
- Drop Forged Carbon Steel Head
- Hardened and Tempered for Durability
- Quality Fibreglass Shaft
- Non Slip Grip
- 6.0lb (2.7kg)



## hatchets

## Camping Axe Steel Handle

## Felling Hatchet Timber Handle





Part No	Туре	Handle Length	Pacl Qt
EG-7216	Camping Axe 570g	270mm	(

- Non Slip Comfort Grip
- 1.2lb (570g)

Tubular Steel HandleCarbon Steel Head



EG-9601A Felling Hatchet 300mm

Qty

12

- Hardwood Timber Handle

  - Carbon Steel HeadWeight 1.2lb (570g)



# HANDLES brooms, rakes, files & sledge hammers,

## Rake Handle Timber Shaft



Part No	Туре	Handle Length	Pack Qty
AH-U111	Rake Handle - Timber	1500 x 25mm	10
AH-U112	Rake Handle - Timber	1800 x 25mm	10
AH-U115	Rake Handle - Timber	1800 x 29mm	10

- . Designed to Fit Most Rake Heads
- FSC Certified Timber Handle
- Tapered Timber Shaft

## **Broom Handle** Timber Shaft



Part No	Туре	Handle Length	Pack Qty
AH-U149	Broom Handle - Timber	1350 x 22mm	10
AH-U154	Broom Handle - Timber	1350 x 25mm	10
AH-U155	Broom Handle - Timber	1500 x 25mm	10
AH-U156	Broom Handle - Timber	1650 x 25mm	10
AH-U157	Broom Handle - Timber	1800 x 25mm	10
AH-U159	Broom Handle - Timber	1800 x 29mm	10

- Designed to Fit Most Broom Heads
- FSC Certified Timber Handle
- Tapered Timber Shaft

#### **Broom Handle**

White Timber Shaft



Part No	Туре	Handle Length	Pack Qty	
<b>AH-U149-WHITE</b> Broom Handle 1350 x 22mm			10	
Designed to Fit Most Broom Heads				


- Designed to Fit Most Broom He
- FSC Certified Timber HandleWhite Tapered Timber Shaft

File Handle



Part No	Туре	Handle Length	Pack Qty
H-U286	File Handle	75mm	50
H-U287	File Handle	100mm	50
H-U288	File Handle	125mm	50
H-U289	File Handle	150mm	50

- Designed to Fit Most Files
- FSC Certified Timber Handle
- Shaped Timber Handle





Spear & Jackson Handles Are Made From FSC Certified Timber Which Supports the Responsible Management of Forests Worldwide





A new range of garden hand tools, secateurs, shears, loppers and scoops available in three eye-catching colours



#### **Secateurs**

Bypass 7"



## **Loppers**Bypass



## Shears

Wavy Edged 8"



Part No	Туре	Total Length	Pack Qty	Part No	Туре	Total Cutting Cap.	Pack Qty	Part No	Туре	Total Cutting Cap.	Pack Qty
SJ-CSB	Secateurs Blue	7"	5	SJ-56551B	Loppers Blue	25mm	5	SJ-55509B	Shears Blue	25mm	5
SJ-CSG	Secateurs Green	7"	5	SJ-56551G	Loppers Green	25mm	5	SJ-55509G	Shears Green	25mm	5
SJ-CSP	Secateurs Pink	7"	5	SJ-56551P	Loppers Pink	25mm	5	SJ-55509P	Shears Pink	25mm	5

- SK-5 High Quality Carbon Steel • C50 Carbon Steel Blade
- 6" Soft Grip Handles Geared Cutting Action 15mm Maximum Cutting Capacity
  - Soft Feel Grip For Increased Comfort
  - 25mm Maximum Cutting CapacityOverall Length 18" (460mm)

SJ-55509B	Shears Blue	25mm	5
SJ-55509G	Shears Green	25mm	5
SJ-55509P	Shears Pink	25mm	5

- C50 Carbon Steel 8" (200mm) Wavy Edged Blades
- Blades Heat Treated for Strength & Durability
- Lightweight But Strong Tubular Steel Handles
- Shock Absorbers For Comfortable UseOverall Length 20" (520mm)

#### **Hand Trowel 6"**

**PVC** Handle

Overall Length 7" (180mm)

### **Transplanter**

**PVC Handle** 

#### Weeder

**PVC Handle** 







Part No	Туре	Head Size	Pack Qty	Part No	Туре	Head Size	Pack Qty	Part No	Туре	Head Size	Pack Qty
SJ-SDT/10B	Hand Trowel Blue	6"	6	SJ-SDT/20B	Transplanter Blue	6"	6	SJ-SDT/30B	Weeder Blue	6"	6
SJ-SDT/10G	Hand Trowel Green	6"	6	SJ-SDT/20G	Transplanter Green	6"	6	SJ-SDT/30G	Weeder Green	6"	6
SJ-SDT/10P	Hand Trowel Pink	6"	6	SJ-SDT/20P	Transplanter Pink	6"	6	SJ-SDT/30P	Weeder Pink	6"	6

- Ideal for planting small plants, cuttings and seedlings
- Epoxy Coated Carbon Steel Head
- PVC HandleLightweight Design

- · Ideal for planting small plants, cuttings and seedlings
- Epoxy Coated Carbon Steel Head
- PVC HandleLightweight Design

ty	Part No	Туре	Head Size	Qty
6	SJ-SDT/30B	Weeder Blue	6"	6
6	SJ-SDT/30G	Weeder Green	6"	6
6	SJ-SDT/30P	Weeder Pink	6"	6
	a labori for romanism	ada 0 aaaall alaata	fuena laccina O mandan	hada

- · Ideal for removing weeds & small plants from lawns & garden beds
- Epoxy Coated Carbon Steel Head
- PVC HandleLightweight Design

**Scoops** Plastic

# **3 Prong Cultivator** PVC Handle



		1	
Part No	Туре	Head Size	-
SJ-SDT/40B	Cultivator Blue	6"	
SJ-SDT/40G	Cultivator Green	6"	

· Ideal for breaking up light soils and weeding

Cultivator Pink

- Epoxy Coated Carbon Steel Head
- PVC Handle

SJ-SDT/40P

Lightweight Design

### **Twist Fork**

**PVC Handle** 



Part No	Туре	Head Size	Paci Qty
SJ-SDT/50B	Twist Fork Blue	6"	6
SJ-SDT/50G	Twist Fork Green	6"	6
SJ-SDT/50P	Twist Fork Pink	6"	6

- · Ideal for cultivating light soils
- Epoxy Coated Carbon Steel Head
- PVC Handle Lightweight Design

6

Plastic Scoop

- Hanging Hole For Storage
   Overall Length 10" (250mm) Per Scoop
   Sold as Display Box

SJ-PSMP



250mm



#### **Colours Secateurs Display Box**

- SK-5 High Quality Carbon Steel
- 6" Soft Grip Handles
- 15mm Maximum Cutting Capacity
- Overall Length 7" (180mm)

Merchandiser Holds 15 Coloured Secateurs

- 5x Blue Secateur
- 5x Pink Secateurs
- 5x Green Secateurs

#### SJ-CSMP



#### **Plastic Scoop Display Box**

- Light and Strong Polypropylene Scoop
- Hanging Hole For Storage
- Overall Length 10" (250mm) Per Scoop

Merchandiser Holds 18 Coloured Scoops

- 6x Blue Scoops
- 6x Pink Scoops
- 6x Green Scoops

#### SJ-PSMP





The Spear & Jackson Colours Merchandiser is the perfect way to present the entire Colours Range.

#### **Merchandiser Quantities**

5 x Blue / Pink / Green Secateurs

5 x Blue / Pink / Green Loppers

5 x Blue / Pink / Green Shears

18 x Blue / Pink / Green Scoops

6 x Blue / Pink / Green Trowels

6 x Blue / Pink / Green Transplanters

6 x Blue / Pink / Green Weeders

6 x Blue / Pink / Green Cultivators

6 x Blue / Pink / Green Twist Forks

<sup>\*</sup> stock sold separately











Brighten up your Garden with the NEW Spear & Jackson Colours Range

**Contact us today!** 


CONTACT US:
Ph: 1300 731 818
Fax: 1300 735 858
Email: sales@spear-and-jackson.com.au
Web: www.spearandjackson.com.au













# WOODWORKING TOOLS professional woodsaws

#### PREDATOR



Use With All Rough Sawn Timber
 Comfortable Handle - Suregrip® Soft-Feel Ergonomic Grip and Finger Guide for Accuracy, also Incorporating a Useful 45/90° Angle Guide



A Hardpoint Saw for Cutting UPVC and Hard Plastics

Ideal for Timber, Hardwood, Chipboard and MDF

Comfortable Handle - Suregrip® Soft-Feel Ergonomic Grip and Finger Guide for Accuracy, also Incorporating a Useful 45/90° Angle Guide

- Fast Cut Rapid, Clean Cutting Action Rigid Blade Minimises 'Whip' and Vibration
- Ideal for Cutting Sills, Trims and Plastic Pipes
- Comfortable Handle Suregrip® Soft-Feel Ergonomic Grip and Finger
- Guide for Accuracy, Also Incorporating a Useful 45/90° Angle Guide
- A Hardpoint Saw Delivering a Fine Cut
- Fast Cut Rapid, Clean Cutting Action Rigid Blade Minimises 'Whip' and Vibration
- For Use On Laminate Flooring, Formica and Beading
- Comfortable Handle Suregrip® Soft-Feel Ergonomic Grip and Finger Guide for Accuracy, Also Incorporating a Useful 45/90° Angle Guide
- Fleam Teeth for the Fastest Cut Along and Across The Grain On Both the Forward and Reverse Stroke

Rigid Blade Minimises 'Whip' and Vibration

Comfortable Handle - Suregrip® Soft-Feel Ergonomic Grip and Finger Guide for Accuracy, Also Incorporating a Useful 45/90° Angle Guide

Ideal For a Smooth Finish On Soft Woods

- Fast Cut Rapid, Clean Cutting Action
- Rigid Blade Minimises 'Whip' and Vibration
- Ideal for Use On Timber, Hardwood, Chipboard and MDF
- Comfortable Handle Suregrip® Soft-Feel Ergonomic Grip and Finger Guide for Accuracy, Also Incorporating a Useful 45/90° Angle Guide

# WOODWORKING TOOLS professional woodsaws



PREDATOR



## Tenon Saws



Part No	Description	Size	Finish	Pack Qty
SJ-B9812	Predator Tenon	12"/300mm x 15pts	Fine	10

• For General Use Cutting Along and Across the Grain

SJ-B98QC Predator Quick Cut 20"/500mm x 8pts Medium

- Cross Ground Teeth Cut In Both Directions
- ABS Handle With Built In Finger Guide
- Rigid 0.91Mm Blade Minimises Whip and Vibration
- Heat Treated Teeth Maximises Blade Life
- Handle Includes 90° and 45° Angle Guide

- SJ-B9814 Predator Toolbox 14"/350mm x 14pts Fine 10
- · A Fine Cut for Smooth Cutting With Push/Pull Action
- Rigid Blade Minimises 'Whip' and Vibration
- Ideal for Cutting Moulding, Dowelling, Architraves and Skirting
- Comfortable Handle Suregrip® Soft-Feel Ergonomic Grip and Finger Guide for Accuracy
- Handle Includes 90° And 45° Angle Guide
- · A Fine Cut for a Smooth, Clean Cutting Action
- Solid Steel Back for Maximum Rigidity and Accuracy
   Ideal for Cutting Mayding, Payalling, Architecture and Climbing
- Ideal for Cutting Moulding, Dowelling, Architraves and Skirting
- Comfortable Handle Suregrip® Soft-Feel Ergonomic Grip and Finger Guide for Accuracy.
- Handle Includes 90° And 45° Angle Guide

\*\* Now Available in 60 Saw Merchandiser

## traditional woodsaws

#### **Skew Back**



#### **Brass Back Tenon**



#### **Professional Tenon**



# Part No Description Size Finish Otty Pack Otty SJ-9500R Traditional Skew Back 22"/550mm x 10pts Medium 10 SJ-9525X Traditional Skew Back 26"/650mm x 7pts Rough 10

- Universal Teeth for General Use Cuts Along and Across the Grain
- Precision Cross Ground Teeth for Extra Sharpness
- Teeth Can Be Resharpened
- Skew Back for Balance and Reduced Friction
- Cuts Timber Chipboard, Plywood and Other Wood Based Materials
- Comfortable Wooden Handle Securely Fixed By Rivets
- High Carbon Steel Blade

- Part No
   Description
   Size
   Finish Otty
   Pack Otty

   SJ-9540B
   Traditional Brass Back 10"/250mm x 15pts
   Fine
   10

   SJ-9550B
   Traditional Brass Back 12"/300mm x 15pts
   Fine
   10
- Universal Teeth for General Use Cuts Along and Across the Grain
- Brass Back for Maximum Rigidity and Accuracy
- Teeth Can Be Resharpened
- Used for Joint Cutting and Sawing Small Pieces
   Of Wood and Wood Based Materials
- Comfortable Wooden Handle Securely Fixed By Rivets
- · High Carbon Steel Blade
- Precision Ground Teeth

Part No	Description	Size	Finish	Pack Qty
		10"/250mm x 13pts 12"/300mm x 13pts	Fine Fine	10 10

- Universal Teeth for General Use Cuts Along and Across the Grain
- Precision Cross Ground Teeth for Extra Sharpness
- · Teeth Can Be Resharpened
- Solid Brass Back for Maximum Rigidity and Accuracy
- · Used for Joint Cutting and Sawing Small Pieces Of Wood
- Comfortable Wooden Handle Secured With Solid Brass Screws



# **HAND TOOLS hammers Claw Hammer**

#### **Claw Hammer** Fibreglass Handle

## **Claw Hammer**

All Steel Handle



|--|

Part No	
SJ-CH16W	
SJ-CH20W	
C I CHOVM	

Description	
Claw Hammer Wooden	
Claw Hammer Wooden	
Claw Hammer Wooden	

- 16 Oz/450g 20 Oz/570g 24 Oz/680g
- 6
- SJ-CH16FG SJ-CH20FG SJ-CH24FG
- Claw Hammer Fibreglass Claw Hammer Fibreglass Claw Hammer Fibreglass
- 16 Oz/450g 6 20 Oz/570g 6 24 Oz/680g
- SJ-CH20AS SJ-CH24AS

Claw Hammer All Steel 20 Oz/570g Claw Hammer All Steel 24 Oz/680g

Pack Qty

6

- · Heat Treated Fully Polished Head
- Dual Cylindrical Wedges for Added Safety
- Hickory Handle

- · Heat Treated Fully Polished Head
- Tough Fibreglass Handle
- Dual Material Soft Grip Handle

- Heat Treated Fully Polished Head
- Forged One Piece Head and Handle
- Grip Mechanically Pinned To Shaft
- Dual Material Soft Grip Handle

### **Claw Hammer**

Anti Vibration



#### Qty SJ-CH20FA Claw Hammer Anti Vibe 20 Oz/570g 6 SJ-CH24FA 24 Oz/680g Claw Hammer Anti Vibe

## **Brick Hammer**

Fibreglass Handle



SJ-BRH24FG Brick Hammer Fibreglass 24 Oz/680g

**Brick Hammer** 

All Steel Handle



1			-		
_		-	n.	104	AS
J	J.	D	КГ	124	AS

#### Brick Hammer All Steel

24 Oz/680g

- Anti Vibration I Beam Design
- Forged One Piece Head and Handle
- Magnetic Nail Start
- Oversized Strike Area
- · Grip Mechanically Pinned To Shaft
- Dual Material Soft Grip Handle

- Tough Fibreglass Handle
- Fully Polished Head Dual Material Soft Grip Handle

- Forged One Piece Head and Handle
- Grip Mechanically Pinned To Shaft
- Dual Material Soft Grip Handle
- Fully Polished Head

## **HAND TOOLS hammers**

#### **Ball Pein Hammer**



#### **Ball Pein Hammer**

Fibreglass Handle



#### **Cross Pein Hammer**

Wooden Handle



Part No	Description	Size
SJ-BPH8	Ball Pein Hammer Wooden	8 Oz/226g
SJ-BPH12	Ball Pein Hammer Wooden	12 Oz/340g
SJ-BPH16	Ball Pein Hammer Wooden	16 Oz/450g
SJ-BPH24	Ball Pein Hammer Wooden	24 Oz/680g
SJ-BPH32	Ball Pein Hammer Wooden	32 Oz/900g

- Ideal For Shaping Metal & Light Engineering Work
   Premium Hickory Handle
   Heat Treated Fully Polished Head

- Dual Wedges for Added Safety

Pack Qty	Part No	Description	Size	Pac
6	SJ-BPH16FG	Ball Pein Hammer Fibreglass	16 Oz/450g	
6	SJ-BPH24FG	Ball Pein Hammer Fibreglass	24 Oz/680g	
5	SJ-BPH32FG	Ball Pein Hammer Fibreglass	32 Oz/900g	
4				

- Tough Fibreglass HandleHeat Treated Fully Polished HeadDual Material Soft Grip Handle

Part No	Description	Size	Pack Qty
SJ-CPH8	Cross Pein Hammer Wooden	8 Oz/226g	6
SJ-CPH10	Cross Pein Hammer Wooden	10 Oz/280g	6
SJ-CPH12	Cross Pein Hammer Wooden	12 Oz/340g	6
SJ-CPH14	Cross Pein Hammer Wooden	14 Oz/396g	6

- Ideal For Light Joinery and Cabinet Work
- Premium Hickory HandleHeat Treated Fully Polished Head
- Dual Wedges for Added Safety

## **Club Hammer**

Wooden Handle



Part No	Description	Size	Pack Qty
SJ-CH3W	Club Hammer Wooden	3lb/1.3Kg	4
SJ-CH4W	Club Hammer Wooden	4lb/1.8Kg	2

- Hickory Handle
- Heat Treated Head
- Cylindrical Wedges for Added Safety

## **Club Hammer**

Fibreglass Handle



Part No	Description	Size
SJ-FGCH3	Club Hammer Fibreglass	3lb/1.3Kg
SJ-FGCH4	Club Hammer Fibreglass	4lb/1.8Kg

- Tough Fibreglass Handle Heat Treated Head
- Dual Material Soft Grip Handle

### **Club Hammer**

All Steel Handle



Part No	Description	Size	Pack Qty
SJ-CH25AS	Club Hammer All Steel	2.5lb/1.1Kg	4
SJ-CH4AS	Club Hammer All Steel	4lb/1.8Kg	4

- · One Piece Head and Shaft
- Heat Treated Head
- Dual Material Soft Grip Handle

## **HAND TOOLS** hammers

## Sledge Hammer Wooden Handle



## Sledge Hammer Fibreglass Handle



# **Carpenters Mallet** Wooden



Part No	D
SJ-4LBWH	SI
SJ-7LBWH	Sle
SJ-10LBWH	SI
SJ-14LBWH	SI

Description	Size
Sledge Hammer Wooden	4lb/1.8Kg
Sledge Hammer Wooden	7lb/3.2Kg
Sledge Hammer Wooden	10lb/4.5Kg
Sledge Hammer Wooden	14lb/6.4Kg

- Premium Hickory Handle
- Hardened and Tempered Head
- Drop Forged Head
- Cylindrical Wedges for Added Safety
- FSC Timber Handle

k ty	Part No	Description	Size
2	SJ-SHFP4	Sledge Hammer Fibreglass	4lb/1.8Kg
4	SJ-SHFP7	Sledge Hammer Fibreglass	7lb/3.2Kg
2	SJ-SHFP10	Sledge Hammer Fibreglass	10lb/4.5Kg
2	C I CHED14	Cladge Hemmer Eibreelees	1.41b/G.4Va

- Head Mechanically Pinned and Chemically Fixed
- Hardened and Tempered Head
- Drop Forged Head
- Overstrike Guard On Sizes 7-14Lb
- Tough Fibreglass Shaft
- Dual Material Soft Grip Handle

ack Qty	Part No	Description	Size	
8	SJ-CM400	Capenters Mallet	400g	
4				
2				
0				

- Ideal for Use With Wood Chisels and Shaping Tools
   Made Entirely From Premium Beechwood
- Sculptured All Wood Handle

### **Rubber Mallet**

Wooden Handle



#### **Rubber Mallet**

Fibreglass Handle



#### White Rubber Mallet

Fibreglass Handle



EG-12100/16 Rubber Mallet Wooden 16 Oz/450g EG-12100/24 Rubber Mallet Wooden 24 Oz/680g EG-12100/32 Rubber Mallet Wooden 32 Oz/900g

- Ideal for Construction, Automotive and General Use
- Laquered Hardwood Handle
- Durable Black Rubber Head

#### SJ-RM16FG SJ-RM24FG

6

Rubber Mallet Fibreglass 16 Oz/450g Rubber Mallet Fibreglass 24 Oz/680g SJ-RM32FG Rubber Mallet Fibreglass 32 Oz/9000

- Ideal for Construction, Automotive and General Use
- Tough Fibreglass Handle
- Durable Black Rubber Head
- Dual Material Soft Grip Handle

Pack
Qty
6

Pack	
Qty	
6	
6	
6	

ack Qty	Part No
6	SJ-WRM16FG
6	SJ-WRM24FG
6	SJ-WRM32FG

White Rubber Mallet Fibreglass White Rubber Mallet Fibreglass

16 Oz/450g 24 Oz/680g White Rubber Mallet Fibreglass 32 Oz/900g

ack Qty

6

6

6


- Ideal for Tiling, Paving and Any Non Marking Application
- Tough Fibreglass Handle
- Durable White Rubber Head
- Dual Material Soft Grip Handle

## **HUCKSON** industrial hammers



## **Deadblow Hammers**

#### Soft Face Hammer 25mm Soft Face Hammer 38mm







Part No	Description	Size	Pack Qty	Part No	Description	Size	Pack Qty	Part No	Description	Size	Pack Qty
HU-777	Deadblow Hammer 40mm	700g	5	HU-701/1N	Soft Face Hammer - Nylon Tips	250g	5	HU-701/1.5N	Soft Face Hammer - Nylon Tips	750g	5
HU-778	Deadblow Hammer 60mm	1600g	5	HU-701/1P	Soft Face Hammer - Poly Tips	250g	5	HU-701/1.5P	Soft Face Hammer - Poly Tips	750g	5
				HU-701/1NP	Soft Face Hammer -Nylon & Poly Tips	250g	5	HU-701/1.5NNP	Soft Face Hammer -Nylon & Poly Tips	750g	5
								HU-701/1.5CCN	Soft Face Hammer - 2 Copper Tips & 1 Nylon Tip	750g	5
Hammer Head Fille	ed with Shot			<ul> <li>Used for Asse</li> </ul>	embly and Renair Operations to Minimi	se the Da	mage to	Used for Assemb	oly and Renair Operations to Minimise th	ne Damage	to Soft

- Cast One Piece Head and Body
- Replaceable Tips
- Made in Australia

- Soft Surfaces
- Cast One Piece Head and Body
- Replaceable Tips
- Made in Australia

- Surfaces
- · Cast One Piece Head and Body
- Replaceable Tips
- Includes 3rd Tip In Handle
- Made in Australia

#### **Soft Face Hammer 50mm**

# Replacement Tips Nylon -Poly & Copper





			Pack				Pack
Part No	Description	Size	Qty	Part No	Description	Size	Qty
HU-701/2N	Soft Face Hammer - Nylon Tips	1150g	5	HU-777/N	Deadblow Tip Nylon	40mm	1
HU-701/2P	Soft Face Hammer - Poly Tips	1150g	5	HU-778/N	Deadblow Tip Nylon	60mm	1
HU-701/2NP	Soft Face Hammer -Nylon & Poly Tips	1150g	5	HU-701/5	Soft Face Tip Nylon	25mm	1
				HU-701/6	Soft Face Tip Poly	25mm	1
<ul> <li>Used for Asse</li> </ul>	embly and Repair Operations to			HU-701/13	Soft Face Tip Copper	38mm	1
Minimise the Dan	nage to Soft Surfaces			HU-701/14	Soft Face Tip Nylon	38mm	1
<ul> <li>Cast One Piece</li> </ul>	e Head and Body			HU-701/15	Soft Face Tip Poly	38mm	1
<ul> <li>Replaceable T</li> </ul>	lips ,			HU-701/20Z	Soft Face Tip Nylon	50mm	1
<ul> <li>Made in Austr</li> </ul>	ralia			HU-701/21	Soft Face Tip Poly	50MM	1



## **HAND TOOLS** general hand tools

### **Coping Saw**



Part No	Description	Handle	Pack Qty
EG-605A	Coping Saw with 5 Blades	Timber	12

- Steel Frame for Durability
- 360 Degree Blade Rotation for Easy Access and Cutting
- Comes with 5 Blades; 1x Extra Fine, 1x Fine, 1x Hacksaw & 2x Medium
- Timber Handle

#### **Mini Hacksaw**



	Description	Size
S10	Mini Hacksaw	250mm

Strong Lightweight Aluminium Body

SJ-MH

- Comfort Soft Grip Handle with Thumb Grip
- Ideal for Cutting in Hard to Reach Places For Use with 300mm Hacksaw Blades

#### **Hacksaw**



Part No	Description	Size
SJ-HS10	Hacksaw Box Frame	450mm

- · Rigid Box Frame Design
- Blade Adjustment Allows for 55 & 90 Degree Cutting
- · Accepts Standard 300mm Hacksaw Blades

#### **Socket Adaptor Set**



|--|--|

#### Part No Square Drive Adaptor Set

- Converts Between 1/4" 3/8" & 1/2" Drives
- · Chrome Vanadium Steel
- · Chrome Plated

### **Hole Saw Set**



Part No	Description	Cut De
EP-153/07	Hole Saw Set	20mm
9 Piece Set		
7 Circular Blades		
0		

- Cut Depth 20mm
- Designed for Cutting Wood & Plastic

#### **Hole Saw Set** Extra Deep



44mm

Part No	Description
EP-157/07	Hole Saw Set - Extra Deep
0.01	

- 9 Piece Set 7 Extra Deep Circular Blades
- Solid Metal Body Cut Depth 44mm
- For Cutting Wood & Plastic

### Magnets 10pk



Part No	Description	Pack Qty
EG-299	Assorted Magnets 10pk	12
Ideal for General use	School Projects & Around the Workshop	Spear &

- iuear iur general use, School Projects & Around the Workshop. Spear & Jackson Magnets will Adhere to All Iron or Steel Surfaces
- 10 Piece Magnet Pack
- Pack Contains 10 x Disc Magnets

#### **Horse Shoe Magnet**



Part No	Description	Pac Qt
EG-216	Horse Shoe Magnet	13
<ul> <li>Ideal for General us</li> </ul>	e. School Projects & Around the Workshop.	Spear &

- Jackson Magnets will Adhere to All Iron or Steel Surfaces
- Total Size 90mm

#### **Paint Marker**



Part No	Description	Size	Pack Qty
EG-WPM	Paint Marker - White	2mm Tip	12

- All Purpose Paint Marker Suitable for Most Surfaces
- Weather Proof Xylene Free
- 2mm Tip

## **HAND TOOLS** general hand tools



#### **Knife Retractable**



150mm

Part No	Description

EG-031BFC Knife Retractable

- All Metal Body
- Includes 1x Blade
- Accepts Standard 60mmx18mm Blades

#### **Sharpening Stone**



**EG-153/06** Sharpening Stone - 150mm 150mm x 50mm x 25mm

10

- Designed for your General Sharpening Needs
- Silicon Carbide
- · Fine and Coarse Texture

#### **Knife Lino**



SJ-LK75CP	Knife Lino	75mm

- · Ideal for Cutting and Shaping Lino and Other Similar Materials
- Chrome Plated Blade
   FSC Rosewood Timber Handle

### **Knife Hacking**



Part No	Description	Size
SJ-HK115	Knife Hacking	120mm

- Used for the Removal of Old Putty From Window Frames

- Heavy Duty Tapered Blade
   Honed to a Very Sharp Edge
   FSC Rosewood Timber Handle

#### **Knife Shoe**



SJ-SK120	Knife Shoe	120mm	
. Ideal for Trices	alaman and Outlines I	anthor Dubbor 9 Dis	

- Ideal for Trimming and Cutting Leather, Rubber & Plastics
   FSC Rosewood Timber Handle

#### **Riveter Deluxe**



255mm

SJ-HR10	Riveter Deluxe	2
<ul> <li>4 Interchang</li> </ul>	eable Nose Pieces: 2.3	.4 & 5mm

- · Suits Aluminium and Steel Rivets
- · Chrome Plated Body

- Non Slip Handle Grips
- Nose Spanner Included

#### **Riveter Kit**



Part No	Description	Size
EC 2061	Divotor Vit ou 60 Divoto	260mm

- Includes 60 Rivets
- 4 Interchangeable Nose pieces: 2.4,3.2,4 & 4.8mm
- Cast Alloy Body
- \*\*\*Not Suitable for Stainless Steel Rivets

#### **Spring Clamps**



Part No	Description	Size	Pack Qty
SJ-SC100	Spring Clamp	100mm	20
SJ-SC150	Spring Clamp	150mm	10
SJ-SC225	Spring Clamp	225mm	10

Pack Qty

12

- Extra Heavy Duty SpringHigh Clamping ForceChrome Plated Steel Handles
- Vinvl Coated Handles and Jaws

## **HAND TOOLS** wrecking bars & punches

## **Wrecking Bars**



Part No	Туре	Size	Pack Qty
SJ-WB300	Wrecking Bar	300mm	24
SJ-WB450	Wrecking Bar	450mm	24
SJ-WB600	Wrecking Bar	600mm	12
SJ-WB750	Wrecking Bar	750mm	10
SJ-WB900	Wrecking Bar	900mm	10

- Ideal for Opening Boxes & Removing Nails
- Heat Treated Carbon Steel with Polished Ends
- Hexagon Shaped Powder Coated Body
- Claw With Chisel End for Lifting & Prying

#### **Wrecking Bars** Heavy Duty



Part No	Туре	Size	Pack Qty
SJ-WBHD300	Wrecking Bar Heavy Duty	300mm	24
SJ-WBHD450	Wrecking Bar Heavy Duty	450mm	20
SJ-WBHD600	Wrecking Bar Heavy Duty	600mm	12
SJ-WBHD750	Wrecking Bar Heavy Duty	750mm	12
SJ-WBHD900	Wrecking Bar Heavy Duty	900mm	12

- Ideal for Prying, Removing Nails & Demolition Work
- Heat Treated Heavy Duty Steel (Hrc42)
- Hexagon Shaped Powered Coated Body
- . Sharpened And Polished Claw & Chisel Ends



#### **Punch - Leather**

#### **Punch - Leather**



- 0	-	
-	-	
		-



- Hole Sizes: 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4.0mm, 4.5mm
- · Heavy Duty Construction
- Soft Grip · For Leather and Other Soft Materials
- PVC Hand Grips · For Leather and other Soft Materials

• Hole Sizes 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4.0mm, 4.5mm

Leather Punch

PVC

Part No EG-1509

Revolving 6 Way



Part No	Туре
FG-1011PI	Punch Plier Evelet Deluve 7mm

**Punch Plier** 

- Heavy Duty Construction
- · Polished Chrome Body
- · Comfortable Vinyl Grips
- Supplied with 20 Evelets

#### **Punch Plier**



Part No	Туре	Pack Qty
EG-1013	Punch Plier Evelet Deluxe 12mm	10

- Heavy Duty Construction
- Polished Chrome Body
- · Comfortable Vinyl Grips
- Supplied with 20 Evelets

#### **Punch Grommet**

#### **Eyelets 7mm Grommets 10mm**





Grommet Punch 10mm

· Supplied with 8 Grommets

EG-1007

· Hammer Required for Use



EG-1007/S Grommets 10mm

• 10mm

Pack Qty

• For use with EG-1007

• 25 Pieces



EG-1011/200 Eyelets 7mm

7mm

• For use with EG-1011PI

• 200 Pieces

### **Eyelets 12mm**



Pack Qty

Part No EG-1013C Eyelets 12mm

• 12mm

• For use with EG-1013

• 20 Pieces

## **HAND TOOLS** measuring



Spear & Jackson PBL Levels are Available in a 16 Unit Merchandiser Display.



#### **Box Level**



- · Precision Machined Leveling Edges
- Shock Protecting End Caps
- · Adjustable Rotating Vial
- Soft Touch Hand Grips

#### SJ-PBL600 Box Level Professional 600mm S.J-PBI 800 Box Level Professional 800mm S.I-PBL 1200 Box Level Professional 1200mm SJ-PBL1800 Box Level Professional 1800mm

2000mm

Pack Qty

Pack Qty

Box Level Professional

- High Accuracy 0.5mm/100mm
- CNC Milled on 4 Sides for Greater Accuracy
- Shock Proof Vial

SJ-PBL2000

· Dual Material Ergonomic Handgrips

**Torpedo Level** 

ONO

#### **Line Levels**



Part No	Description	Size
SJ-TLC23M	Torpedo Level	230mm

- · Ideal for Small Leveling Jobs
- . 3 Vials for Flat, 90Deg & 45Deg Measuring
- Shock Absorbing End Caps
- Magnetic Base



Part No	Description	Size
SJ-LL75M	Line Level Aluminium	75mm
SJ-LL75P	Line Level Plastic	75mm

- Ideal for Leveling with a String Line
- Clear Easy Read Vial

#### **Cross Check Level**



Part No	Description	Size
SJ-CCL60	Cross Check Level	60mm

- · Ideal for Leveling in 2 Planes
- · Perfect For Caravans or Fridges
- · 2 Vials in Fluro Case
- Mounting Holes for Permanent Fixing

#### **Bullseye Level**



45mm

SJ-BL45	Bullseye Level	45m
Levels in 2	Plane with a Sino	ıle Bubble

· Perfect for Caravans or Fridges

Part No SJ-BL45

· Mounting holes for Permanent Fixing

ack Qty

20

#### **Bevel**



6	
	100

Part No	Description	Size	Pacl Qty
EG-100	Bevel Sliding Premium	205mm	(

## Used for the Setting and Duplicating of Angles in Carpentry

1.5mm Stainless Steel Blade

SJ-STB200 Bevel Sliding

Tough ABS Body

#### **Bevel - Premium**



art No	Description	Size	Pack Qty
G-100	Bevel Sliding Premium	205mm	6

### Used for the Setting and Duplicating of Angles in Carpentry

- All Metal Construction
- Stainless Steel Blade
- Made In Japan

#### **Square Try & Mitre**



Part No	Description	Size	ı
SJ-TMS200	Square Try and Mitre	200mm	

SJ-TMS250 Square Try and Mitre 250mm

- SJ-TMS300 Square Try and Mitre 300mm · Stainless Steel Blade
- · Premium Alloy Stock
- Easy Read Acid Etched Numerals



**Carpenters Square** 

		12	
Part No	Description	Size	Pack Qty
FG-120	Carpenters Square	300x200mm	12

· Used for Measuring and Laying Out of Angles

600x400mm

- · Easy to Read White on Black Numerals

EG-6040 Carpenters Square

## **HAND TOOLS** measuring

#### **Rulers**

## **Chalk Reel**



**Contour Gauge** 

#### **Auto Centre Punch**



	St	

Part No	Description	Size	Pack Qty	Part No	Description	Size	Pack Qty	Part No	Description	Size	Pack Qty	Part No	Description	Size	Pack Qty
SJ-SSR150	Ruler Stainless Steel	150mm	20	SJ-CRM100	Chally Pool	30m/100ft	10	EG-200CG	Contour Gauge	150mm	10	SJ-ACP125	Auto Centre Punch	125mm	12
SJ-SSR300	Ruler Stainless Steel	300mm	10	30-CHW100	Glaik Heel	3011/10011	12								
SJ-SSR600	Ruler Stainless Steel	600mm	10												

- SJ-SSR1000 Ruler Stainless Steel · Premium Stainless Steel Blades
- Hanging Hole

- Easy Read Acid Etched Numerals
- · Metric Only Graduation
- Used for the Laying out of Lines for Building, Brickwork Etc
   Heavy Duty Metal Case
- Used to Duplicate Shapes and Forms
- All Metal Construction
- · Connecting Plate for Joining Additional Gauges
- Used for the Centre Marking of Thin Sheet Material
- Adjustable Pressure
- \*\*Hand Operated Hammer Should NOT be Used







### **Tape Measure 30m**



Part No	
SJ-OST30	

Tape Measure

- 3 X Speed Rewind Tape Measure
- Metric Graduations
- High Impact Fluoro Case
- Easy Wind Roller Guides

## **HAND TOOLS** workwear



The Spear & Jackson Workwear range offers premium leather, split leather and nylon combinations which comprehensively covers both professional and D.I.Y customers. The range features builder's aprons, nail bags, holsters and plenty of accessories.

**Premium Top Grain or Oil Tanned Leather - Designed for everyday use by the** true professional, allowing customers to have true confidence in the product.

Split Leather - A perfect alternative for D.I.Y or occasional users looking for great value products.

Nylon - Features a stylish look and strong 600DN polyester which make it a great choice for D.I.Y users.



**Measuring Tape Holster Allows For Easy Access**  **Premium Oil Tanned Leather Tougher & Longer Lasting** 



**Square Holster Holds Squares & Combination Squares** 

2x Metal Hammer Loops Suitable For Both Left & **Right Handers** 

**Rivet Reinforced Stress Points Prevents Tears & Holes** 

#### **Builders Apron**

11 Pocket





### Nail Bag



#### Part No SJ-LPBA10 Builders Apron - 11 Pocket Oil Tanned Leather

- · Premium Oil Tanned Leather
- · Rivet Reinforced Stress Points
- 2 X Metal Hammer Loops
- · Measuring Tape Clip
- All Leather Belt
- · Heavy Duty All Steel Buckle

#### **Builders Apron** 10 Pocket

#### SJ-LPTG12 Builders Apron - 10 Pocket

- Premium Top Grain Leather Heavy Duty Cotton Belt
- Adjustable Belt At Both Ends
- Tape Holder & Clip

Qty

- Belt Mounted Swing Hammer Holster
- Rivet Reinforced Stress Points

## 7 Pocket



SJ-LPBB7	Builders Nail Bag - 7 Pocket	Oil Tanned Leather

- Premium Oil Tanned Leather
- · Rivet Reinforced Stress Points
- Swinging Hammer Loop
- Concealed Screwdriver Loops
- All Leather Belt Heavy Duty All Steel Buckle

Part No

Qty

Top Grain Leather

## **HAND TOOLS** workwear



#### **Nail Bag** 6 Pocket



#### **Nail Bag** 2 Pocket



Builders Nail Bag - 2 Pocket

Part No	
SJ-LDBA10	E
<ul> <li>Split Leather</li> </ul>	

- Builders Apron 10 Pocket
- Rivet Reinforced Stress Points Adjustable 50mm Webbing Belt
- Swinging Hammer Loop
- Tape Clip

Snlit Leather

Part No Qty

S.I-I 45

- Builders Nail Bag 6 Pocket Premium Split Leather
- · Premium Split Leather
- Rivet Reinforced Stress Points
- Swinging Hammer Loop
- Adjustable 50mm Webbing Belt
- Tape Clip

Part No SJ-LDNB2 Split Leather

Qty

- Rivet Reinforced Stress Points
- Adjustable 50mm Webbing Belt
- Tape Clip

#### **Leather Work Belt**



Part No	Туре	Size	Pac Qt
SJ-LWBL	Work Belt	1200mm x 50mm	

- Premium Top Grain LeatherRust Resistant Steel Buckle
- Heavy Duty
- Fits Waists 84 116cm

#### **Webbing Belt**



Part No	Туре	Size	Pac Qt
SJ-LWBW	Webbing Belt	1200mm x 50mm	

- Polyester Webbing Plastic Buckle
   Extra Wide 50mm
- Fits Waist Up To 120cm
- Fully Adjustable

#### **Cotton Work Belt**



Part No	Туре	Material	Qty
SJ-N120	Cotton Work Belt	600DN Polyester	6

- 600DN Polyester
- Heavy Duty All Cotton Belt
- · Reinforced Eyelets
- · All Steel Buckle

#### **Plier & Secateur** Holster

Qty

Qty

Split Leather



Part No	Туре	Size
SJ-LPH220	Plier Holster	220mm

- Top Grain Leather Body
- Split Grain Pencil Pouch
- Heavy Duty

#### **Chisel & Pencil Pouch Hammer Holster**



Part No Type SJ-LCP240 Chisel Pouch 240mm

- · Top Grain Leather Body
- Split Grain Pencil Pouch
- Heavy DutyRivet Reinforced Stress Points Fits Up To 50mm Chisel



Part No	Туре	Material
SJ-LHHS	Hammer Holster	Leather / Steel

- · Premium Top Grain Leather
- Heavy DutyRivet Reinforced Stress Points
- Steel Hammer Loop

#### **Tape Holster**



art No	Туре	Material
J-LTHC	Tape Holster	Top Grain Leather

- · Premium Top Grain Leather
- Rivet Reinforced Stress PointsEasy One Handed Removal
- Fits Most Tape Measures
- · Heavy Duty

Pack Qty

## **Mobile Phone Holster**



		,
	-	

SJ-LPC	Ph

none Holster Top Grain Leather

- · Premium Top Grain Leather
- Rivet Reinforced Stress Points
- Suits Most Mobile Phone Sizes
- · Belt Loop Accepts Work Belt Buckles Super Soft Interior

## **HAND TOOLS** workwear

## **Nylon Builders Apron**

#### **Nylon Builders Apron** 11 Pocket

#### **Nylon Nail Bag** 10 Pocket







**Nylon Electricians** 

Pack Qty

6

Part No SJ-N60 Builders Apron - 13 Pocket 600DN Polvester

- 600DN Polyester • 13 Pockets & 4 Holsters
- 2x Hammer Loops & Tape Pouch
- Heavy Duty Cotton Belt With Belt Support
- Qty

**Nylon Nail Bag** 

- SJ-N50 Builders Apron 11 Pocket 600DN Polyester
- 600DN Polyester

Part No

- 11 Pockets & 6 Holsters
- · Hammer Loops & Tape Pouch
- · Rivet Reinforced Stress Points

- Qty
  - Part No Type

SJ-N30 Nail Bag - 10 Pocket 600DN Polyester

**Tool Pouch** 

- 600DN Polyester
- 10 Pockets/Holders
- · Extra Large Pocket for Bulk items
- 2 x Metal Hammer Loops

#### **Nylon Nail Bag** 6 Pocket



Queme nouse	

SJ-N20 Nail Bag - 6 Pocket 600DN Polyester



Part No	Туре	Material	Qty
SJ-N10	Nail Bag - 2 Pocket	600DN Polyester	6

600DN Polyester

ack Qty

6

- 2 Pockets & Tape Clip
- 50mm Nylon Belt
- Rivet Reinforced Stress Points

• 600DN Polyester

Part No

· Use With Existing Work Belt

Туре

SJ-N130 Drill Holster

- 5 Pockets/Holders • 3 X Bit Holders
- Drill Securing Strap
- · Rivet Reinforced

## **Nylon Drill Holster**



600DN Polyester

- 600DN Polyester
- 15 Pockets/Holders
- Tane Chain
- Use With Existing Belt

Type

SJ-N40 Flectricians Pouch 600DN Polyester

Rivet Reinforced

#### **Tape Holster**

Type

Part No

• Tape Clip

• 600DN Polyester

6 Pockets/Holders

Metal Hammer Loop

#### **Hammer Holster**



rt No	Туре	Material	Pa
J-N70	Hammer Holster	600DN Polyester	

- ack Qty SJ
- 600DN Polyester



**Mobile Phone Holster** 

Part No	Туре	Material	Pack Qty
SJ-N100	Mobile Holster	600DN Polyester	6

- Securing Loop Sized For Work Belt Buckles
- Pouch Accepts Large Phones & PDA'SUse With Existing Belt





Pack Qty	Part No	т
6		



art No	Туре	Material
J-N80	Plier Holster	600DN Polyester

- 600DN Polyester
- Suits Most Pliers and Cutters
- Belt Loop
- Rivet Reinforced

• 600DN Polyester

Part No

Accepts Very Large Tapes

SJ-N110 Tape Holster

(P) STEAM

Qty

600DN Polyester

Qty

6

# STAEDTLER pencils & markers





SINCE 1835, STAEDTLER HAS BEEN AT THE FOREFRONT OF WRITING INSTRUMENT INNOVATION.
TRADITIONAL GERMAN QUALITY AND A CULTURE OF EXCELLENCE HAS MADE STAEDTLER ONE OF THE WORLD'S LEADING MANUFACTURER OF WRITING AND MARKING PRODUCTS.

#### Pencil Carpenter

Red Medium 148/40



Part No	Туре
ST-148/40	Carpenters Pencil - Red Medium
<ul><li>Ideal for Mark</li><li>Premium Gra</li><li>Break Resista</li><li>Super Bonded</li></ul>	nt

Pencil Carpenter Green Hard 148/50



31-140/30	Garpenters Fencir - Green Haru	

Туре

- Ideal for Marking Concrete, Brick Work, Underlay etc.
- Premium Graphite Core
- Break Resistant
- Super Bonded Lead

\*\*\* ENQUIRE ABOUT PERSONALISED PENCILS

#### **Chinagraph Pencils**



Part No	Туре	Colour	Pac Qt
ST-8080	Chinagraph Pencil	White	1
ST-8081	Chinagraph Pencil	Yellow	1
ST-8082	Chinagraph Pencil	Red	1
ST-8083	Chinagraph Pencil	Blue	1
ST-8089	Chinagraph Pencil	Black	1

- Wax Pencils For Marking On Glossy Or Other Surfaces Eg. Glass, Leather, Textiles, Stone, Metal, Wood And Plastic
- · Cleans Off With A Clean Dry Cloth
- Waterproof

#### **Marker Chisel Point**

2mm - 5mm



YOUR NAME HERE \*\*\*\*\*\*\*\*\*

Part No	Туре	Colour	Pack Qty
ST-3502	Marker Chisel Point 2mm-5mm	Red	10
ST-3503	Marker Chisel Point 2mm-5mm	Blue	10
ST-3504	Marker Chisel Point 2mm-5mm	Orange	10
ST-3505	Marker Chisel Point 2mm-5mm	Green	10
ST-3506	Marker Chisel Point 2mm-5mm	Violet	10
ST-3509	Marker Chisel Point 2mm-5mm	Black	10
	0 0 1 0 11 15 0	D .	

- Dry Safe Ink, Can Be Left Uncapped For Days Without Drying Out
- Locked Tip Ensures The Tip Remains In Place
   Wetersteen Videos And Talvana Free
- Waterproof, Xylene And Toluene Free

### Marker Bullet Point

2mm





Part No	Туре	Colour	Qty
ST-3522	Marker Bullet Point 2mm	Red	10
ST-3523	Marker Bullet Point 2mm	Blue	10
ST-3524	Marker Bullet Point 2mm	Orange	10
ST-3525	Marker Bullet Point 2mm	Green	10
ST-3526	Marker Bullet Point 2mm	Violet	10
ST-3529	Marker Bullet Point 2mm	Black	10

- Dry Safe Ink, Can Be Left Uncapped For Days Without Drying Out
   Legland Tip Engages The Tip Remains In Place
- Waterproof, Xylene And Toluene Free

#### **Marker Bullet Point**

Compact 1mm - 2mm



Part No	Туре	Colour	Pack Qty
ST-3422	Marker Bullet Point Compact 1mm - 2mm	Red	10
ST-3423	Marker Bullet Point Compact 1mm - 2mm	Blue	10
ST-3429	Marker Bullet Point Compact 1mm - 2mm	Black	10

- Handy Compact Size For Writing Or Marking
   Proportion of Formatter
- Dry Safe Ink, Can Be Left Uncapped For Days Without Drying Out
- Locked Tip Ensures The Tip Remains In Place
   Weterpreef, Yulong And Teluope Free
- Waterproof, Xylene And Toluene Free

#### **Marker Chisel Point**

Broad 2mm - 7mm



Part No	Туре	Colour	Pack Qty
ST-3859	Marker Chisel Point Compact 2mm - 7mm	Black	5

- Especially Suited For Use Where A Thick Broad Line Is Required Dry Safe Ink, Can Be Left Uncapped For Days Without Drying Out
- Locked Tip Ensures The Tip Remains In Place
- Waterproof, Xylene And Toluene Free


#### **Marker - Double Ended**

0.6mm - 1.1mm




Part No	Туре	Colour	Pack Qty
ST-3482	Marker - Double Ended 0.6mm & 1.1mm	Red	10
ST-3483	Marker - Double Ended 0.6mm & 1.1mm	Blue	10
ST-3489	Marker - Double Ended 0.6mm & 1.1mm	Black	10

- A Marker That Features Both Fine And Medium Tips
- Fine End For Writing 0.6mm
- Medium End For Marking 1.1mm
- Waterproof, Xylene And Toluene Free



# FOOTPRINT builders tools

# **FOOTPRINT**







- Fully Drop Forged Handle & Blade, Building In More Strength
- Hardened & Tempered Blade For A Long Working Life
- Anti-Mushroom Head to Prevent Splintering & Prolong the Working Life
- Footprint Designed & Manufactured High Quality Hand Guard

Comes with a Strong High **Visibility Protective Plastic** Moulded Grip for Added Safety.

**Quality High Carbon Steel** 

**Fully Hardened & Tempered Blades To Provide A Long Lasting Cutting Edge** 

#### **Concrete Chisel**



Part No	Туре	Blade Size	Handle	Qt
FP-582	Concrete Chisel	250mm x 19mm	Plastic Moulded Grip	

- Fully Drop Forged Handle & Blade, Building In More Strength
- Hardened & Tempered Blade For A Long Working Life
- Anti-Mushroom Head to Prevent Splintering & Prolong the Working Life
- Footprint Designed & Manufactured High Quality Hand Guard

#### **Scutch Chisels**

Handle

**Superior Strength in Lower** 



Part No	Туре	Blade Size	Handle	Pack Qty
FP-579/25	Scutch Chisel	25mm	Plastic Moulded Grip	3
FP-579/38	Scutch Chisel	38mm	Plastic Moulded Grip	3

- For use with Replaceable Scutch Combs & Droves to Aid in the Shaping of Stone & Brick Work
- Drop Forged Single Piece of Carbon Steel
- Hardened & Tempered
- Footprint Designed & Manufactured High Quality Hand Guard

#### **Scutch Combs**



#### SPECIAL ORDER ONLY

rt No	Туре	Blade Size	Pack Qty
-5781/25	Scutch Combs	25mm (1")	10

- For Use with Scutch Holders / Hammers
- · Used for Shaping and Preparing Stonework
- 25mm (1 Inch)

FP

- Made From Hardened & Tempered Carbon Steel
- . Zinc Coated to Delay Wear & Tear

#### **Plugging Chisel**



Part No	Туре	Blade Size	Handle	Pack
FP-1861	Plugging Chisel	280mm x 120mm	Plastic Moulded Grip	3

- · Fully Drop Forged From High Carbon Steel
- Grooved Blade to Aid in the Rapid Extraction of Mortar Away From the Blade & Joint
- · Anti-Mushroom Head to Prevent Splintering & Prolong the Working Life
- Fully Hardened & Tempered Blade

#### **Cold Chisels**



Part No	Туре	Blade Size	Handle	Pack Qty
P-591/8.3/4	Cold Chisel	200mm x 19mm	Moulded Grip	3
P-591/9.7/8	Cold Chisel	230mm x 22mm	Moulded Grip	3
P-591/10.3/4	Cold Chisel	250mm x 19mm	Moulded Grip	3
P-591/10.1	Cold Chisel	254mm x 25mm	Moulded Grip	3
P-591/12.1	Cold Chisel	300mm x 25mm	Moulded Grip	3
		D D		

• Fully Drop Forged Handle And Blade, Building in More Strength

- · Hardened & Tempered Blade
- · Anti-Mushroom Head to Prevent Splintering, Prolonging Working Life
- Footprint Designed & Manufactured High Quality Hand Guard

The Footprint Range of carbon steel cold chisels are for use on stone, brick and other similar materials. Applications include shaping, cutting and chipping of stonework.

Forged with strong tapered blades, the 591 range is supplied with a strong High Visibility protective plastic moulded grip for added safety

# FOOTPRINT builders tools






#### SPECIAL ORDER ONLY

Part No	Туре	Blade Size	Handle	Qty
FP-2015/1	Stripping Knife	125mm x 25mm	Timber	6
FP-2015/112	Stripping Knife	125mm x 38mm	Timber	6
FP-2015/2	Stripping Knife	125mm x 50mm	Timber	12
FP-2015/212	Stripping Knife	125mm x 64mm	Timber	6
FP-2015/3	Stripping Knife	125mm x 75mm	Timber	6
FP-2015/4	Stripping Knife	125mm x 100mm	Timber	6

- · Special Spring Tempered Carbon Steel, Retains Rigidity after Regular use
- Accurately Hardened & Tempered Blade
- Machine Ground Blade Giving a Great Edge
- Polished Blade to Prevent Premature Rusting
- Quality Hardwood Handle



#### **Filling Knife**



#### SPECIAL ORDER ONLY

Part No	Туре	Blade Size	Handle	Pack Qty
FP-2770/1	Filling Knife	125mm x 25mm	Timber	6
FP-2770/112	Filling Knife	125mm x 38mm	Timber	6
FP-2770/2	Filling Knife	125mm x 50mm	Timber	6
FP-2770/212	Filling Knife	125mm x 64mm	Timber	6
FP-2770/3	Filling Knife	125mm x 75mm	Timber	6
FP-2770/4	Filling Knife	125mm x 100mm	Timber	6

- Special Carbon Steel Providing an Extremely Flexible Blade
- · Machine Ground Blade
- Polished Blade Giving a Smooth Finish & to Prevent Premature Rusting
- Quality Hardwood Handles

Professional quality filling knives are made from special spring tempered carbon steel.

The blades are machine ground and polished.

The tangs have shaped hardwood scales riveted to them which makes a strong comfortable grip.

#### **Putty Knife - Skew Point**



#### SPECIAL ORDER ONLY

Part No	Туре	Blade Size	Handle	Pack Qty
FP-2017	Putty Knife - Skew Point	115mm	Timber	6

- Spring Tempered Carbon Steel Blade
- . Hardened & Tempered Blade to Provide Long Life
- Skew Point
- Hardwood Handle

#### **Putty Knife - Clipt Point**



#### SPECIAL ORDER ONLY

Part No	Туре	Blade Size	Handle	Pack Qty
FP-2030	Putty Knife - Clipt Point	115mm	Timber	6

- Spring Tempered Carbon Steel Blade
- Hardened & Tempered Blade to Provide Long Life
- Clint Point
- Hardwood Handle

#### **Scraper Sets**



#### SPECIAL ORDER ONLY

Part No	Туре	Blade Material	Pack Qty
FP-241	Scraper Set	Carbon Steel	6

- Made from Hard Wearing Saw Grade Steel
- Used to Give a Smooth Clean Finish to Wood
- Can be Re-Sharpened.
- Set Contains the Following Sizes (All In Inches) 6 X 3, 5.5 X 2.5, 4 X 2

#### **Scraper Sets**



SPECIAL ORDER ONLY

Part No Type FP-242 Carbon Steel Scraper Set

- · Made from Hard Wearing Saw Grade Steel
- Used to Give a Smooth Clean Finish to Wood
- Can be Re-Sharpened.
- Gooseneck Shaped Scraper, Hollow Shaped Scraper & a 5.5 Inches x 2.5 Inches Rectangular Scraper

# FOOTPRINT builders tools



The original "Footprint" Wrench. This traditional plumbers tool is an all purpose wrench and by means of the hardened fulcrum bolt, grips the workpiece tighter as more pressure is exerted. The screwdriver type end is useful for a number of different applications. Known Universally as "Footy's".

Moveable Bolt to **Adjust Gripping Capabilities** 

**Pressed Steel Handle Strengthened** With A Forged Carbon Steel Wedge **Insert With Hardened Teeth** 



**Carefully Profiled Teeth Machined** From High Quality Carbon Steel

**Screwdriver Type End** For General Application

#### **Line Pins**



Part No	Туре	Size	Pack Qty
FP-620	Line Pins	160mm	50

- Drop Forged
- Hardened & Tempered Blades to prevent Bending, Snapping Wear & Tear
- Convex Blade to Hold the Line Pin Firmly in the Wall
   Extra Wide Head to Prevent Slipped Blows
- Size 160mm (61/4 Inch)
- · Chrome Plated to Prevent Rusting

#### **Pipe Wrench**

698 Traditional Pattern



Part No	Туре	Size	Pack Qty
FP-698/7	Pipe Wrench - Traditional	175mm	6
FP-698/9	Pipe Wrench - Traditional	225mm	6
FP-698/12	Pipe Wrench - Traditional	300mm	6
Traditional Div	mahara Taala Cuitabla far Dlur	shara Caa Fittara	Q Canaval

- Grips the Work Piece Tighter as More Pressure is Exerted
- Machine Ground & Precision Hardened Teeth, Which Won't Wear Easily
- Drop Forged Hook & Pressed Steel Frame
- · Adjustable Screw to Alter the Jaw Capacity

#### **Pipe Wrench**

900 Thumbturn Pattern



Part No	Туре	Size	Pack Qty
FP-900/7	Pipe Wrench - Thumbturn	175mm	6
FP-900/9	Pipe Wrench - Thumbturn	225mm	6
FP-900/12	Pipe Wrench - Thumbturn	300mm	6

- Traditional Plumbers Tools Suitable for Plumbers, Gas Fitters & General Engineers
- · Grips the Work Piece Tighter as More Pressure Is Exerted
- Machine Ground And Precision Hardened Teeth, They Won't Wear Easily
- Drop Forged Hook & Pressed Steel Frame
- Knurled Thumbturn Nut Enables Easy Jaw Adjustment

#### Sliding T-Bevels



#### SPECIAL ORDER ONLY

Part No	Туре	Size	Handle	Pack Qty
FP-1254/7.1/2	Sliding T-Bevel	7.5" (190mm)	Beachwood	6
FP-1254/9	Sliding T-Bevel	9" (230mm)	Beachwood	6

- Used for Checking Angles, Marking Joints & Marking Across Boards
- · Chemically Blued Blade to Prevent Corrosion
- Bevel Stock Made from High Quality Hard Wearing Beechwood
- Brass Wing Nut Screw Making Tightening & Loosening the Blade Simple
- Made in Sheffield, England
- · Also Available in Rosewood Special Order Only

#### **Carpenters Square**



Part No	Туре	Size	Handle	Pack Qty
FP-1248/6	Carpenters Square	150mm	Timber	6
FP-1248/9	Carpenters Square	230mm	Timber	6

- Used for Marking Right Angles & Checking Squareness Between Joints
- Hard Wearing African Rosewood Stock
- Thick Brass Plate Fitted to the Stock for Protection from Damage & to Maintain Accuracy
   Tempered & Chemically Blued Blade to Prevent Corrosion
- · Also Available in Beech Wood Special Order Only

#### Marking Gauge



Part No	Туре	Handle	Pack Qty
FP-1258	Marking Gauge	Timber	6


- Used for Marking a Line Parallel to a Straight Edge Prior to Sawing, Chiselling or Cutting
- · Hardened Steel Pin for a Long Life
- Sturdy Beechwood Stem & Head
- Plastic Thumbscrew to Allow Ease of Adjusting the Stem & Head
- · Radiussed Bottom Edge to Slide Easily on the Wood

#### Mortice & Marking Gauge



Part No	Туре	Handle	Pack Qty
FP-1876	Mortice & Marking Gauge	Timber	6

- Used to Mark Wood to Make Mortice & Tenon Joints With a Simple Marking Gauge Pin on the Reverse Side to Mark Parallel Lines
- · Hardened Steel Pins for a Long Life
- Hard Wearing Beechwood Stem & Head
- Plastic Thumbscrew to Adjust the Stem & with a Solid Brass Slide to
- Adjust the Pins



# BUILDERS' TOOLS brickworking tools


CRAFTSMAN-MADE QUALITY FOR OVER TWO HUNDRED YEARS





WHS (William Hunt & Sons) started in 1782 making forged products in Oldbury near Birmingham. By 1960 their brick trowels were well known throughout the world with the 4" archaeology trowel deemed "the industry standard."

By expertly bringing together advanced technology, the best design and a genuine commitment to total quality, WHS offers a comprehensive range of superb pointing and brickwork trowels. Each of our trowels are crafted from the finest carbon steel with a solid forged blade and through tang for supreme strength. Handles are available in both traditional wooden or the latest soft feel ergonomic design. WHS is the first choice for ultimate comfort and performance.



# BUILDERS' TOOLS brickworking tools



#### **Brick Trowel**

Soft Grip Handle



#### **Brick Trowel**

Timber Handle



Part No	Туре	Size	Handle	Qty	Part No	Туре	Size	Handle	Pack Qty	Part No	Туре	Size	Handle	Qty
SJ-300	Brick Trowel 250mm	10"	Timber	12	SJ-500	Brick Trowel 250mm	10"	Soft Grip	12	SJ-333	Brick Trowel 305mm	12"	Timber	6

- Carbon Steel Blade
- Blade Size 250mm x 123mm x 1.57mm
- Broad Heel Pattern
- FSC Timber Handle
- · Laser Etched Blade

- Carbon Steel Blade
- Blade Size 250mm x 123mm x 1.57mm
- Broad Heel Pattern
- Ergonomic Soft Grip Handle
- Laser Etched Blade

- Carbon Steel Blade
- Blade Size 305mm x 139mm x 1.57mm
- Broad Heel Pattern
- FSC Timber Handle
- · Laser Etched Blade

## Brick Trowel Soft Grip Handle



Brick Trowel Soft Feel Handle, Capped
THE STATE OF THE S

# Brick Trowel Soft Feel Handle, Capped



<ul><li>Carbon</li></ul>	Steel	Rlade

SJ-555

• Blade Size 305mm x 139mm x 1.57mm

Brick Trowel

- Broad Heel Pattern
- · Ergonomic Soft Grip Handle
- · Laser Etched Blade

SJ-10112SF

Soft Grip

 Carbon Steel Blade • Blade Size 305mm x 156mm x 1.86mm

Brick Trowel

- Broad Heel Pattern
- · Soft Feel Handle, Capped
- · Laser Etched Blade

Carbon Steel Blade

Soft Feel

- Blade Size 305mm x 150mm x 1.86mm
- Philadelphia Pattern
- Soft Feel Handle, Capped

SJ-10712SF Brick Trowel

Laser Etched Blade

#### **Brick Trowel**

Acetate Handle



Part No	Туре	Size	Handle	Pack Qty
SJ-20212CA	Pointing	12"	Acetate	5

- Carbon Steel Blade
- Forged Blade for Maximum Strength
- Blade Size 305mm x 156mm x 1.86mm
- · Broad Heel Pattern
- Acetate Handle



# BUILDERS' TOOLS brickworking tools

Timber

5

## Pointing Trowel Soft Feel Handle, Capped





- · Carbon Steel Blade Blade Size 125mm x 58mm x 1.27mm
- FSC Timber Handle
- · Laser Etched Blade



SJ-11105SF Pointing Trowel 125mm 10" · Carbon Steel Blade

- Blade Size 125mm x 58mm x 1.27mm
- Soft Feel Handle, Capped
- · Laser Etched Blade



### **Pointing Trowel**



Part No	Туре	Size	Handle
SJ-320	Pointing Trowel 150mm	12"	Timber
Carbon Stool Blade			

- Blade Size 150mm x 80mm x 1.27mm
- FSC Timber Handle
- · Laser Etched Blade

## Pointing Trowel Soft Grip Handle



SJ-520	Pointing Trowel 150mm
• Carbon Sta	al Riado

Pack Qty

- Blade Size 150mm x 80mm x 1.27mm
- · Ergonomic Soft Grip Handle

## Pointing Trowel Soft Feel Handle

ack Qty

5

Soft Feel



SJ-11106SF	Pointing Trowel 150mm	

- Carbon Steel Blade
- Blade Size 150mm x 64mm x 1.27mm
- · Soft Feel Handle, Capped
- Laser Ftched Blade

### **Pointing Trowel**

Timber Handle



NO	Туре	Size	Handle
325	Pointing Trowel 175mm	14"	Timber

- · Carbon Steel Blade
- Blade Size 175mm x 92mm x 1.27mm
- FSC Timber Handle
- · Laser Etched Blade

#### **Pointing Trowel**

Soft Grip Handle



art No	Туре	Size	Handle	
J-525	Pointing Trowel 175mm	14"	Soft Grip	

- Carbon Steel Blade
- Blade Size 175mm x 92mm x 1 27mm
- Ergonomic Soft Grip Handle
- Laser Etched Blade

### **Archaeology Trowel**



Pack Qty

10

Part No	Туре	Size	Handle
SJ-11104SFARCH	Archaeology - Soft Feel	4"	Soft Feel

Solid Forged Blade

Pack Qty

- Soft Feel Handle With Integral Finger Guard
- High Tang For Good Knuckle Clearance
- Thicker, More Rigid Blade For Extra Strength

Part

## BUILDERS' TOOLS brickworking tools **Full Polished Steel Head & Handle Hanging Hole for Easy** Storage **All Steel One Piece Head & Handle Bi Material Ergonomic Soft Grip Handle**

### **Brick Hammer** All Steel



Qty

6

240z / 680a

SJ-BRH24AS Brick Hammer All Steel

- Forged One Piece Head and Handle
- Grip Mechanically Pinned To Shaft
- Dual Material Soft Grip Handle
- Fully Polished Head

### **Brick Hammer**

**Fibreglass** 



SJ-BRH24FG

· Fully Polished Head

Brick Hammer Fibreglass Tough Fibreglass Handle

Pack Qty 24 Oz/680a

### **Masonry Brush**



165mm Wooden

SJ-829 Masonry Brush Brush Size 165mm x 90mm

· Bristles 5 Rows

· Sturdy Timber Handle with Hang Hole

Туре

Flexible Nylon Bristles

Dual Material Soft Grip Handle

**Brick Bolster** 



Blade Size

115mm

Plastic

Dropped Forged 115mm Blade

Type

Brick Bolster

- Knuckle Guard on Grip

Part No

SJ-DBB

Hardened Plastic Safety GripHigh Visibility Colouring

### **Electricians Bolster**

**Blade Size** 

75mm

Part No	Туре
SJ-EB	Electricians Bolst

- Dropped Forged 75mm Blade
- Knuckle Guard on Grip

ack Qty

- Hardened Plastic Safety Grip
- High Visibility Colouring

### **Brick Bolster**

Professional



SJ-PBB	Professional Brick Bolster	115m

- Dropped Forged 115mm Strengthened Blade
- Knuckle Guard on Grip
- Hardened Plastic Safety Grip
- High Visibility Colouring

Qty

Plastic

# BUILDERS' TOOLS brickworking tools





### **Brickline 100M**



Brickline 8 Strand

Brickline 8 Strand

Available in White / Light Green / Orange & Pink

SJ-8/100M-LG Brickline 8 Strand

SJ-8/100M-O Brickline 8 Strand

. Supplied With 12 Unit Display Case

100M

100M

100M

100M

White

Orange

Pink

Light Green

_	$\bigcirc$
Available In	
Á	

Qty

12

12 12

### **Brickline 100M**



Part No	Туре	Length	Colour	Per Pack
SJ-8/100MA	ST Brickline 8 Strand	100M	White	2
	Brickline 8 Strand	100M	Light Green	4
	Brickline 8 Strand	100M	Orange	4
	Brickline 8 Strand	100M	Pink	2

- 8 Strand Nylon
- •100 Meters
- Includes 2x White 4x Light Green 4x Orange 2x Pink
- . Supplied With 12 Unit Display Case.

### Part No Brickline 8 Strand 12 SJ-8/50M 50M White SJ-8/50M-LG Brickline 8 Strand 50M Light Green 12 SJ-8/50M-O Brickline 8 Strand 50M Orange 12 SJ-8/50M-P Brickline 8 Strand 50M Pink

- 8 Strand Nylon
- 50 Meters

Part No

SJ-12/50M

• 12 Strand Nylon • 50 Meters

· Available in White

Supplied With 12 Unit Display Case.

- Available in White / Light Green / Orange & Pink
- . Supplied With 12 Unit Display Case

**Brickline 50M** 

### **Brickline 100M**

SJ-8/100M

SJ-8/100M-P

8 Strand Nylon

•100 Meters



Brickline 12 Strand



Qtv

12

White



Part No	Туре	Length	Colour	Pack Qty
SJ-12/100M-LG	Brickline 12 Strand	100M	Light Green	12
SJ-12/100M-P	Brickline 12 Strand	100M	Pink	12

- 12 Strand Nylon
- •100 Meters
- Available in Light Green & Pink

### **Brickline 500M**





art No	Туре	Length	Colour	Pack
J-12/500M-LG	Brickline 12 Strand	500M	Light Green	4

- 12 Strand Nylon
- 500 Meters
- Available in Light Green

- . Supplied With 12 Unit Display Case.

### **Rubber Line Blocks**





Part No	Туре	Colour	Pack Qty
SJ-RLB	Line Block	Light Green	24
S.L.RI.R/O	Line Block	Orange	2/

- · Blocks Are Angled At 87.5° So That, When Under Tension, They Square Up Into The Corner Of The Brick For A Better Grip And A More Stable Line
  • Durable One Piece Moulded Rubber
- Available In Light Green & Orange
- Ribbed To Prevent Slippage When In Use
- Supplied With 24 Piece Coloured Display Box (See Image Right)





The Spear & Jackson Line Block is used in conjunction with string line to mark out the path for a new course of bricks.

# BUILDERS' TOOLS brickworking tools



## Sled Jointers Soft Grip Handle



10mm

12mm

## Profile Clamps Soft Grip Handle



Part No	Туре

SJ-21238C Brick Jointer SJ-21258B Brick Jointer

- 13mm x 10mm 13mm x 16mm
- . Suitable for Finishing of Mortar Joints in Brick & Block Walls
- Carbon Steel Construction
- Profile: Convex

Qty 10 10

SJ-BJ10 SJ-BJ12

- Sled Jointer Sled Jointer
- Carbon Steel
- 10mm & 12mm Sizes
- · Ergonomic Soft Grip Handle
- Suitable for Finishing of Mortar Joints in Brick & Block Walls
- SJ-PC180

Profile Clamp 180mm SJ-PC300 Profile Clamp 300mm

- · Used For Holding A Profile Pole Against Brickwork When Setting Course Heights
- 180mm & 300mm Sizes
- Comfortable Soft Grip Handle
- · Adjustable Depth
- Zinc Plated Finish

### **Joint Raker**

Soft Grip Handle



- · Skate Wheel Joint Raker
- · Comfortable Soft Grip Handle
- · Adjustable Rake Depth
- Easy Roll Skate Wheels
- · High Lift Knuckle Clearance



### **Brick Carrier**

Soft Grip Handle



400mm - 500mm

### SJ-BT Brick Carrier

Part No

- Strong Metal Frame · Comfortable Soft Grip Handle
- Adjustable for Bricks & Blocks
- Zinc Plated Finish
- 400 500mm Jaw Capacity

### **Line Pins**



art No	Туре
LLDOD	Line Dine Twin Deel

155mm x 20mm Line Pine Twin Pack

- . Line Pins Are Used With Stringline to Mark Out a Course of Bricks
- 2 Pack
- · Wide Head for Striking
- Shaped Tip for Holding in Mortar
- · Forged for Extra Strength

### **Dutch Pins**



Part No
SJ-DP150F


Ducth Pin Round

150mm (L) x 12.3mm (D)

- Dutch Pins Are Used For Holding A Profile Pole Against A Wall When There Is No Ground Contact
- Professional Dutch Pin
- Flange to hold Profile Pole
- Shaped Tip for Holding in Mortar
- Forged for Extra Strength

Through a combination of advanced technologies, optimum design and a commitment to quality, we are able to offer a comprehensive range of Plastering and Drywall tools for the Professional and DIY user alike.

Tyzack Plastering Floats have been designed with the professional user in mind. With Craftsman set, pre worn blades these are ready for use by the busy professional. Under the Spear & Jackson brand there is a comprehensive range of Plastering tools for both the tradesman and DIY user. So, whatever your target market, customer expectation levels and sourcing criteria, Tyzack and Spear & Jackson are the best and only ranges you should turn to.





### A HISTORY OF QUALITY IN PLASTERING

Ever since Joseph Tyzack introduced steel blades to replace traditional wooden trowels in the late 19th century, the TYZACK name has set the standard for quality plastering tools. Another innovation was a patented design enabling the blade to be attached to the tang without the need for the rivets to go right through the blade thereby ensuring a totally smooth finish. Importantly, all TYZACK trowels are hand 'dished' by time served craftsmen to create a convex blade, solving the problem of 'drag lines' when finishing.


Additional features such as hardened and spring tempered blades also ensure that TYZACK tools are strong, durable and give outstanding performance. Available in both carbon and stainless steel with a variety of blade sizes and ergonomic handle options, TYZACK is the ultimate in comfort and performance.

Blade Thickness	Application
0.24" / 0.6mm	Finishing & General Use
0.32" / 0.8mm	Laying-on
0.56" / 1.4mm	Flooring

- Different Blade Thicknesses For Different Applications
- Stainless And Carbon Steel Options
- Available With Double Hang Versions For Added Strength
- Individually Hand Set By A Craftsmen

### **TREADY TO GO' FINISHING TROWELS**

Pre-worn to professional standards, our revolutionary trowel is READY TO GO right from the start! Featuring 'rounded' front corners to prevent 'drag-lines' and a pre-worn 'fine edge' on both sides for ultimate control in the finish.







### **Plasterers Float**



### **Plasterers Float**



## Plastering Floats Soft Feel Handle, Capped



Part No	Туре	Size	Handle	Pack Qty
SJ-10611CSF	Plastering Float	280mm	Soft Feel	10

• Blade Size 280mm x 114mm x 0.57mm

Plasterers Float

- · Carbon Steel Blade
- Aluminium Tang

SJ-380

FSC Timber Handle

Blade Size 280mm x 114mm x 0.57mm

Plasterers Float

Carbon Steel Blade

SJ-550

Pack Qty

280mm Timber

- Aluminium Tang
- . Ergonomic Soft Grip Handle

- Blade Size 280mm x 120mm x 0.59mm
- · Carbon Steel Blade
- Aluminium Tang
- Ergonomic Soft Grip Handle

### **Plasterers Float**




### Plasterers Float

Soft Feel Handle, Capped



### **Plasterers Float**



Soft Grip

280mm Soft Grip

SJ-10611SSF	Plasterers Float
Blade Size 280mm	x 120mm x 0.59mm

- · Stainless Steel Blade
- Aluminium Tang
   Ergonomic Soft Grip Handle

Qty

- SJ-13100RSF Plasterers Float 280mm
- Blade Size 280mm x 110mm x 0.68mm Carbon Steel Blade
- Aluminium TangErgonomic Soft Grip Handle

Type SJ-13458BISF Plasterers Float 330mm

Soft Grip

5

- Blade Size 330mm x 117mm x 0.59mm
- · Radiused Corners Pre Worn
- · Stainless Steel Blade
- Aluminium TangErgonomic Soft Grip Handle

### **Plasterers Float**

Soft Feel Handle





### **Internal Corner Trowel**



355mm

Soft Feel

<ul> <li>Blade Size 355mm x 11</li> </ul>	7mm x 0.59mm

Plasterers Float

- Radiused Corners Pre Worn
- Stainless Steel Blade
- Aluminium Tang

S.I-14458RISE

· Ergonomic Soft Grip Handle



**External Corner Trowel** 

Part No	Туре	Size	Handle	Pack Qty
SJ-715C	External Corner Trowel	125mm	Soft Grip	10
• Hood To Produce	A Tight Dubble Erec Ev	tornal Cor	oor loint	

- Used To Produce A Tight, Bubble Free External Corner Joint
   Blade Size 125mm x 100mm x 100mm
- · Stainless Blade For Longer Life
- · Offset Blade Allows You to Work Right Up to Ceiling Down to the Floor
- Soft Feel Handle For Extra Comfort
- Radiused Corners



Part No	Туре	Size	Handle	Pack Qty
SJ-714B	Internal Corner Trowel	125mm	Soft Grip	10

- Used To Produce A Tight, Bubble Free Internal Corner Joint
- Blade Size 125mm x 100mm x 100mm
- Stainless Blade For Longer Life
- Offset Blade Allows You to Work Right Up to Ceiling / Down to the Floor or Skirting
- Soft Feel Handle For Extra Comfort
- · Leading Corners with Radiused Edgers

### **Gauging Trowel**

## Gauging Trowel Soft Grip Handle



Soft Grip

12

## Gauging Trowel Soft Feel Handle



Part No	Туре	Size	Handle	Pack Qty
SJ-11507SF	Gauging Trowel 175mm	14"	Soft Feel	5

- Carbon Steel Blade
- Blade Size 175mm x 80mm x 1.48mmSoft Feel Handle, Capped
- Laser Etched Blade

### Part No

· Carbon Steel Blade

 ESC Timber Handle Laser Etched Blade

SJ-330 Gauging Trowel 175mm

• Blade Size 175mm x 87mm x 1.27mm

Gauging Trowel
Timber Handle

Timher

Pack Qty SJ-530 12

- · Carbon Steel Blade
- Blade Size 175mm x 87mm x 1.27mm

Gauging Trowel 175mm

- Ergonomic Soft Grip Handle
- Laser Etched Blade

Gauging Trowel Soft Grip Handle

## Gauging Trowel Soft Feel Handle



SJ-335	Gauging Trowel 200mm
• Carbon Stool	Rlada

- Blade Size 200mm x 95mm x 1.27mm
- FSC Timber Handle
- · Laser Etched Blade



No	Туре	Size	Handle	Pac Qt
535	Gauging Trowel 200mm	16"	Soft Grip	1:

· Carbon Steel Blade

Qty

Timber

- Blade Size 200mm x 95mm x 1.27mm
- · Ergonomic Soft Grip Handle
- · Laser Etched Blade



art No	Туре	Size	Handle	Pack Qty
J-11508SF	Gauging Trowel 200mm	14"	Soft Feel	

- Carbon Steel Blade
- Blade Size 200mm x 80mm x 1.48mm
- Soft Feel Handle, Capped
- Laser Etched Blade

### **Bucket Trowel**

### **Plasterers Hawk**



### **Plasterers Hawk**



30-10000B3F	Ducket Howel	10311111	SUIT GIIP
<ul> <li>Ideal For Mixing A</li> </ul>	And Removing Mortar	And Plaster F	rom Buckets

- Blade Size 180mm X 120mm To 97mm
- Cropped Blade Profile for Easy Reach Right to the Bottom of the Bucket
- Extra High Tang For Increased Knuckle Clearance
- . Soft Feel Handle For Extra Comfort



Part No	Туре	Size	Handle	Pa

330mm

- Plasterers Hawk • Blade Size 330mm x 330m x 1.71mm
- Lightweight Aluminium

· Machined Non Slip Handle

• FSC Timber Handle

10



Part No	Туре	Size	Handle	Pack Qtv

330mm Soft Grip


• Blade Size 330mm x 330mm x 2.07mm

Plasterers Hawk

· Lightweight Aluminium

SJ-13713SF

- · Ergonomic Soft Grip Handle
- Machined Non Slip Handle





Part No	Туре	Size	Handle	Pack Qty
SJ-50106	Sponge Float	250mm x 100mm	Plastic	10

- Pine Timber Blade
- Blade Size 250mm x 100mm
- Sponge Thickness 15mm
- Comfort Plastic Handle

### **Sponge Float**



SJ-PD101	Sponge Float	140mm x 230mm	Poly	

- Blade Size 140mm x 230mm
- Sponge Thickness 20mm
- · One Piece Poly Handle & Base

### **Sponge Float**



<ul><li>Snonge</li></ul>	Thickness	30mm

SJ-PSF500

One Piece Poly Handle & Base

Sponge Float

### Replacement Sponge

Avaliable for SJ-PSF400 & SJ-PSF500

Part No	Pack Qty
SJ-PSF400SP	6
SJ-PSF500SP	6

340mm x 148mm

### **Polyurethane Float**

## **Polyurethane Float**



K y	Part No
3	SJ-PA1

02 Polyurethane Float 180mm x 320mm

- Base Size 180mm x 320mm x 15mm
- . One Piece Poly Handle & Base
- Textured Surface
- Lightweight

### **Polyurethane Float**



SJ-PA103	Polyurethane Float	200mm x 360mm	Р

- Base Size 200mm x 360mm x 15mm
- . One Piece Poly Handle & Base
- Textured Surface
- Lightweight

### **Polyurethane Float**

140mm x 280mm Poly

SJ-PA101 Polyurethane Float

• One Piece Poly Handle & Base

Textured Surface

· Lightweight

• Base Size 140mm x 280mm x 15mm







- SJ-PA105 Polyurethane Float 140mm x 280mm Poly
- Base Size 150mm x 350mm x 15mm . One Piece Poly Handle & Base
- Textured Surface
- Lightweight


- Qty
  - - SJ-PF100 Polypropylene Float 280mm x 108mm Polypropylene
      - Base Size 280mm x 108mm
      - One Piece Polypropylene Handle & Base
      - Textured Surface
      - Heavy Duty

### **Polypropylene Float**



Part No	Туре	Size	Handle	Pacl Qt
S I_DE200	Polypropylono Eloat	240mm v 149mm	Dolynronylono	

- Base Size 340mm x 148mm
- One Piece Polypropylene Handle & Base
- Textured Surface
- Heavy Duty



Poly Sanding Float 280mm x 108mm

- Base Size 280mm x 108mm
- One Piece Polypropylene Handle & Base
   Neoprene Cushion to Improve Sanding Capabilities
- Mounting Bars with Screw Clamps for Sand Paper



## Rendering Float Plastic Handle



Part No	Туре	Size	Handle		
SJ-RF280	Rendering Float	280mm	Soft Grip		
DI- 1- 0' 000 100					

- Blade Size 280mm x 130mm
- Ribbed Non Slip Flexible Plastic Handle
- Plastic Blade

### **Small Tools**



Part No	Туре	Size	Material	Pack Qty
SJ-360	Small Tool	13mm	Carbon Steel	10
SJ-362	Small Tool	16mm	Carbon Steel	10
SJ-364	Small Tool	19mm	Carbon Steel	10
SJ-366	Small Tool	25mm	Carbon Steel	10
<ul><li>13mm/16mm</li><li>Carbon Steel</li><li>Forged &amp; Star</li><li>Hand Finished</li></ul>	nped Steel Body			

### **Support Prop**



Part No	Туре	Size	Handle	Pack Qty
SJ-713A	Support Prop	0mm	Steel	1

- Pistol Grip Extending Action
- Extends from 1.15m to 2.90m
- Universally Jointed Feet
- Recommended Load Capacity 30Kg
- Provides an Extra Support on Site by Holding in Position Plasterboard to

### **Mixing Paddle**

### **Board Lifter**

• Flexible Head & Tip




- · Anti-rust chrome finish
- Small, Medium or Large Diameter Head
- Head Diameter 100mmShaft Length 600mm
- Hanging Hook



Part No	Туре	Material
C I 7107	Poord Liftor	Aluiminion

- Tapered Front End Slides Easily Under Boards
- Great For Lifting Plaster Sheets, Timber, Doors.
- · Reduces Back Strain









330mm

Soft Grip

### **Compass Saw**



300mm

SJ	-JS10	Jab Saw	3
•	Comfortable	e Suregrip® Handle	

- Teeth Cut On Forward & Reverse Stroke
- Pointed to Drive Through Plasterboard
- Ideal for use on Timber, Hardwood, Chipboard & MDF

SJ-JSD20 Jab Saw - Deluxe Superior Fast Action Blade

- · Impulse Hardened Cross Cut Teeth
- Sharpened Tip for Plunge Cuts
- Bi Material Soft Grip Handle
- Ideal for use on Timber, Hardwood, Chipboard & MDF

SJ-CS10 • 9 TPI

- Induction Hardened Double Ground Teeth
- Bi Material Soft Grip Handle
   For Cutting in Hard to Reach Places
- Ideal For Cutting Wood, Masonite And Plasterboard

Compass Saw



Soft Grip



### **Taping Knives**



Description	Size	Handle	Pack Qty
Taping Knife	225mm	Soft Grip	5
Taping Knife	300mm	Soft Grip	5
	Taping Knife	Taping Knife 225mm	Taping Knife 225mm Soft Grip

### **Jointing Knives**



Part No	Туре	Size	Handle	Qty
SJ-718F	Jointing Knives	102mm	Soft Grip	5
SJ-719G	Jointing Knives	152mm	Soft Grip	5

### **Plasterers Square**



Part No	Туре	Size	Material	Pack Qty
SJ-PLASQ	Plasterers Square	210mm	Stainless Steel	6

- Spreads Initial Coats Of Compound Over Plaster Joints & 'Beds' The
- Ergonomic Soft Grip Handle
- Flexible Stainless Steel BladesMetal End Cap For Protruding Nails

- Ergonomic Soft Grip Handle with Specially Designed End Cap for Knocking Back Protruding Nails
- Flexible Stainless Steel BladesMetal End Cap for Protruding Nails

- Blade Size 210mm x 210mm
- Stainless Steel
- For Marking Plaster Sheet Prior To Cutting

# BUILDERS' TOOLS cement tools




Ergonomic Soft Grip Off Set Handle

Laser Etched Blade

Designed for professionals and DIY users alike, this range of concreting tools has been built to the same exacting standards of all Spear & Jackson products.

A range of floats and accessories produced using innovative manufacturing techniques to give durable, well finished product that can be used every day.



### **Finishing Float Finishing Float Pointed Finishing Float** SJ-CF280 Finishing Float 280mm Soft Grip SJ-CF405 Finishing Float 405mm Soft Grip Pointed Finishing Float Polypropylene • Blade Size 280mm x 120mm x 0.70mm Blade Size 405mm x 115mm x 0.70mm Pointed Nose Carbon Steel Blade Carbon Steel Blade • Blade Size 400mm x 112mm x 0.64mm

Carbon Steel Blade

FSC Timber Offset Handle
 I aser Etched Blade

· Ergonomic Soft Grip Off Set Handle

Laser Ftched Blade

### **BUILDERS' TOOLS** cement tools

### **Pointed Finishing Float**

### **Pointed Finishing Float**





405mm

Soft Grip



Part No	Туре
SJ-PF355	Pointed Finishing Float

- Pointed Nose • Blade Size 355mm x 100mm x 0.70mm
- · Carbon Steel Blade
- · Ergonomic Soft Grip Offset Handle
- Laser Etched Blade

SJ-PF405 Pointed Finishing Float

Qty

6

Soft Grip

355mm

- Pointed Nose Blade Size 405mm x 115mm x 0.70mm
- Carbon Steel Blade
- · Ergonomic Soft Grip Offset Handle

Type

Laser Etched Blade

Part No	Туре	Size	Handle
SJ-PF450	Pointed Finishing Float	450mm	Soft Grip

Pointed Nose

Qty

- Blade Size 450mm x 115mm x 0.70mm
- Carbon Steel Blade
- Ergonomic Soft Grip Offset Handle
- Laser Etched Blade

### **Pointed Finishing Float**

### **Pointed Finishing Float**

### Cement Edger



500mm

Soft Grip

Soft Grip





Handle

Timber

Handle

Soft Grip

Qty

Qtv

SJ-PF500	Pointed Finishing Float

Part No

 Pointed Nose • Blade Size 500mm x 115mm x 0.70mm

Type

- · Carbon Steel Blade
- · Ergonomic Soft Grip Offset Handle
- · Laser Etched Blade

- Pack Qty
- SJ-PF600 Pointed Finishing Float
- Type
- Pointed Nose

Part No

- Blade Size 600mm x 115mm x 0.70mm
- Carbon Steel Blade
- Ergonomic Soft Grip Offset Handle
- Laser Etched Blade

SJ-348	Cement Edger	150m
Blada Siza	150mm v 75mm v 1	25mn

- 10.8mm Radius
- Stainless Steel Blade
- Timber Handle

ack Qty

Soft Grip

600mm

· Laser Etched Blade

### Cement Edger

Soft Grip Handle



### **Cement Groover**

Timber Handle



### **Cement Groover**

Soft Grip Handle



1	-

art No	Туре	Size
J-540	Cement Edger	150mm
Blade Size	150mm x 75mm x 1	25mm

- Stainless Steel Blade
- · Ergonomic Soft Grip Handle
- 10 8mm Radius
- Laser Etched Blade



SJ-345		Ceme	Cement Groover		155m		
Б.		0:	455	70			

- Blade Size 155mm x 76mm x 1.27mm
- Groove Depth 9mm
- Stainless Steel Blade
- Timber Handle
- Laser Etched Blade



Part No	Туре	Size
SJ-541	Cement Groover	155mm

- Blade Size 155mm x 76mm x 1.27mm
- Groove Depth 9mm

Qty

Timber

- Stainless Steel Blade
- Ergonomic Soft Grip Handle
- Laser Etched Blade

# BUILDERS' TOOLS cement tools

### **Hardwood Float**

### **Hardwood Float**







Qty

Qtv

6

Plastic

Plastic

465mm

SJ-210SF	Hardwood Floa

- Kiln Dried Hardwood Blade
- Base Size 365mm x 112mm x 20mm
- · Comfortable Plastic Handle
- Engraved Logo

Part No

C		
1		

Plastic

365mm

- Type SJ-220SF Hardwood Float
- · Kiln Dried Hardwood Blade
- Base Size 450mm x 112mm x 20mm
- · Comfortable Plastic Handle
- Engraved Logo

Part No	Туре
C 1-330CE	Hardwood Flo

- · Kiln Dried Hardwood Blade
- Base Size 465mm x 50mm x 20mm
- · Comfortable Plastic Handle
- Engraved Logo

Qty

Plastic

450mm

### **Pine Float**

### **Pine Float**

## **Pine Float**



270mm



375mm

Plastic



Size

605mm

SJ-	50102	Pine Floa	t
		- ·	

- Pine Timber Blade
- Base Size 270mm x 95mm x 20mm
- Comfortable Plastic Handle
- Engraved Logo

SJ-50103 Pine Float

Qty

10

- Pine Timber Blade
- Base Size 375mm x 115mm x 20mm
- · Comfortable Plastic Handle
- Engraved Logo

SJ-50104	Pine Floa

Pine Timber Blade

Base Size 605mm x 115mm x 20mm

Comfortable Plastic Handle

Engraved Logo

### **Magnesium Float**

### **Magnesium Float**

### **Cement Sheet Cutter**







### **SJ-MF410** Magnesium Float 410mm

- Blade Size 410mm x 80mm x 6-8mm • Lightweight Magnesium Alloy Blade
- · Off Set Handle
- · Comfortable Plastic Handle



Plastic

Qty

SJ-MF510

Off Set Handle

Magnesium Float

• Blade Size 510mm x 80mm x 6-8mm

• Lightweight Magnesium Alloy Blade

510mm

Handle Plastic



















Soft Grip

- Blade Length 80mm
- Cutting Depth 10mm
- Carbon Steel Head
- Strong Tubular Steel Handles
- · Ergonomic Soft Grip Handles

Qty

10

## **BUILDERS' TOOLS**

## cement tools

**Kneeler Board** 



Part No	Туре	Size	Handle	Pack Qty
SJ-KB	Kneeler Board	350mm x 480mm	Plastic	12

- . Kneeler Board for Concreters
- One Piece Poly Tray with Handles
- Memory Foam for Maximum Comfort
- Used for Kneeling on Concrete Pads When Doing Finishing Work.



### **Concrete Rake**



- · Aluminium Head Shaped for Use
- Aluminium Handle for Balance of Weight and Strength
- Strong Aluminium Stays for Extra Support
- Designed For Shifting Wet Concrete Prior To Finishing
- Handle Length 1500mm


### **Straight Edges**



• 20 X 70mm Profile

**Screeds** 

- Fluted Profile Easy to Grip Extrusion Design
- High Quality Extruded Aluminium
- · Easy to Clean Powder-Coated Finish





Part No	Туре	Size	Pack Qty
SJ-SC12	Aluminium Concrete Screed	1200mm	4
SJ-SC15	Aluminium Concrete Screed	1500mm	4
SJ-SC18	Aluminium Concrete Screed	1800mm	4
SJ-SC21	Aluminium Concrete Screed	2100mm	4
SJ-SC24	Aluminium Concrete Screed	2400mm	4
SJ-SC27	Aluminium Concrete Screed	2700mm	4
SJ-SC30	Aluminium Concrete Screed	3000mm	4
SJ-SC36	Aluminium Concrete Screed	3600mm	4

- Heavy Duty Structural Alloy
- Reversible Clamped Handle
- Ergonomic Grip Handle
- Easy To Clean Powder-Coated Finish
- Cutting and Pushing Edge Positioned for Comfort

Profile Size 40 X 50Mm



### **Replacement Screed Handle with Vial**



## **BUILDERS' TOOLS**


cement tools



Designed for professionals and DIY users alike the Spear & Jackson Hopper Gun is ideal for initial coats of concrete floors, cinder block walls, stucco ceilings and exterior walls.

Capable of using heavy texture materials the Spear & Jackson Hopper Gun is lightweight and easy to use. Spare Parts available below.





# Lightweight Plastic

**Hopper Gun** 



· Lightweight Plastic Hopper with Grip

Hopper Gun

- 45 Degree Elbow to Prevent Spillage
- · Adjustable Nozzle

SJ-HG401

- · Contoured Comfort Trigger Hanging Hoop
- Material Flow Adjustment Air Regulator

### Hoe - Mortar Long Timber Handle

SJ-MH1 Mortar Hoe 420mm x 200mm

- Ideal For Quick Mixing Of Brick, Plaster, Mortar & Small Quantities Of Concrete
- Powder Coated Carbon Steel Head
- Long Timber Shaft
- FSC Certified Timber

### **Square Mouth**

All Steel D-Handle



300mm x 255mm Square Mouth

- Ideal For Shovelling / Mixing Soils, Sand & Concrete
- All Steel Construction
- Extra Long 30" Handle for Extra Reach
- · All Metal D-Handle

### **Square Mouth**

All Steel Long Handle



· Ideal For Shovelling / Mixing Soils, Sand & Concrete


SJ-WS360L Square Mouth 300mm x 255mm

- All Steel Construction
- Long Handle with Soft Grip End Cap
- Overall Length1240mm



Designed for professionals and DIY users alike, this range of Tiling Tools has been built to the same exacting standards of all Spear & Jackson products.

A range of floats and accessories produced using innovative manufacturing techniques to give durable, well finished product that can be used every day by the professional and home handyman alike.



### **Notched Float**




### **Notch Size** SJ-585 Notched Float 6mm Soft Grip 6 SJ-585/8 Notched Float 8mm Soft Grip SJ-585/10 Notched Float 10mm Soft Grip SJ-585/12 Notched Float 12mm Soft Grip

### • Blade Size 280mm x 113mm

- Carbon Steel
- Aluminium Tang
- Ergonomic Soft Grip Handle

### **Adhesive Spreader**



Part No	Туре	Notch Size	Handle
EM-TC0112	Adhesive Spreader	6mm	Plastic
	Adhesive Spreader	8mm	Plastic
	Adhesive Spreader	10mm	Plastic

- Blade Size 160mm x 110mm x 0.43mm
- · Comfortable Plastic Handle

### **Adhesive Spreader**



Plastic

48

	-36-	
EM-TC0516	Adhesive Spreader	3mm, 5mm, 6mm & 10mm

- Blade Size 180mm x 140mm x 1.81mm
- Mutiple Notch Sizes
- Easy to Use

Qty

24

Durable Plastic Contruction

### **Grouting Float**



270mm x 80mm x 15mm Plastic

### **Grout Spreader**



EM-TC0115 Grout Spreader 200mm x 40mm x 17mm Timber

EM-TC0114 Grout Spreader 300mm x 40mm x 17mm Timber

• Handle Size EM-TC0115 200mm x 45mm x 17mm

• Handle Size EM-TC0114 300mm x 45mm x 17mm

### **Grout Remover**



Part No	Туре	Handle Size	Handle	Pack Qty
EM-TC0515A	Grout Remover	190mm x 25mm x 20mm	Plastic	12

Total Length 215mm

Qty

12

12

- Carbide Coated Blade
- Ergonomic Plastic Handle

- One Piece Plastic Handle & Body
- · Pointed Tip for doing Corners

EM-TC0120 Grouting Float

**Glass Cutter** 

Plastic Body

### **Glass Cutter**

Metal Body

Rubber Blade

• Timber Handle

Qty

12



### **Scoring Cutter** Soft Grip Handle



Clear Plastic

### EM-TC0346 Glass Cutter

Part No

- Clear Plastic Body
- Oil Lubricated
- Tungsten Carbide Cutting Wheel
- Glass Breaker End

- One Piece Metal Construction
  - Tungsten Carbide Cutting Wheel

Glass Cutter

· Glass Breaker End

EM-TC0347

- Part No EM-TC0331
- Tungsten Carbide Tipped

Туре

Scoring Cutter

Plastic

- · Ergonomic Plastic Handle
- Blade Angled for Ease of Use

### **Tile Cutter**

Metal Body



Metal

### EM-TC0345 Tile Cutter

- Two Piece Metal Body Tungsten Carbide Tipped as One End
- Tile Breaker

### **Circular Tile Cutter**



20mm - 94mm

Metal

W	Line	n	F)	171
- 1	MI	Ш	ш	
-	ш	u u		وهلا

· Plastic Cage

EM-TC0307

- Cage Prevents Spread of Chips
- Suitable for Cutting Large Diameter Circular Holes

Circular Tile Cutter

### **Mechanical Tile Cutter**



art No	Туре
M-TC0920	Mechanical Tile Cutter
M-TCW1515T	Spare Cutting Wheel

Tungsten Carbide Cutting Wheel

Pack Qty

- Maximum Length of Cut 400mm
- · Maximum Thickness of Cut 15mm

400mm

### **Tile Piler**

### **Tile Hole Cutter**

### **Tile Nipper**







Part	No	
	T00400	

Tile Piler

200mm

EM-TC0108

Туре Tile Hole Cutter

Pack Qty

EM-TC0106

Туре Tile Nipper 200mm

Carbon Steel Handles

- Tungsten Carbide Cutting Wheel
- Comfort Grip Handles

- Drop Forged Carbon Steel Body
  - . For Cutting Holes in Tiles
  - Comfort Grip Handles
  - Hardened Head

- Drop Forged Carbon Steel BodyFor Straight Cuts
- Comfort Grip Handles

### **Tile Borer**



### **Tiling Sponge**



### **Contour Gauge**



EM-TC0306 Tile Borer

Metal

Pack Qty 10

Tiling Sponge

220mm x 115mm x 70mm

Qtv

EG-200CG Contour Gauge 150mm

Qty 10

- · Suitable for Cutting Small Diameter Circular Holes
- Fits to Power Drill

- · Peanut Shaped for Ease of Use
- Size 220mm x 115mm x 70mm

- Used to Duplicate Shapes and Form
- All Metal Contruction
- · Connecting Plate for Joining Additional Gauges

### **Caulking Gun**

Half Barrel Frame

### **Caulking Gun**

SJ-STS



## Caulking Gun Premium - Half Barrel Frame



• Half Barrel Frame

· Strong Contoured Trigger

EG-220 Caulking Gun - Half Barrel Frame

220mm

Pack Qty 36

Part No EG-221

Caulking Gun - Open Frame Metal

- Hang Hook
- Strong Contoured Trigger



Pack Qty

SJ-PCG

Part No

Caulking Gun - Premium Metal

225mm

- Premium Quality
- Half Barrel Frame
- Hang Hook
- Strong Contoured Trigger





Stiff Scraper

Part No	Туре	Blade Size	Pack Qty
SJ-SK25	Stiff Scraper	25mm	6
SJ-SK50	Stiff Scraper	50mm	6
SJ-SK75	Stiff Scraper	75mm	6
SJ-SK100	Stiff Scraper	100mm	6

Available in 25mm/50mm/75mm/100mm

· For applying joint fillers, patching, scrapping jobs and

Stainless Steel Stiff Blade

Rosewood Timber Handle

trimming wall papers

Available in 32mm/50mm/75mm/100mm/150mm

Flexible Scraper

Flexible Scraper

Flexible Scraper

Flexible Scraper

Flexible Scraper

32mm

50mm

75mm

100mm

150mm

6

6

6

- Carbon Steel Flexible Blade
- Plastic Handle

EG-665/01

EG-665/02

EG-665/03

EG-665/04

EG-665/06

· For applying joint fillers, patching, scrapping jobs and trimming wall papers

Part No	Туре	Size	Pack Qty
SJ-T808015	Plastic Spacer - Wedg	je 1-5mm	12
144 1 01	4 5		

- Wedge Shape 1-5mm
- 250 Pieces per Pack
- One Piece Moulded Plastic

**Spacer Plastic** 

· Hardened for Extra Strength

### **Spacer Plastic**



Part No	Туре	Size	Pack Qty
SJ-T80803T	Plastic Spacer - T Shape	3mm	24

- T Shape 3mm
- 250 Pieces per Pack
- One Piece Moulded Plastic
- · Hardened for Extra Strength

### **Putty Knife**



Part No	Туре	Blade Size	Pack Qty
EG-665P	Putty Knife	50mm	6

- · Carbon Steel Polished Handle
- Shaped Plastic Handle
- Used to Work Putty Around the Edges of Glass Panes

### **Spacer Plastic**



Part No	Туре	Size	Pack Qty
EM-TC0511	Plastic Spacer - Cross Shape	2mm	12
EM-TC0512	Plastic Spacer - Cross Shape	3mm	12
EM-TC0513	Plastic Spacer - Cross Shape	4mm	12
EM-TC0514	Plastic Spacer - Cross Shape	5mm	12

- Cross Shape 2mm, 3mm, 4mm, 5mm
- 250 Pieces per Pack
- One Piece Moulded Plastic
- · Hardened for Extra Strength

### **Floor Scrapers**



Part No	Туре	Blade Size	Handle	Pack Qty
SJ-FS200	Floor Scraper	200mm	Steel T-Frame	3
SJ-FS300	Floor Scraper	300mm	Steel T-Frame	3
SJ-FS356	Floor Scraper	356mm	Steel T-Frame	3
SJ-FS356T	Floor Scraper	356mm	Timber	3
SJ-FS500	Floor Scraper	500mm	Steel T-Frame	3

- Available in 200mm/300mm/356mm/500mm
- Replaceable Carbon Steel Blade
- · Strong Steel Blade Holder with Butterfly Nuts





**Tubular Steel T-Frame Handle to Prevent** Bending or Breaking when in use Available with 200mm / 300mm / 365mm & 500mm Blades

### **Spare Scraper Blades**



Part No	Туре	Blade Size	Pack Qty
SJ-FS200B	Floor Scraper Blade	200mm	10
SJ-FS300B	Floor Scraper Blade	300mm	10
SJ-FS356B	Floor Scraper Blade	356mm	10
SJ-FS500B	Floor Scraper Blade	500mm	10

- Available in 200mm/300mm/356mm/500mm
- . Blade to suit Floor Scraper

# RAGNI tools

### PLASTERING TOOLS CONCRETING TOOLS RENDERING TOOLS TILING TOOLS

Since 1962 RAGNI proudly delivers unbeatable value for money to professional trademans around the world. All products are protected with a thin layer of transparent lacquer to prevent rust. The ergonomic handle shapes offer optimal comfort to professional users, the unique design maximizes grip,

never slips or twists on its tang.

The complete Ragni range offers first class products at very competitive





### Ragni Handle Types



Easi-Grip - The Bl-Material Easi-Grip handle is ergonomically designed for the most comfortable feel. The technopolymer coating reduces wrist strain during prolonged use by filtering blade vibrations. Research indicates the Ragni Easi-Grip is preferred by professional plasterers.



Super Lite - Thanks to its ABS handle, the Super Lite Ragni Floats are more then 40% lighter then traditional floats but assures up to 80% of their strength. The increase flexibility and lightweight make it the optimal choice for DIY applications.




Standard ABS - The Standard ABS handle is designed to cater both the professional and DIY user. The one piece plastic handle is very durable and features finger grips to prevent slipping. Its ergonomic design and lightweight make it a perfect choice for any professional or DIY application.

pricing.

## **RAGNI builders** tools








Carbon Steel

**RA-230** Plastering Float

- Carbon Steel Lightweight Blade Blade Size 280mm x 120mm x 0.60mm
- · Ergonomic Offset Superlite Handle
- Laser Etched Blade



### **Plastering Float**

### **Plastering Float**



**Plastering Float** 



RA-318 Plastering Float

· Carbon Steel Lightweight Blade

• Blade Size 280mm x 120mm x 0.60mm

 High Quality ABS Handle · Laser Etched Blade

Part No

Carbon Steel ARS

Qtv

6

Super Lite

RA-318S Plastering Float

Stainless Steel

 Stainless Steel Lightweight Blade Blade Size 280mm x 120mm x 0.60mm

· Ergonomic Offset Superlite Handle

Laser Etched Blade

RA-318C Plastering Float Curved Carbon Steel

ARS

Qty

· Curved Carbon Steel Blade

• Blade Size 280mm x 120mm x 0.60mm

· High Quality ABS Handle

Laser Etched Blade

### **Plastering Float**

### **Plastering Float**

### **Plastering Float**



Part No	Туре					
RA-418	Plastering Float					
Carbon Steel Lightweight Blade						

• Blade Size 280mm x 120mm x 0.60mm

- · Ergonomic Soft Grip Handle
- · Laser Etched Blade



Туре RA-418S Plastering Float

- Stainless Steel Lightweight Blade Blade Size 280mm x 120mm x 0.60mm
- Ergonomic Soft Grip Handle
- · Laser Etched Blade

Qty



RA-418L Plastering Float

Qty

- · Stainless Steel Lightweight Blade
- Blade Size 360mm x 120mm x 0.60mm
- · Ergonomic Soft Grip Handle
- · Laser Etched Blade

## **RAGNI builders** tools



### **Notched Float**

### **Splatter Gun**

### **Plasterers Hawk**



**Blade Type** 

Super Lite



**Body Material** 

Plastic

Metal



Part No	Туре	Blade Type	Handle	Pack Qty
RA-900	Plasterers Hawk	Aluminium	Easi-Grip	3

- RA-231 Notched Float Carbon Steel Blade Size 280mm x 120mm x 0.60mm
- Notch Size 4.44mm x 8.25mm

Type

- Handle Bonded to Blade
- Ergonomic Offset Superlite Handle
- Laser Etched Blade

Splatter Gun · Used for Rendering And Stipple Finishes

Type

- Replacement Combs Available Separately
- Steel Body

RA-SG

Ergonomic Plastic Handles

Aluminium Blade

ack Qty

- Blade Size 300mm x 300mm
- · Ergonomic Soft Grip Handle

### **Easi-Grip Handle for Extra Comfort Hand Finished** in Italy High Gauge, Hardened & Tempered Aluminum **Heavily Scarred Surface Helps Holding Plaster Rounded Corners for a Smooth Clean Finish**

### **Concreting Float**

### **Concreting Float**

### **Rendering Float**



**Blade Type** 

Carbon Steel





Plastic

Super Lite

RA-325	Concrete Float
0 1 01	-I Di- I-

- · Carbon Steel Blade Finishing Float
- Blade Size 360mm x 100mm x 0.86mm
- High Quality ABS Handle
- Laser Etched Blade

Pack Qty

Handle

ABS

- Part No Type **RA-425** Finishing Float

· Carbon Steel Blade

Laser Etched Blade

Concreting Float

• Ergonomic Soft Grip Handle

Blade Size 360mm x 100mm x 0.86mm

- Blade Type
  - Carbon Steel
- Fasi-Grip





 Rendering Float Plastic Blade 3mm thick

**RA-320** 

 Ergonomic Offset Superlite Handle Laser Etched Blade

Blade Size 280mm x 120mm

Rendering Float

### **TRULINE** builders tools

Since 1947 Harvie Morris Pty Ltd - an Australian family business have produced and sold thousands of plastering and cementing tools in Australia and overseas.

All Truline premium trowels (except stainless) are manufactured from a superior grade manganese alloy steel formulated for high tensile strength, flexibility and long life.







Shanks - are made from a silicon magnesium aluminium alloy scientifically heat treated to exacting specifications to provide a tensile strength of 10 tons per square inch. This is the lightest, most rigid yet resilient shank, ever produced for a plasterers' trowel.



Handles - have been designed with on the job Tradesmen to a comfortable banana shape and made with a soft grip moulding and securely held with a non-rusting adjusting nut.



**Blades** - are made from hardened and tempered tungsten chrome alloy steel, produced to our own specifications by Sheffield's largest steelmaker. Blades are hand riveted and ground and every trowel is individually tested for trueness and finish.

### **Plastering Float** 200mm

### **Plastering Float** 200mm

### **Plastering Float** 200mm

### **Plastering Float** 200mm









Part	No	•		Ту	pe				В	ac	de	Ту	p	е
									_			_		

- TR-CA200 Plastering Float Spring Steel
- · Lightweight Spring Steel Blade Designed for General Purpose Use
- Blade Size 200mm x 117mm x 0.71mm
- Magnesium Alloy Cast Tang
- Plastic Handle

- Qty
  - TA-CB200 Plastering Float Spring Steel
  - Extra Lightweight Spring Steel Blade
  - . Lightweight & Flexible For A Fine Finish Blade Size 200mm x 117mm x 0.46mm
  - Magnesium Alloy Cast Tang
  - Plastic Handle

### Pack Qty

- Type
- TR-CC200 Plastering Float Spring Steel
  - · Lightweight Spring Steel Blade
  - Curved Blade Designed for Wallboard Jointing
  - Blade Size 200mm x 117mm x 0.71mm
  - Magnesium Alloy Cast Tang Plastic Handle
- - TR-CF200 Plastering Float
- - Spring Steel
  - Lightweight Spring Steel Blade
  - Bowed Blade Designed for Wallboard Jointing
  - Blade Size 200mm x 117mm x 0.71mm
  - Magnesium Alloy Cast Tang
  - Plastic Handle

## TRULINE plastering tools

### Plastering Float - 200mm Plastering Float - 200mm

### Sponge Float





REC	
	THE TRANSPORT OF THE PROPERTY

Part No	Туре	Blade Type	
TR-TK280	Sponge Float	Sponge	

- · Tempered Masonite Hardboard Backing
- Blade Size 265mm x 115mm x 17mm
- Plastic Handle

### Replacement Sponge

Part No Pack Otv TR-TK001



Plastic

		- 10
	-	

TR-CG200	Plastering Float	Stainless Steel
Rust Resistant	Stainless Steel Bla	ade

- . Designed for Plastering & Wallboard Jointing
- Blade Size 200mm x 117mm x 0.61mm
- Magnesium Alloy Cast Tang
- Plastic Handle

Part No

### Plastering Float - 280mm

Curved Blade Designed for Plastering & Wallboard Jointing

Stainless Steel

### Plastering Float - 280mm



Plastering Float - 280mm





TR-CA280 Plastering Float

- Lightweight Spring Steel Blade · Designed for General Purpose Use
- Blade Size 280mm x 117mm x 0.71mm
- · Magnesium Alloy Cast Tang
- Plastic Handle

Part No

TR-CGC200 Plastering Float

· Magnesium Alloy Cast Tang

Rust Resistant Stainless Steel Blade

Blade Size 200mm x 117mm x 0.61mm

Qtv

TR-CB280 Plastering Float

. Magnesium Alloy Cast Tang

Plastic Handle

Extra Lightweight Spring Steel Blade

Extra Lightweight & Flexible For A Fine Finish

Blade Size 280mm x 117mm x 0.46mm

Spring Steel

Handle

Plastic

TR-CC280 Plastering Float

Spring Steel

Plastic

- · Lightweight Spring Steel Blade
- Curved Blade Designed for Wallboard Jointing
- Blade Size 280mm x 117mm x 0.71mm
- . Magnesium Alloy Cast Tang
- Plastic Handle

### Plastering Float - 280mm

Spring Steel

Plastic

### Plastering Float - 280mm

### Plastering Float - 280mm



### SPECIAL ORDER ONLY

Туре TR-CD280 Plastering Float

- · Heavy Duty Spring Steel Blade
- Durable Designed for Longer Life
- Blade Size 280mm x 117mm x 0.81mm · Magnesium Alloy Cast Tang
- Plastic Handle



Part No	Туре
TR-CF280	Plastering Float
<ul> <li>Lightweight</li> </ul>	Spring Steel Blade

- Bowed Blade Designed for Wallboard Jointing
- Blade Size 280mm x 117mm x 0.71mm
- Magnesium Alloy Cast Tang Plastic Handle





- TR-CG280 Plastering Float • Rust Resistant Stainless Steel Blade
- Designed for Plastering & Wallboard Jointing
- Blade Size 280mm x 117mm x 0.61mm
- · Magnesium Alloy Cast Tang Plastic Handle

## **TRULINE** plastering tools

### Plastering Float - 280mm Plastering Float - 280mm



### Plastering Float - 280mm





Part No	Туре	Blade Type	Handle	Pack Qty
TR-CGC280	Plastering Float	Stainless Steel	Plastic	5

- Bust Besistant Stainless Steel Blade
- Curved Blade Designed for Plastering & Wallboard Jointing
- Blade Size 280mm x 117mm x 0.61mm
- · Magnesium Alloy Cast Tang
- Plastic Handle



Blade Type

Spring Steel

Soft Grip

TR-PP129	Plastering Float

- · Lightweight Spring Steel Blade
- . Designed for General Purpose Use
- Blade Size 280mm x 117mm x 0.71mm

Type

- · Magnesium Alloy Cast Tang
- Soft Grip Handle



Qtv

Soft Grip

- TR-PP139 Plastering Float Spring Steel
- · High Grade Spring Steel Blade
- · Extra Lightweight & Flexible For A Fine Finish
- Blade Size 280mm x 117mm x 0.46mm
- Magnesium Allov Cast Tang
- Soft Grip Handle

### Plastering Float - 355mm

### Plastering Float - 355mm

### **Plasterers Hawk**





Spring Steel

Soft Grip

- TR-CA355 Plastering Float
- Lightweight Spring Steel Blade
- · Designed for General Purpose Use • Blade Size 355mm x 100mm x 0.71mm
- · Magnesium Alloy Cast Tang
- Soft Grip Handle



						9		
- Du	٠.	п	_	oiotont	Ctoir	Joor	Ctool	Dlada

- Blade Size 355mm x 117mm x 0.61mm
- Magnesium Allov Cast Tang

TR-CG355 Plastering Float

- Stainless Steel Soft Grip
- · Designed for Plastering & Wallboard Jointing
- Soft Grip Handle

### Type

TR-TM305 Plasterers Hawk

Aluminium

Blade Type

- Liahtweiaht
- Hardened Aluminium Blade Size 300mm x 300mm
- Timber Handle

### Plastering Float - 355mm

### Plastering Float - 355mm

### Plastering Float - 355mm



Spring Steel





Blade Type

### SPECIAL ORDER ONLY

Part No	Туре
TR-PP169	Plastering Float
<ul> <li>Lightweight</li> </ul>	Spring Steel Blade

- Designed for General Purpose Use
- Blade Size 355mm x 117mm x 0.71mm
- · Magnesium Alloy Cast Tang
- Soft Grip Handle

- - Type
    - TR-PP179 Plastering Float
    - Blade Size 355mm x 117mm x 0.46mm
    - . Magnesium Alloy Cast Tang



- · High Grade Spring Steel Blade Extra Lightweight & Flexible For A Fine Finish
- Soft Grip Handle
- Rust Resistant Stainless Steel Blade

Type

TR-PP189 Plastering Float

Magnesium Allov Cast Tang

- Designed for Plastering & Wallboard Jointing
- Blade Size 355mm x 117mm x 0.61mm
- Soft Grip Handle

## **TRULINE** plastering tools

### **External Corner Trowel**

### **External Corner Trowel**



### **External Corner Trowel**







Part No	Туре	Blade Type	Corner Radius	Pac Qt
TR-SS047	External Corner Trowel	Stainless Steel	5mm	
TR-SS048	External Corner Trowel	Stainless Steel	8mm	
Stainlage St	tool Blado			

- Blade Size 65mm x 25mm x 25mm
- Rounded Outer Edge
- Timber Handle

TR-SS049	External	Corner	Trowel	Stainless Steel

- · Stainless Steel Blade Blade Size 65mm x 50mm x 50mm
- Rounded Outer Edge
- Timber Handle

Part No	Type
TR-SS050	External Corn

er Trowel Stainless Steel

8mm

- Stainless Steel Blade
- Blade Size 65mm x 50mm x 50mm
- Rounded Outer Edge
- Timber Handle

Qtv

### **Internal Corner Trowel**

### **Internal Corner Trowel**

### **External Corner Trowel**





Part No	Туре	Blade Type	Handle	Pack Qty
TR-TF001	Internal Corner Trowel	Carbon Steel	Timber	į

- High Carbon Steel Blade
- Blade Size 75mm x 55mm x 55mm
- Square Internal Corner Radius
- Square Outer Edge Timber Handle



### SPECIAL ORDER ONLY

Part No	Туре	Blade Type	Corner Radius	Pack Qty
	Internal Corner Trowel Internal Corner Trowel	Carbon Steel Carbon Steel	5mm 8mm	5

- High Carbon Steel Blade
- Blade Size 75mm x 55mm x 55mm
- Rounded Outer Edge



r	Pack Qty	P
	5 5	т

art No Qty TR-TG001 External Corner Trowel Carbon Steel

- High Carbon Steel Blade
- Blade Size 75mm x 55mm x 55mm
- · Square External Corner Radius
- Square Outer Edge
- Timber Handle

### **External Corner Trowel**

### **External Corner Trowel**

### **External Corner Trowel**







SPECIAL ORDER ONLY

13mm

Carbon Steel

### SPECIAL ORDER ONLY

ack Qty

Blade Type Type TR-TG005 External Corner Trowel Carbon Steel 5mm

- High Carbon Steel Blade
- Blade Size 75mm x 55mm x 55mm
- 5mm Corner Radius
- Rounded Outer Edge
- Timber Handle

### SPECIAL ORDER ONLY

rt No	Туре	Blade Type
-TG008	External Corner Trowel	Carbon Steel

- · High Carbon Steel Blade
- Blade Size 75mm x 55mm x 55mm
- 8mm Corner Radius
- Timber Handle

Blade Type	Corner Radius	Pa Q
Carbon Steel	8mm	

- · Rounded Outer Edge

ner	Pack
ius	Qty
n	5

### TR-TG013 External Corner Trowel

- · High Carbon Steel Blade
- Blade Size 75mm x 55mm x 55mm
- 13mm Corner Radius
- · Rounded Outer Edge
- Timber Handle

## **TRULINE** concreting tools

**Cement Groover** 



### SPECIAL ORDER ONLY

Part No	Туре	Blade Size	Blade Thickness	Pack Qty
TR-CIG1	Cement Groover	150mm x 75mm	4.7mm	5
TR-CIG2	Cement Groover	210mm x 75mm	6.7mm	5

- Cast Iron Blade
- Groove Depth TR-C1G1-(14mm), TR-C1G2-(19mm)
- Timber Handle

### **Cement Edger**



Part No	Туре	Blade Size	Depth	Pa
TR-ER511**	Cement Edger	150mm x 60mm	13mm	
TR-ER521**	Cement Edger	150mm x 60mm	25mm	
TR-ER611	Cement Edger	150mm x 75mm	13mm	
TR-ER621**	Cement Edger	150mm x 75mm	25mm	
Carbon Steel I				
<ul> <li>Handle Diame</li> </ul>	ter 22.86mm			
<ul> <li>Radius 13mm</li> </ul>	l			
<ul> <li>Metal Handle</li> </ul>				



### **Cement Edger**



Part No	Туре	Blade Size	Radius	Pack Qty
		150mm x 75mm x 13mm 150mm x 95mm x 25mm	13mm 13mm	5 5

- Stainless Steel Blade
- Metal Handle

### **Cement Edger**



**TR-SC021** Cement Edger 150mm x 75mm x 1.7mm 13mm

TR-EL661 Cement Edger 150mm x 75mm x 13mm 75mm

## **TRULINE Concreting Tools**

- SPECIAL ORDER ONLY

A range of floats and accessories produced using innovative manufacturing techniques to give durable, well finished product that can be used every day by the professional and home handyman alike.

### **Concreting Float 450mm**



### SPECIAL ORDER ONLY

Part No	Туре	Blade Type	Handle	Pack Qty
R-CA450	Concreting Float	Spring Steel	Plastic	5
0 0	Spring Steel Blade	la a		

- Blade Size 450mm x 117mm x 0.71mm
- · Magnesium Alloy Cast Tang
- Plastic Handle

## **Coving Tool External Corner**

High Carbon Steel Blade

Metal Handle

• Handle Diameter 22.86mm

-- SPECIAL ORDER ONLY



### SPECIAL ORDER ONLY

Туре	Blade Type	Depth	Paci Qt
Coving Tool	Carbon Steel	75mm	
	•		

- High Carbon Steel
- Blade Size 150mm x 75mm x 1 6mm
- 13mm External Radius

### Floor Scraper

Pack Qty



Part No	Туре	Blade Size	Handle	Pack Qty
TR-FS150**	Floor Scraper	150mm x 117mm	Timber	5
TR-FS200	Floor Scraper	200mm x 117mm	Timber	5
TR-FS300	Floor Scraper	300mm x 117mm	Timber	5
TR-FS356	Floor Scraper	356mm x 117mm	Timber	3
TR-FS500	Floor Scraper	500mm x 117mm	Timber	3
450 (000	1000 1050	1500		

- 150mm/200mm/300mm/356mm/ 500mm
- Spring Steel Blade
- Blade Width 117mm (W) x 22 Gauge (Thickness)
- Timber Handle 32 Diam x 1120mm Long Lacquered Meranti Batu
- -- SPECIAL ORDER ONLY

### Floor Scraper Blades



SPECIAL ORDER ONLY

Part No	Туре	Blade Size	Pack Qty
TR-BLSC20	Floor Scraper Blade	200mm x 117mm	10
TR-BLSC30	Floor Scraper Blade	300mm x 117mm	10
TR-BLSC356	Floor Scraper Blade	356mm x 117mm	10
TR-BLSC500	Floor Scraper Blade	500mm x 117mm	10

- 200mm/300mm/356mm/ 500mm
- To Suit TR-FS range
- Spring Steel Blade

SPECIAL ORDER ONLY

## **TRULINE** brickwork tools

## TRULINE **Brickworking** Tools

Through a combination of advanced technologies, optimum design and a commitment to quality, we are able to offer a comprehensive range of Plastering and Drywall tools for the Professional and DIY user alike.

### **Tuck Pointer**



SPECIAL ORDER ONLY

Part No	Туре	Blade Size	Handle	Pack Qty
TR-TE010	Tuck Pointer	90mm x 13.2mm	Timber	5

- Stainless Steel Blade Blade Thickness 2.07mm
- Timber Handle
- 10mm Diameter



### **Window Trowel**



### SPECIAL ORDER ONLY

Part No	Туре	Blade Size	Pack Qty
TR-TD013	Window Trowel	120mm x 13mm	5
TR-TD019	Window Trowel	120mm x 19mm	5
TR-TD025	Window Trowel	120mm x 25mm	5

Spring Steel Blade

Timber Handle

### **Brick / Block Jointers**



### SPECIAL ORDER ONLY

Part No	Туре	Blade Size	Pac Qt
TR-TS010	Brick Jointer	150mm x 10mm	1
TR-TU010	Block Jointer	350mm x 10mm	1
TR-TU013	Block Jointer	350mm x 13mm	1
TR-TU016	Block Jointer	350mm x 16mm	1
Carbon Stool			

- Profile: Round

### **Joint Raker**



### SPECIAL ORDER ONLY

Part No	Туре	Wheel Diameter	Material	Pack Qty
TR-TR001	Roller Raker	38.5mm	Plastic	20
Moulded Plastic     Wheel Diameter 38.5mm				

art No	Туре	Wheel Diameter	Material	Pack Qty	
R-TR001	Roller Raker	38.5mm	Plastic	20	

Timber Handle

### **Margin Trowel**



### SPECIAL ORDER ONLY

Part No	Туре	Blade Size	Handle	Pack Qty
TR-TC065	Margin Trowel	120mm x 65mm x 1.1mm	Timber	5

- Spring Steel Blade
- Timber Handle

### **Moulders Trowel**

· Adjustable Nail Height



### SPECIAL ORDER ONLY

Part No	Туре	Blade Size	Handle	Pack Qty
TR-MT712	Moulders Trowel	175mm x 35mm x 1.18mm	Timber	5

- . Tapered Spring Steel Blade
- Timber Handle

### **Splash Trowel**



### SPECIAL ORDER ONLY

Part No	Туре	Blade Size	Handle	Pack Qty		
TR-TH150	Splash Trowel	150mm x 100mm x 1.6mm	Timber	5		
Spring Steel Blade						

### **Cabinet Scrapers**



### SPECIAL ORDER ONLY

Part No	Туре	Blade Size	Pack Qty
TR-TW125	Cabinet Scraper	125mm x 75m	25
TR-TW150	Cabinet Scraper	150mm x 75mm	25

- Spring Steel Blade
- Designed for Woodworking, Shaping & Finishing



## **AIR TOOLS**

2015

STAPLERS, NAILERS, STAPLES & NAILS

BLOW GUNS & TYRE INFLATORS

SPRAY GUNS, KITS & ACCESSORIES

AIR HOSES & FITTINGS



CONTACT US: Ph: 1300 731 818 Fax: 1300 735 858

Email: sales@spear-and-jackson.com.au Web: www.spearandjackson.com.au











## **AIR TOOLS**

### 2015

The Spear & Jackson Air Tool Range consists of a comprehensive and detailed range of blow guns, tyre inflators, staplers, nailers, spray guns, air hose, fittings and much more. This range introduces new products and designs capable of servicing both the D.I.Y and professional user.

With over 20 years of experience, Spear & Jackson Air offers the ideal range for any hardware retailer.



### **Blow Guns / Tyre Inflators & Oils**

Blow Guns - Plastic / Metal & Tyre Inflators	103
Air Tool / Compressor Oils	103
Mini Filter Regulator	103

### Staplers, Bradders & Nailers

80 Series Stapler	104
C1 Bradder	104
Narrow Crown Stapler	104
C Bradder	104
Angle Bradder	105
Framing Nailer	105
Coil Nailer	105

### **Kits & Accessories**

Inflation Kits & Air	Tool Starter Kits	106

### **Spray Guns**

Gravity Feed Spray Guns & Kits	107
Suction Feed Spray Guns	107
General Purpose Spray Guns	107
In Line Moisture Trap	107

### **Air Hose & Fittings**

Recoil Air Hose	108
Air Hose 10M & 20M	108
Hose Repair Kit	108
Fittings General, Ryco Style, Jamec Style & Nitto Style	108-109

### Staples, Brads & Nails

Otapico, Brado a Italio	
80 Series Staples	110
Narrow Crown Staples	110
C1 Brads	110
C Brads	110
Angle Brads	110
Framing Nails	110

# AIR TOOLS blow guns, tyre inflators & oils

### **Blow Gun**

low Gun 1/4 inch



Ideal for - General cleaning, drying, dusting and multiple workshop tasks.

- Moulded Plastic Body
- Contoured Grip
- BSP Threaded Inlet
- · Alloy Outlet Tube

### Blow Gun - Metal

PA-BGM Metal Blow Gun 1/4 inch

Ideal for - General cleaning, drying, dusting, some inflating and multiple workshop tasks.

- Cast Alloy Body
- · Contoured Grip
- BSP Threaded Inlet
- 3 Sizes Alloy Nozzle 25mm,100mm, 150mm

### **Blow Gun Inflation Kit**

PA-BGIK Blow Gun Inflation Kit 1/4 inch

ldeal for - Multiple inflation, cleaning, drying, dusting and general workshop tasks.

- · Cast Metal Body
- Trigger Grip

6

- BSP Threaded Inlet
- 4 Sizes Inflation Needles (Lengths 20, 50, 78 & 100mm)

### Tyre Inflator

Type Air Inlet Size Qtv PA-AA6000 Tyre Inflator 1/4 inch



Ideal for - Automobile tyres, bicycle tyres and most other inflation applications

- Cast Alloy Body
- Overfill Release Button
- Moulded Grip
- BSP Style Inlet Plug
- · Easy To Read Gauge
- Flexible Hose




### Tyre Inflator - Deluxe

Part No Air Inlet Size PA-DT1 Deluxe Tyre Inflator 1/4 inch

Ideal for - Automobile tyres, farm equipment, bicycle tyres and most other inflation applications

- Allov Body
- Overfill Release Button
- Moulded Grip
- BSP Style Inlet Plug Easy To Read Gauge
- Flexible Hose

### Flexible & Durable Rubber Hose



Allows for easy connection to automotive tyres and other large inflation jobs

### **Air Tool Oil**

Pack Qty CA-ATO Air Tool Oil 1 Litre



Ideal for - lubricating air operated equipment.

- Suitable for Lubrication of Nailers, Staplers & Air Tools
- · Can be Used with In Line Oilers

### Air Compressor Oil

CA-CAP721-04 Air Compressor Oil 1 Litre



Ideal for - lubricating air compressors

. Oil Is Suitable for Most Types Of Air Compressors

### Mini Filter Regulator

Pack Qty PA-14MFR Mini Filter Regulator 1/4 inch



Ideal for - regulating air flow and removing moisture

- · Air Flow Regulator
- · Easy Read Dial Gauge
- Built In Moisture Trap
- · Adjustable Mounting Bracket
- Auto Draining

# AIR TOOLS <a href="mailto:staplers">staplers & bradders</a>

Staples 6mm-16mm



Ideal for - Upholstering Furniture construction and repair, picture

- Cast Alloy Body

- Exhaust Air Deflector

· Supplied with Brads, Goggles & Air Nailer Lubrication Oil

### SIZES AVAILABLE THAT SUIT THIS STAPLER:

80 Series Staple

80 Series - 12.7mm Crown



6mm - 16mm PA-8006 6mm 80 Series Staple PA-8008 8mm 80 Series Staple PA-8010 10mm 80 Series Staple

PA-8012 12mm 80 Series Staple PA-8014 14mm 80 Series Staple

PA-8016 16mm 80 Series Staple

C1 Style Nail/Brad 18 Gauge/1.25mm 10mm - 32mm

NAILER:

PA-F32/10 10mm - C1 Brad/Nail PA-F32/20 20mm - C1 Brad/Nail PA-F32/25 25mm - C1 Brad/Nail PA-F32/32 32mm - C1 Brad/Nail

SIZES AVAILABLE THAT SUIT THIS

C1 Brad - 18 Gauge / 1.25mm

### C1 Bradder

PA-F32

Type

Suits Nails/Staples

Qty

NAILS & STAPLES

Magazine Release

C1 Bradder C1 Brads 10mm-32mm



Ideal for - Cabinet work, trimming applications craft work & picture

- Cast Allov Body
- Rubber Grip
- Nitto Style Inlet Plug
- Alloy Magazine

**Adjustable Air Deflector** 

- Exhaust Air Deflector
- Custom Designed Carry Case · Supplied with Brads, Goggles & Air Nailer Lubrication Oil

**Trigger** 

### framing & decorative hobby work Custom Designed Carry Case • Non Slip Rubber Grip · Nitto Style Inlet Plug Alloy Magazine

### 2 In 1 Bradder / Stapler

C1 Bradder & Stapler

PA-RP9606 2 In 1 Bradder / Stapler C1 Brads 10mm - 32mm N/Crown Staples 16mm - 28mm



### Ideal for - Fine cabinet work, trimming applications craft work & picture frames Custom Designed Carry Case

- Cast Alloy Body
- Non Slip Rubber Grip
- Nitto Style Inlet Plug Alloy Magazine
- Exhaust Air Deflector
- · Supplied with Staples, Brads, Goggles & Air Nailer Lubrication Oil

### SIZES AVAILABLE THAT SUIT THIS NAILER/STAPLER:

C1 Brads - 18 Gauge / 1.25mm

C1 Style Nail/Brad 18 Gauge/1.25mm 10mm - 32mm



PA-F32/10 10mm - C1 Brad/Nail PA-F32/20 20mm - C1 Brad/Nail PA-F32/25 25mm - C1 Brad/Nail PA-F32/32 32mm - C1 Brad/Nail

### SIZES AVAILABLE THAT SUIT THIS NAILER/STAPLER: Narrow Crown 18 Gauge / 1.25mm

Narrow Crown Staples 18 Gauge / 5.7mm Crown 16mm-28mm

PA-9606/16 16mm PA-9606/22 22mm PA-9606/28 28mm



**Cast Alloy Body** 

- Ornamental Trims
- Furniture Repair
- Hobby Work
- Mouldings
- Beading

### SUITABLE FOR Drawer Repairs and Trimming Picture Frame Assembly Suits Narrow Crown Staples 16-28mm Upholstery Pinning Suits C1 Brads 10-32mm Fine Cabinet Work

### C Bradder

PA-C50

C Bradder

Suits Nails/Staples

C Brads 25mm-50mm

Custom Designed Carry Case



Ideal for - Furniture, Cabinet work, Fixing, Finishing & Window Framing

- Cast Alloy Body
- Non Slip Rubber Grip
- Nitto Style Inlet Plug
- Alloy Magazine Exhaust Air Deflector
- Supplied with Brads, Goggles & Air Nailer Lubrication Oil

### SIZES AVAILABLE THAT SUIT THIS NAILER: C Brad 16 Gauge / 1.63mm

C Brad 16 Gauge / 1.63mm 25mm - 50mm





PA-C50/25 25mm - C Brad/Nail PA-C50/30 30mm - C Brad/Nail

PA-C50/35 35mm - C Brad/Nail PA-C50/50 50mm - C Brad/Nail

# **Adjustable Air Deflector** Trigger



### **AIR TOOLS** nailers

er DA 34° 34° Angle Brads 32mm - 64mm



Ideal for - Fixing of skirting boards and architraves, Window frames

Custom Designed Carry Case

and door jambs. Angle allows access to tight corners.

Supplied with Brads, Goggles & Air Nailer Lubrication Oil

SIZES AVAILABLE THAT SUIT THIS

Angle Brad Style - DA 34 Degree 15 Gauge

Angle Brad Gal 15 Gauge / 1.83mm 32mm - 64mm



### Galvanised

PA-DA32G 32mm 34° Angle Brad/Nail PA-DA50G 50mm 34° Angle Brad/Nail PA-DA64G 64mm 34° Angle Brad/Nail

### SUITABLE FOR

- Interior & Exterior Trims
- Door & Window Casings
- Skirting Boards
- Cabinet Work
- Architraves
- Mouldings



Adjustable Air Deflector

· Cast Alloy Body

Alloy Magazine

• Non Slip Rubber Grip

Nitto Style Inlet Plug

Exhaust Air Deflector



SIZES THAT SUIT THIS NAILER Senco Style Clipped Head 34° Nails 50-90mm

**Shank Diameter** Between 2.87mm & 3.33mm

### SIZES AVAILABLE THAT SUIT THIS NAILER

Framing Nails 34 Degree 75mm



Galvanised PA-FN75G 75mm 34° Framing Nail

### SUITABLE FOR

- Applications That Use Larger Cross Section Timber
- · Sub Floors House or Decking
- Roofing Frames House Framing
- Fence Framing
- Truss Building

# Trigger Magazine - holds up to 90 Framing Nails

**Cast Alloy Body** 

### Ideal for - Framing applications requiring large nails or heavy duty fixina Custom Designed Carry Case

- Cast Alloy Body
- Non Slip Rubber Grip
- Nitto Style Inlet Plug Alloy Magazine
- Exhaust Air Deflector
- · Supplied with Goggles & Air Nailer Lubrication Oil

### **Coil Nailer**



### Ideal for - Building, Fencing & Decking. Uses wire and plastic collated nails. Custom Designed Carry Case

- Cast Alloy Body
- Non Slip Rubber GripNitto Style Inlet Plug
- Alloy Magazine
- Exhaust Air Deflector
- · Supplied with Goggles & Air Nailer Lubrication Oil

### SIZES THAT SUIT THIS NAILER

Coil Nails 15 Degree 32mm - 65mm Plastic or Wire Collated

Able to Use Plain, Ring or Screw Shank Nails. Shank Size 2.3mm - 2.9mm

### **Additional Features**

Nail Drive Depth Adjustment Magazine Capacity up to 300 Nails 15° Magazine For Improved Access Side Load Canister For Ease Of Loading Hinged Feed Cover For Easy Jam Clearance



- Decking
- Flooring
- Plyboard Underlay
- Fixing & Cladding

### **AIR TOOLS** kits & accessories

### Inflation Needle Kit



Ideal for - General cleaning, drying, dusting and multiple workshop tasks.

- 4 x Inflation Needles For Sports Balls And Other Products
- Brass Nozzle For Larger Items
- Adaptors To Increase / Decrease Thread Sizes

### Inflation Kit - 6 Piece



Ideal for - General cleaning, drying, dusting and multiple workshop tasks

### Includes:

- Fitted Recoil Hose
- Tyre Inflator
- Metal Bodied Blow Gun
- Inflation Nozzles x 3

### **Inflation Kit - 14 Piece**



Air Inlet Size

Safety Nozzle x 1

Inflation Needle x 1

· Metal Bodied Blow Gun x 1

Ideal for - An entire range of inflating including sports balls, toys, mattresses & more. This kit also contains all the necessary fittings and accessories to get you started.

### Includes:

- Tyre Chuck x 1
- Tyre Gauge x 1
- Female Quick Coupler x 1
- Nitto Style 1/4" Male Quick Plugs x 4
- 1/4" Nitto Style Female Quick Plugs x 2
- Hose Connectors x 2

Qty

Pack Qty

6



### Blow Gun & Inflation Kit - 20 Piece Air Inlet Size



Ideal for - An entire range of inflating including automotive tyres, sports balls, toys & more. This kit also contains all the necessary fittings and accessories to get you started.

### Includes:

- Tyre Inflator / Blow Gun with Moulded Grip x 1
- · Gauge and Overfill Release
- Nitto Style 1/4" Female Plugs x 3
- Nitto Style 1/4" Male Plugs x 2 • Nitto Style 1/4" Male Coupler x1
- Tyre Chuck

- Inflation Nozzles
- . Tyre Inflator Attachment
- Adaptors x 4

### Air Tool Starter Kit - 30 Piece



Ideal for - A range of air related jobs including cleaning, spraying, inflating & dusting. This kit is perfect for first time users and contains everything you need to get you started.

### Includes:

- Spray Gun
- Blow Gun
- Tyre Inflator with Gauge
- · Cleaning Kit
- 10m Recoil Hose
- Blow Gun Nozzles x2

- Nitto Style 1/4" Female Couplers x 2
- Adaptors x 4
- Dusk Masks x 11
- Nitto Style 1/4" Female Plugs x 2 • Nitto Style 1/4" Male Plugs x 2
- Inflation Needles x 2

**Recoil Hose** 10m Coiled Length 1/4" BSP Fitted Ends Flexible & Easy To Use



**Nitto Style Fittings** All Steel Construction Nitto Style Fittings 14" BSP Thread



**Spray Gun** Adjust.. Spray Pattern 1.5mm Fluid Nozzle 750cc Allov Pot



Tyre Inflator Cast Alloy Body Overfill Release Button Moulded Grip



**Inflation Needles** Ideal for inflating toys, sports equipment & accessories



## **AIR TOOLS** spray guns

### Gravity Feed

		Pot Size	Pa (
	Spray Gun	600cc	



Ideal for - Affordable spraying, ideal for undercoats and preparation tasks.

- 1.5mm Fluid Nozzle
- 600cc Pot
- Pattern Width 160-230mm
- Spray Pattern Adjustment
- · Material and Air Flow Adjustment
- Air Inlet with ¼" BSP Thread

### **Suction Feed**

No	Туре	Pot Size
SFG	Suction Feed Spray Gun	750cc



Ideal for - Affordable spraying, ideal for undercoats and preparation tasks.

NOTE: Spear & Jackson Spray Guns Will Not

Spray Water or Oil Based House Paint!

- 1.5mm Fluid Nozzle
- 750cc Alloy Pot

PA-S

- Pattern Width 140mm x 180mm
- Spray Pattern Adjustment
- Material and Air Flow Adjustment
  Air Inlet with ¼" BSP Thread

### In Line Moisture Trap

PA-14ILMT 1/4 Inch In line Moisture Trap 6



Ideal for - Reducing the moisture level in the outlet air. Moisture reduces air tool life and degrades paint finish

- Glass Body For Viewing Trapped MoistureUsed To Reduce Moisture in Air Lines
- · Operates Best When Mounted Veritcally
- Used With Air Tools and Spray Guns

### **General Purpose**

PA-LPSG General Purpose Spray Gun 600cc 6



### Ideal for - Small to Medium spraying tasks

- 1.5mm Fluid Nozzle
- 600cc Alloy Pot

Part No

PA-GFSK

- Pattern Width 180-250mm
- Spray Pattern Adjustment · Material and Air Flow Adjustment
- Air Inlet with 1/4" BSP thread



Spray Gun - 125cc

## **Spraying Tips**

- For a great finish, the thinned paint should be the consistency of milk.
- Always use a test piece before spraying your project.
- Preparation is the key to a good finish. Make sure surface is clean and smooth before spraying.
- Make smooth even passes about 200mm from the job.
- · Do not overload the job with paint. Multiple light coats will stop paint runs and sags.

### **Deluxe**

Part No Pot Size Qty PA-S770 Deluxe Spray Gun 1000cc

6



Ideal for - Medium to large spraying tasks.

- 2mm Fluid Nozzle
- 1000cc Alloy Pot
- Pattern Width 180-250mm
- Snray Pattern Adjustment
- Material and Air Flow Adjustment · Air Inlet with 1/4" BSP thread

**Gravity Feed Kit** 

Gravity Feed Kit

Touch Up Gun - 600cc

Ideal for - Covers small touch up or patch repairs to medium sized spraying tasks.

- 2 Gun Kit with Regulator
- Touch Up & Full Size Spray Gun
- 125 & 600cc Pots
- · Spray Pattern Adjustment
- Material and Air Flow Adjustment
- Air Inlet with 1/4" BSP thread



## **AIR TOOLS** hose & fittings

### Recoil Hose 10m

Туре	Length	Pack Qty
PE Recoil Hose 10 Metre	10 Metre	12



ecting your air tool to a compressor within a 10m distance. Suitable for low pressure applications

- 10m Coiled Length Fitted With 1/4 Inch Nitto Style Fittings
- Flexible & Easy To Use
- Compact To Store

### Air Hose 10m & 20m

Part No	Туре	Length
PA-AH10M	Air Hose PVC 10 Metre	10 Metre
PA-AH20M	Air Hose PVC 20 Metre	20 Metre



Ideal for - Connecting your air tool to a compressor. Suitable for higher pressure applications

- Strong PVC Body Fitted With 1/4 Inch BSP Type Fittings
- 10 & 20m Lengths Available
- 16mm Outer Diameter

### **Hose Repair Kit**

Part No	Туре	Material	Qty
PA-HSRK	Hose Repair Kit	Brass	12



Ideal for - Terminating & Repairing Air Hose

- Brass Hose Joiner
- Brass Barbed Plug
- 3x Hose Clamps

### **General Fittings**

### **Connector - Male**

Part No	Туре	Material	Pack Qty
PA-FP-12	Connector Male 1/4" BSP Thread	Steel	6



• 1/4" Male to Male Fitting

Ideal for - Ouick and safe attachment of air tools & accessories

### Hose End - Male

Part No	Туре	Material	Pack Qty
PA-FP-19	Hose End Male 1/4" BSP Thread	Steel	6



Ideal for - Quick and safe attachment of air tools & accessories

• 1/4" Male 10mm Fitting

### **Connector - Female**

Part No	Туре	Material	Pack Qty
PA-FP-52	Connector Female 1/4" BSP Thread	Steel	6



Ideal for - Ouick and safe attachment of air tools & accessories

• 1/4" Female to Female Fitting

### **Hose End - Female**

Part No	Туре	Material	Pack Qty
PA-FP-59	Hose End Female 1/4" BSP Thread	Steel	6



Ideal for - Quick and safe attachment of air tools & accessories

• 1/4" Female 10mm Fitting

### **Adaptor**

Part No	Туре	Material	Pack Qty
PA-FP-6-3	Adaptor 1/4" to 3/8" BSP Thread	Steel	6



Ideal for - Quick and safe attachment of air tools & accessories

• 1/4" Female to 3/8" Male

### **Inline Stop Valve**

Part No	Туре	Material	Pack Qty
PA-F2020FM	Inline Stop Valve 1/4" BSP Thread	Steel	6



Ideal for - Quick and safe attachment of air tools & accessories

Inline Stop Valve 1/4"

### **Ryco Style Fittings** Plug - Male

Part No	Туре	Material	Qty
PA-R20PM	Male Plug 1/4" BSP Thread	Steel	6



Ideal for - Ouick and safe attachment of air tools & accessories

Male Plug 1/4" BSP Thread

### **Coupler - Male**

Part No	Туре	Material	Pack Qty
PA-R20SM	Male Coupler 1/4" BSP Thread	Steel	6



Ideal for - Quick and safe attachment of air tools & accessories

Male Coupler 1/4" BSP Thread

### Plug - Female

Part No	Туре	Material	Pack Qty
PA-R20PF	Female Plug 1/4" BSP Thread	Steel	6



Ideal for - Quick and safe attachment of air tools & accessories

• Female Plug 1/4" BSP Thread

### **Coupler - Female**

Part No	Туре	Material	Pack Qty
PA-R20SF	Female Coupler 1/4" BSP Thread	Steel	6



Ideal for - Quick and safe attachment of air tools & accessories

• Female Coupler 1/4" BSP Thread

### **Fittings Pack 6pcs**

Part No	Туре	Material	Qty
PA-R6PCD	6 Piece Fittings Pack	Steel	6









### Includes:

- Male Coupler
- Male Plug Barbed Coupler
- · Female Coupler Female Plug Barbed Plug

### **AIR TOOLS** fittings

### **Jamec Style Fittings**

### Plug - Male

g 1/4" BSP Thread Steel



for - Quick and safe attachment of air tools & accessories

Male Plug 1/4" BSP Thread

### Coupler - Male

PA-J20SM Male Coupler 1/4" BSP Thread Steel 6



Ideal for - Ouick and safe attachment of air tools & accessories

Male Coupler 1/4" BSP Thread

### Plug - Female

Female Plug 1/4" BSP Thread PA-.120PF Steel



Ideal for - Quick and safe attachment of air tools & accessories

• Female Plug 1/4" BSP Thread

### Coupler - Female

PA-J20SF Female Coupler 1/4" BSP Thread Steel



Ideal for - Ouick and safe attachment of air tools & accessories

• Female Coupler 1/4" BSP Thread

### **Fittings Pack 6pcs**

ack Qty PA-J6PCD 6 Piece Fittings Pack Steel



Ideal for - Quick and safe attachment of air tools & accessories

Includes:

- Male Coupler
- Male Plug
- Female Coupler Female Plug
- Barbed Coupler
- Barbed Plug

### **Nitto Style Fittings** Plug - Male

Part No Male Plug 1/4" BSP Thread PA-N20PM Steel



Ideal for - Quick and safe attachment of air tools & accessories

Male Plug 1/4" BSP Thread

### Plug - Female

PA-N20PF Female Plug 1/4" BSP Thread Steel



Ideal for - Quick and safe attachment of air tools & accessories

• Female Plug 1/4" BSP Thread

### Coupler - Male

PA-N20SMO Male Coupler 1/4" BSP Thread Steel



Ideal for - Quick and safe attachment of air tools & accessories

Male Counter 1/4" BSP Thread

### **Coupler - Female**

Female Coupler 1/4" BSP Thread PA-N20SFO



Ideal for - Quick and safe attachment of air tools & accessories

• Female Coupler 1/4" BSP Thread

### Plug - Barbed

Part No Material PA-N30PH Barbed Plug Steel



Ideal for - Quick and safe attachment of air tools & accessories

- Barbed Coupler
- To Suit 10mm Hose

### **Coupler - Barbed**

Qty PA-N30SHO Barbed Coupler Steel



Ideal for - Quick and safe attachment of air tools & accessories

- Barbed Coupler
- To Suit 10mm Hose

### Fittings Pack 5pcs

PA-N5PC 5 Piece Fittings Pack

### Fittings Pack 6pcs

PA-N6PCD

### 6 Piece Fittings Pack Steel



Ideal for - Quick and safe attachment of air tools & accessories

Ideal for - Quick and safe attachment of air tools & accessories

### Includes:

- Male Coupler Male Plug
- Female Coupler
- Female Plug x2
- Includes:
- Male Coupler
- Female Coupler
- Male Plug Barbed Coupler
- Female Plug
- Barbed Plug

### 2 Way Splitter

ack Qty Part No Material PA-NSPLIT 2 Way Splitter Steel



Ideal for - Quick and safe attachment of air tools & accessories

- 1/4" Female BSP
- 2 x Couplers
- Can be connected direct to compressor or air hose

# AIR TOOLS staples & nails

### **80 Series Staples**

	Туре	Size	Pieces Per Box	Pack Qty
	80 Series Staple	6mm	1000	6
	80 Series Staple	8mm	1000	6
	80 Series Staple	10mm	1000	6
	80 Series Staple	12mm	1000	6
	80 Series Staple	14mm	1000	6
PA-8016	80 Series Staple	16mm	1000	6



### Ideal for - Upholstering Furniture construction and repair, picture framing & decorative hobby work

- Suitable For Use With PA-8016K Stapler
- Crown Width 12.8mm
- 6mm/8mm/10mm/12mm/14mm/16mm
- 1000 Pieces per Box



21 Gauge / 0.81mm 6mm - 16mm

PA-8006 6mm 80 Series Staple PA-8008 8mm 80 Series Staple PA-8010 10mm 80 Series Staple PA-8012 12mm 80 Series Staple PA-8014 14mm 80 Series Staple PA-8016 16mm 80 Series Staple

# **Narrow Crown Staple** 18 Gauge

Narrow Crown Staples 18 Gauge / 5.7mm Crown 16mm-28mm

> PA-9606/16 16mm PA-9606/22 22mm PA-9606/28 28mm

### **Narrow Crown Staples**

Part No	Туре	Size	Box	Qty
PA-9606/16	Narrow Crown Staples	16mm	1000	6
PA-9606/22	Narrow Crown Staples	22mm	1000	6
PA-9606/28	Narrow Crown Staples	28mm	1000	6



picture frames

- Suitable For Use With PA-RP9606 2 in 1 Bradder / Stapler
- Crown Width 5.7mm
- 16mm/22mm/28mm
- 1000 Pieces per Box

### C1 Brads

Part No	Туре	Size	Pieces Per Box	Pack Qty
PA-F32/10	C1 Brads	10mm	2500	6
PA-F32/20	C1 Brads	20mm	2500	6
PA-F32/25	C1 Brads	25mm	2500	6
PA-F32/32	C1 Brads	30mm	2500	6



### Ideal for - Cabinet work, trimming applications craft work & picture frames

- To be Used with PA-F32 C1 Bradder
- 18 Gauge/1.25mm
- 10mm/20mm/25mm/32mm
- 2500 Pieces per Box

Part No

# C1 Brads

C1 Style Nail/Brad 18 Gauge/1.25mm 10mm - 32mm



PA-F32/10 10mm - C1 Brad/Nail PA-F32/20 20mm - C1 Brad/Nail PA-F32/25 25mm - C1 Brad/Nail PA-F32/32 32mm - C1 Brad/Nail






25mm - 50mm PA-C50/25 25mm - C Brad/Nail

PA-C50/30 30mm - C Brad/Nail PA-C50/35 35mm - C Brad/Nail PA-C50/50 50mm - C Brad/Nail

### **C** Brads

Part No	Туре	Size	Pieces Per Box	Pac Qt
PA-C50/25	C Brads	25mm	2500	(
PA-C50/30	C Brads	30mm	2500	(
PA-C50/35	C Brads	35mm	2500	
PA-C50/50	C Brads	50mm	2500	(
			5	



Ideal for - Furniture, Cabinet work, Fixing, Finishing & Window Framina

- To be Used with PA-C50 C Bradder
- 18 Gauge/1.25mm
- 25mm/30mm/35mm/50mm
- 2500 Pieces per Box

### **Angle Brads**

Part No	Туре	Size	Box	Qty
PA-DA32G	Angle Brads 34° Galvanised	32mm	1000	6
PA-DA50G	Angle Brads 34° Galvanised	50mm	1000	6
PA-DA64G	Angle Brads 34° Galvanised	64mm	1000	6

Ideal for - Fixing of skirting boards and architraves, Window frames and door jambs. Angle allows access to tight corners.

- To be Used with PA-AB34 Angle Bradder
- 15 Gauge/1.8mm
- 32mm/50mm/64mm
- 34 Degree Galvanised • 1000 Pieces per Box
- Suited to Mild Outdoor Exposure

Angle Brads 32mm Angle Brad Gal



Galvanised PA-DA32G 32mm 34° Angle Brad/Nail PA-DA50G 50mm 34° Angle Brad/Nail PA-DA64G 64mm 34° Angle Brad/Nail

# Framing Nails Shank Diameter between 2.87mm & 3.33mm

Framing Nails 34 Degree Galvanised 75mm

Galvanised PA-FN75G 75mm 34° Framming Nail

### **Framing Nails**



Ideal for - Framing applications requiring large nails or heavy duty fixing

- To be Used with PA-9034 Framing Gun
- 34 Degree Galvanised
- 75mm
- 500 Pieces per Box
- Suited to Mild Outdoor Exposure

# AIR TOOLS notes












CONTACT US: Ph: 1300 731 818 Fax: 1300 735 858

Email: sales@spear-and-jackson.com.au Web: www.spearandjackson.com.au











**VISIT US ONLINE** 

Due to continuous product development and improvement, Spear & Jackson reserves the right to modify product design, specifications and materials without prior notice



SPEAR& JACKSON

# ECLIPSE PROFESSIONAL TOOLS



Product Guide 2015 AUSTRALIA









### **CONTENTS**

Mota	Cutting
IVICIA	Cutting

3	
Hacksaw & Small Saw Blades	115 - 117
Saw Frames	118 - 119
Saw Tooth Setter	119
Aviation Snips	119
Bolt Cutters	120

### Chisels

Flat, Crosscut, Floorboard & Concrete Point Chisels 121

### **Locking Jaw Pliers**

Locking Jaw Pliers	122 - 125
C-Clamps	125

### **Workholding Solutions**

Vices	126 - 129
G-Clamps	129
One Handed Bar Clamps	130
F Clamps	130
Sash Clamps	131
T Bar Clamps	131
Magnetic Workholding	132
Magnetic Chucks	132-133

### **Magnetic Lifters**

Ultralift Plus+	134 - 135
Ultralift TP	136

### **Wrenches**

Aluminium Pipe Wrenches	137 - 138
Adjustable Wrenches	139

### **Riveters & Threaded Insert Setting Tools**

Riveters	140 - 141
Threaded Instert Setting Tools & Kits	142

### **Engineers' Tools**

Scrapers, Pin Vices, Chucks & Collets	143 - 144
Nut Spinners & Punches	146
Tap Wrenches & Trammel Heads	145
Combination Squares & Sets	145

### **Magnetic Solutions**

Permanent Magnets - Magnet Materials	146 - 147
Pot Magnets & Hook Magnets	148













### ECLIPSE - THE NUMBER ONE NAME IN METAL CUTTING

With a proud history of hacksaw blade manufacture stretching back nearly 100 years, Eclipse hacksaw blades have become synonymous with engineering excellence and continuous product development. As a result, Eclipse is now firmly established as the number one global metal cutting brand.

### ECLIPSE PLUS 30 – A REVOLUTIONARY BLADE DESIGN

Following many years of research into the most effective cutting profile possible, Neill Tools has developed an entirely new blade tooth shape that enables a 30 percent faster cut over conventional blades. The result of this is the Eclipse Plus 30 range.

Why are Eclipse Plus 30 blades faster?

- They are precision-ground to the fines tolerances, making them much sharpe than conventional milled blades.



Their tooth geometry has been designed to give a positive rake angle that is more aggressive and therefore faster than conventional milled blades. Our tests show a 30% faster cut, hence the name 'Plus 30'

### ECLIPSE PLUS 30 – CONFIRMED BY INDEPENDENT TESTING

Independent testing by the University of Northumbria in Newcastle has verified the claims made about the Eclipse Plus 30 blade. Using both machine and hand testing, the Eclipse Plus 30 has beer thoroughly tested and the improvement in cutting ability has been confirmed.

These two inset shots illustrate the difference between a ground and a milled blade under magnification

MILLED TOOTH SHAPE - STANDARD



**GROUND TOOTH SHAPE - PLUS 30** 





### HAND HACKSAW BLADES

Plus 30 Flexible Billetal HSS				Flexib	lexible Shatterproof HSS			Flexible Bilvietal HSS										
	Part No	Blade Size mm	Blade Size inches		PIN dia. mm	Size	Part No	Blade Size mm	Blade Size inches	Teeth per 25mm	dia.		Part No	Blade Size mm	Blade Size inches	Teeth per 25mm	PIN dia. mm	Pack Size
	EC-AA3045E	300 x 12.5 x 0.63	12 x 1/2 x 0.02	18	4	100	EC-AS45A	300x12.5x0.63	12x 1/2 x 0.025	18	4	100	EC-AA45E	300 x 12.5 x 0.63	12 x 1/2 x 0.025	18	4	100
	EC-AA3046V	300 x 12.5 x 0.63	12 x 1/2 x 0.02	24	4	100	EC-AS46D	300x12.5x0.63	12x 1/2 x 0.025	24	4	100	EC-AA46V	300 x 12.5 x 0.63	12 x 1/2 x 0.025	24	4	100
	EC-AA3047R	300 x 12.5 x 0.63	12 x 1/2 x 0.02	32	4	100	EC-AS47P	300x12.5x0.63	12x 1/2 x 0.025	32	4	100	EC-AA47R	300 x 12.5 x 0.63	12 x 1/2x 0.025	32	4	100



A virtually unbreakable bimetal blade for superb cutting performance, wear resistance and safety.

The combination of an M2 High Speed ground cutting edge, electronbeam welded to a flexible alloy back gives a level of cutting power and flexibility that is far superior to edge hardened or conventional flexible blades.

The unique ground tooth profile of the Plus 30 blade produces a faster and more aggressive cutting action that requires less effort and is more efficient than a standard blade.

Cuts through all types of metals including alloy and stainless steels.

A rigid, All Hard ground blade for highly accurate cutting and long life.



A virtually unbreakable, edge hardened blade, which offers flexibility and safety but less wear resistance than an All Hard or bimetal blade.



A virtually unbreakable bimetal blade for superb cutting performance, wear resistance and safety.

The combination of an M2 High Speed cutting edge and electronbeam welded to a flexible alloy back gives a level of cutting power and flexibility that is far superior to edge hardened or conventional flexible blades.

Cuts through all types of metals including alloy and stainless steels.

- 30% MORE CUTTING POWER
- SHARPER FIRST CUT
- LONGER LIFE

- EDGE HARDENED
- SHATTERPROOF BLADE
- LONGER LIFE

- HIGH PERFORMANCE
- SHATTERPROOF BLADE

### All Hard HSS Flexible Silicon Shatterproof

Part No	Blade Size mm	Blade Size inches	Teeth per 25mm	PIN dia. mm	Pack Size	Part No	Blade Size mm	Blade Size inches	Teeth per 25mm	dia.	Pack Size
EC-AE45B	300x12.5x0.63	12 x 1/2 x 0.025	18	4	100	EC-AM45W	300x12.5x0.63	12 x ½ x 0.025	18	4	100
EC-AE46X	300x12.5x0.63	12 x 1/2 x 0.025	24	4	100	EC-AM46B	300x12.5x0.63	12 x ½ x 0.025	24	4	100
EC-AE47K	300x12.5x0.63	12 x 1/2 x 0.025	32	4	100	EC-AM47X	300x12.5x0.63	12 x ½ x 0.025	32	4	100



A rigid, All Hard blade for highly accurate cutting and long life.

Manufactured entirely from top quality High Speed Steel, each blade is precisely hardened throughout its entire width to give a strong, rigid back, ensuring a perfectly straight cut time after time.

For the best performance from All Hard blades the workpiece should be securely held in a clamp or vice to prevent shattering of the blade and safety goggles should be worn.

Cuts through all types of metals including alloy and stainless steels.



A virtually unbreakable blade suitable for DIY use.

Manufactured from low alloy silicon steel, this blade is ideal for general purpose sawing of mild steel, brass, aluminium, copper and other soft metals.



- ACCURATE CUTTING
- LONG LIFE

- GENERAL PURPOSE
- SHATTERPROOF BLADE




### HAND HACKSAW BLADES

### HAND BLADE TOOTH PITCH SELECTION

To select the hacksaw blade with the correct number of teeth for the task, consider the following elements:

- How thick is the material to be cut? For thin sections, the highest number of teeth should be used and vice versa for thicker sections. What type of material is to be cut?
- The table opposite is a guide to tooth pitch selection for different materials and various thicknesses.





### **SMALL SAW BLADES**

Part No	Description	Length	Teeth per 25mm	No. of blades in pack	Pack Size	Box Weight (kg)
EC-71-624R	Triple pack of Hacksaw Blades		=	10	0.9	
	- Bimetal Blades	300mm (12")	18	1	-	-
	- Bimetal Blades	300mm (12")	24	1	-	-
	- Bimetal Blades	300mm (12")	32	1	-	-
SJ-71/132R	Junior Blades	150mm (6")	32	10	10	=
SJ-71/114R	Junior-Wood	150mm (6")	14	10	10	-
SJ-71/CP7R	Coping Saw Blades	165mm (6 1/2")	14	10	10	=
SJ-71/FS5R	Fretsaw Blades	125mm (5")	18	10	10	=
SJ-73/66SR	GP Saw Spare Blade	375mm (15 3/4")	10	1	10	=
EC-FS16	Fretsaw Blades	125mm (5")	16	100	1	0.30
EC-FS18	Fretsaw Blades	125mm (5")	18	100	1	0.30
EC-FS22	Fretsaw Blades	125mm (5")	22	100	1	0.30
EC-FS32	Fretsaw Blades	125mm (5")	32	100	1	0.30
EC-PS44	Piercing Saw Blades	125mm (5")	44	100	1	0.20
EC-PS32	Piercing Saw Blades	125mm (5")	32	100	1	0.20




















### **SAW FRAMES**



Profes	ssional H	acksa	w - Soft	Grip
Part No	Description	Length	Height	Pack

Part No	Description	Length	Height	Pack	
EC-70-22TR	Hacksaw SF	400mm(16")	132mm(5 1/4")	5	

### Professional Hacksaw

Part No	Description	Length	Height	Pack
EC-20TND	Prof. Hacksaw	465mm(18 3/8")	130mm(5")	6

### Hacksaw

Part No	Description	Length	Height	Pack
FC-422	Hacksaw - Boy Frame	400mm/18"\	135mm/5 1/4"\	6



The new 22T has soft-feel handle, Epoxy coated moulded section steel frame and comes complete with an Eclipse +30 bimetal bladee



The world famous, best selling hacksaw featuring a die cast handle, tubular frame complete with an **ECLIPSE** bimetal blade. The 20T has set the standard for all other makes - but the best is still the original 20T from **ECLIPSE** 



A lightweight, economical hacksaw with a strong, box section tubular steel frame and a comfortable soft grip handle. Adjustable blade tensioning for 55 degree cutting, can also be used as a Compass Saw.

### Hacksaw - Fluro Orange

Part No	Description	Length	Height	Раск
EC-424	Hacksaw - Box Frame	400mm(18")	135mm(5 1/4")	6

### Hacksaw - Lightweight

Part No	Description	Length	Height	Pack
EC-16TND	Hacksaw	430mm (16 5/16")	132mm(5 1/4"")	10

### Mini Hacksaw

Part No	Description	Length	Height	Pack
EC 70 675D	Mini Cow	250mm/10"\	100mm(4")	20



A lightweight, economical hacksaw with a strong, box section tubular steel frame and a comfortable soft grip handle. Fluorescent orange body highlights for easy visibility. Adjustable blade tensioning for 55 degree cutting, can also be used as a Compass Saw.



A lightweight, economical hacksaw with a strong, box section tubular steel frame and a comfortable and durable cast aluminium handle. In addition, the extra long location pin gives increased security of the tensioning bit. Comes complete with an **ECLIPSE** bimetal blade



A more substantial version of the Junior hacksaw with plastic moulded pistol grip handle, steel frame and **ECLIPSE** blade. Blade tensioning device incorporated in the handle

### Coping Saw - Soft feel handle

T dit No	Description	Longin	Height	I dok
EC-70-CP1RSF	Coping Saw SF	317mm(12 3/8")	130mm(5 1/8")	5

### Fret Saw - Soft feel handle

art No	Description	Length	Height	Pac
EC-70-FS1RSF	Fret	270mm(10 <sup>5/8</sup> ")	300mm(11 <sup>7/8</sup> ")	





Coping saw for cutting and shaping wood, with a soft-feel handle for extra comfort and steel frame. Blades can be positioned at any angle to the frame



Fretsaw for fine cutting work in thin materials such as wood, bone, plastics, etc - ideal for model makers. Comfortable soft feel handle and steel frame



Piercing saw is ideal for fine metalwork and jewellery.Comfortable soft feel handle and steel frame. Spring steel blade with precision milled teeth, cuts on backward stroke.



### **SAW TOOTH SETTER, JEWELLERS & AVIATION SNIPS**

### **General Purpose Saw**



General purpose saw for cutting through wood, plastics and soft metals (such as nails). Polyester coated blade and diecast 9 position handle to enable cutting in difficult positions

Part No	Description	Length	Height	Pack
SJ-72/66XR	General Purpose	465mm(18 1/4")	_	5

**Junior Hacksaw** 



The Junior Hacksaw is universally designed to cut through metals, wood and some plastics. It features a 6" (150mm) replaceable blade and is the perfect choice for smaller jobs.

Part No	Description	Length	Height	Pack
SJ-71-14JR	Junior Hacksaw	260mm	70mm	12

### Saw Tooth Setter



Used for setting teeth during the sharpening of handsaws. Solid steel construction with soft poly grips for extra comfort when in use.

Part No	Description	Length	Height	Pack
EC-94/370R	Saw Tooth Setter	180mm (7½")	90mm (3½")	2

### Coping Saw - Timber Handle



Coping saw for cutting and shaping wood, with a strong timber handle and steel frame. Blades can be positioned at any angle to the frame

Part No	Description	Length	Height	Pack
SJ-7CP	Coping Saw - Timber Handle	310mm	140mm	10

### **Aviation Snips**



Cuts up to 1.2mm cold rolled steel and 0.7mm stainless steel. Drop forged alloy steel blades give a longer cutting life, whilst the spring loaded handles ensure a fast, smooth cutting action

Part No	Description	Cutting Capacity (cold rolled steel)	Cutting Capacity (stainless steel)	Pack
EC-EAS-S	Straight and Wide Curves	1.22mm	0.7mm	6
EC-EAS-R	Right and Straight Cut	1.22mm	0.7mm	6
EC-EAS-L	Left and Straight Cut	1.22mm	0.7mm	6
EC-EAS-SL	Long Cut / Straight Cut & Wide Curves	1.22mm	0.7mm	6

### Jewellers' Snips



For cutting copper, silver, gold and other soft metals. The precision hollow ground blades reduce friction for an easy cutting action and, since they are also induction hardened and tempered, they can be easily re-sharpened. Integrated stops prevent trapped fingers without compromising the jaw capacity

	Part No	Size	3	Cutting Capacity (stainless steel up to 23g)	Pack
ı	EC-ESJ7S	7" / 180mm (straight blade)	0.8mm	0.46mm	10
ı	EC-ESJ7C	7" / 180mm (curved blade)	0.8mm	0.46mm	10

### **General Purpose Snips**



For cutting sheet metal. The precision hollow ground blades reduce friction for an easy cutting action and since they are also induction hardened and tempered, they can be easily re-sharpened. The spring loaded nut allows for easy adjustment to increase the working life, whilst the high quality steel drop forged handles offer maximum strength

Part No	<b>Total Length</b>	Cutting Capacity (mild steel up to 18g)	Cutting Capacity (stainless steel up to 23g)	Pack
EC-ESGP8	8" (200mm)	0.8mm	0.46mm	6
EC-ESGP10	10" (250mm)	1.0mm	0.46mm	6
EC-ESGP12	12" (300mm)	1.2mm	0.46mm	6
EC-ESGP14	14" (355mm)	1.4mm*	1.2mm**	6



### **BOLT CUTTERS**

### **Bolt Cutters - High Tensile, Tubular Handles**

Part No	Total Length	Max. Cutting Capacity	Pack
EC-ETBC14	14" (355mm)	3/16" / 5.0mm	20
EC-ETBC18	18" (460mm)	1/4" / 6.4mm	10
EC-ETBC24	24" (610mm)	5/16" / 7.9mm	8
EC-ETBC30	30" (762mm)	3/8" / 9.5mm	5
EC-ETBC36	36" (915mm)	7/16" /11.1mm	4





High tensile - for cutting hard materials up to 50HRC. Centre cut, strap adjusted bolt cutters with lightweight tubular handles that do not compromise strength - every pound of force applied is amplified to produce 80lbs (36kg) of force between the jaws. To maximise safety the built in stops will yield rather than break, whilst the drop forged jaws are machined to precise specifications for a resilient body and rigid cutting edge

### **Part No**

EC-ETBC14RH2 EC-ETBC18RH2 EC-ETBC24RH2 EC-ETBC30RH2


EC-ETBC36RH2

### **Spares For Boltcutters - Tubular Handles**

Replacement Jaws & Strap Set 14" (355mm) Replacement Jaws & Strap Set 18" (460mm) Replacement Jaws & Strap Set 24" (610mm) Replacement Jaws & Strap Set 30" (762mm) Replacement Jaws & Strap Set 36" (915mm)

### **Bolt Cutters - High Tensile, Forged Handles**

Part No	Total Length	Max. Cutting Capacity	Pack
EC-EFBC14	14" (355mm)	3/16" / 5.0mm	16
EC-EFBC18	18" (460mm)	1/4" / 6.4mm	8
EC-EFBC24	24" (610mm)	5/16" / 7.9mm	6
EC-EFBC30	30" (762mm)	3/8" / 9.5mm	4
EC-EFBC36	36" (915mm)	7/16" / 11.1mm	3
EC-EFBC42	42" (1070mm)	1/2" / 13mm	2



High tensile - for cutting hard materials up to 50HRC. Centre cut, arm adjusted bolt cutters with solid forged handles for maximum strength - every pound of force applied is amplified to produce 80lbs (36kg) of force between the jaws. To maximise safety the built in stops will yield rather than break, whilst the drop forged jaws are machined to precise specifications for a resilient body and rigid cutting edge

### Part No

EC-EFBC14RH Replacement Head - 14" (355mm) EC-EFBC18RH EC-EFBC24RH EC-EFBC30RH EC-EFBC36RH Replacement Head - 36" (915mm) EC-EFBC42RH

### **Spares For Boltcutters - Forged Handles**



### **COLD CHISELS**

### **Flat Chisels**

For general cutting and chipping of metals, and for shaping, facing and cutting of stonework

Part No	Length	Blade Width	Octagon Dia.	Pack Qty
EC-CB28G	150mm (6")	6.35mm (1/4")	6.35mm (1/4")	10
EC-CB48E	150mm (6")	9.5mm (3/8")	9.5mm (3/8")	10
EC-CB70H	205mm (8")	12.7mm (1/2")	12.7mm (1/2")	10
EC-CB72F	250mm (10")	12.7mm (1/2")	12.7mm (1/2")	10
EC-CB88R	150mm (6")	15.9mm (5/8")	12.7mm (1/2")	10
EC-CB92N	250mm (10")	15.9mm (5/8")	12.7mm (1/2")	10
EC-CB110T	205mm (8")	19mm (3/4")	15.9mm (5/8")	10
EC-CB113V	300mm (12")	19mm (3/4")	15.9mm (5/8")	10
EC-CB116M	450mm (18")	19mm (3/4")	15.9mm (5/8")	5
EC-CB150E	205mm (8")	25.4mm (1")	22.2mm (7/8")	5



### **Crosscut Chisels**

For cutting narrow slots or cuts.



Part No	Length	Blade Width	Octagon Dia.	Pack Qty
EC-CB534A	150mm (6")	6.35mm (1/4")	12.7mm (1/2")	10

Eclipse Professional Cold Chisels have been upgraded to chrome vanadium. This is both better quality and harder wearing, so needs re-sharping less often, and is also even more resistant to mushrooming after prolonged use.

### Floorboard Chisel

For cutting floorboard tongues before lifting



Part No	Length	Blade Width	Octagon Dia.	Qty
EC-CB770K	230mm (9")	56mm (2 1/4")	17.5mm (11/14")	5

### **Concrete Point Chisels**

For breaking up concrete

**Plugging Chisel** 



Part No	Length	Blade Width	Octagon Dia.	Pack Qty
EC-CB292R EC-CB313P	250mm (10") 300mm (12")	4mm (5/32") 4.8mm (3/16")	15.9mm (5/8") 19mm (3/4")	10 10
EC-CB353G	300mm (12")	6.35mm (1/4")	25mm (1")	5

### **Guarded Chisels**

Hand guarded cold chisels fitted with strong guard designed to withstand the heaviest hammer blow and so protect the user's hand from injury.



Part No	Туре	Length	Blade Width	Hexagon Dia.	Pack Qty
EC-22-208R	Flat	205mm (8")	19mm (3/4")	15.9mm (5/8")	5
EC-22-210R	Flat	250mm (12")	25.4mm (1")	22.2mm (7/8")	5
EC-22-310R	Concrete Point	250mm (12")	4mm (5/32")	25mm (1")	5
EC-22-410R	Plugging	250mm (10")	6.35mm (1/4")	22.2mm (7/8")	5

For cutting out mortar from between bricks, to allow removal without breaking the brick



Part No	Length	Blade Width	Octagon Dia.	Pack Qty
EC-CB827V	250mm (10")	6.35mm (1/4")	15.9mm (5/8")	5



### LOCKING PLIERS LOCKING C-CLAMPS





# A range of top quality locking pliers and locking C-Clamps for the professional user



### **Locking Pliers - Typical Applications**

Part No.	Heating & A/C	Welding	Plumbing	Automotive	Electrical	Woodworking
EC-E7R EC-E10R	Clamping, crimping	Clamping flat, square & hex surfaces	Non slip pipe wrench, portable vice, twisting wire	Clamping, removing bolts	Portable vice, twisting wire	Portable vice, pulling out nails
EC-E10CR	Clamping, crimping	Clamping round surfaces	Non slip pipe wrench, portable vice, twisting wire	Clamping, removing bolts	Portable vice, screwdriver lever	Portable vice, pulling out nails
EC-E5WR EC-E7WR EC-E10WR	Clamping, crimping, wire cutting	Clamping round surfaces	Non slip pipe wrench, portable vice, cutting & twisting wire	Clamping, removing bolts	Portable vice, screwdriver lever, cutting & twisting wire	Portable vice, pulling out nails, cutting wire
EC-E6LN	Clamping, crimping, wire cutting	Clamping in difficult-to-reach spaces	Repairing faucets	Removing brake springs & clips, general clamping	Bending & cutting wire	Pulling nails & staples
EC-E6SP EC-E11SP	Clamping welding supports	Clamping welding supports	Temporary pipe hanger	Sheet metal repair work		Clamping long reach, delicate woodworking work pieces
EC-E6R EC-E11R	Clamping welding supports	Clamping welding supports	Temporary pipe hanger	Sheet metal repair work	-	Clamping long reach woodworking work pieces
EC-E8R	-	Holding sheet metal during bending, forming & crimping	-	-	-	-
EC-E9R		Accurately aligning round & square shaped tubing	-	-	-	-



### **LOCKING JAW PLIERS & LOCKING C-CLAMPS**

### STRAIGHT JAW

Part No.	Size	Maximum Jaw Capacity	Pack
EC-E7R	175mm (7")	34mm (1 5/16")	5
EC-E10R	250mm (10")	45mm (1 3/4")	5



Straight jaws are ideal for use with flat, square and hex workpieces



### **CURVED JAW**

 Part No.
 Size
 Maximum Jaw Capacity

 EC-E10CR
 250mm (10")
 45mm (1%")



Pack

Designed for gripping and clamping round surfaces

### **CURVED JAW** with wire cutter

Part No.	Size	Maximum Jaw Capacity	Pack
EC-E5WR	125mm (5")	32mm (1 1/4")	5
EC-E7WR	175mm (7")	34mm (1 1/2")	5
EC-E10WF	250mm (10")	34mm (1 7/8")	5



Designed for gripping and clamping round surfaces. Incorporates a wire cutter



### LONG NOSE with wire cutter

 Part No.
 Size
 Maximum Jaw Capacity
 Part No.

 EC-E6LN
 150mm (6")
 51mm (2")
 5



Particularly suited for clamping and tightening bolts in confined spaces. Also ideal for precision work. Incorporates a wire cutter

### **PRODUCT TESTING**

### Rockwell Hardness Testing

The Rockwell method measures the permanent depth of indentation produced by a force/load on an indenter.

### ■ Torsion Testing

A Torsion Test is performed to determine material behaviour in torsional loading or rotational torque loading.

### ■ Tensile Compress Testing

The Tensile Compression Test is an evaluation of the mechanical behavior of a sample under conditions of tension and compression can be performed to provide basic material property data that is critical for component design and service performance assessment.



Rockwell Hardness Testing



**Torsion Testing** 





**Tensile Compress Testing** 



### **LOCKING JAW PLIERS & LOCKING C-CLAMPS**

### LOCKING PINCH OFF PLIERS

### LOCKING SHEET METAL TOOL

Part No.	Size
EC-ERR	175mm (7")

Maximum Jaw 6mm (1/4")

EC-E8R

**Maximum Jaw** 78mm (3 1/8")

5



SPECIAL ORDER ONLY

Provides a temporary, hands free seal on tubing



Grips and locks on to sheet metal when bending, forming, and crimping



### LOCKING C-CLAMPS with swivel pads

### LOCKING C-CLAMPS with regular tips

44mm (1 3/4") EC-E6SP 150mm (6") 5 80mm (3 1/8") EC-E11SP 275mm (11") 5



Part No.	Size	Maximum Jaw Capacity	Pac
EC-E6R	150mm (6")	44mm (1 3/4")	5
EC-E11R	275mm (11")	80mm (3 1/8")	5



The wide opening jaws are designed to reach around and grip awkward shapes whilst the swivel pad allows you to apply even pressure, even on angled work surfaces.



The wide opening jaws are designed to reach around and grip awkward shanes




### **LOAD TEST RESULTS**

### **ECLIPSE**

### **ASME Specification**

### **The American Society of Mechanical Engineers**





# MECHANICS' VICES, SPARES & ACCESSORIES WOODWORKING VICES & G-CLAMPS ONE HANDED BAR CLAMPS SCREW CLAMPS SASH CLAMPS MAGNETIC WELDING TOOLS MAGNETIC CHUCKS




### **Workholding Range - Average Clamping Forces**

Formioding Hange Average oldinging Forces			
Range	Average Clamping Force	Main Tasks	
VICES			
Mechanics' Vices	4,500lbs - 10,100lbs (2,040kg - 4,580kg)	General metalworking applications	
Quick Release Woodworking Vices	1,900lbs (860kg)	Holding large pieces of wood for cutting and gluing	
Plain Screw Woodworking Vices	1,900lbs (860kg)	Holding large pieces of wood for cutting and gluing	
CLAMPS			
T-Bar Clamps	2,200lbs (1,000kg)	Clamping heavy pieces of furniture when gluing	
Sash Clamps	1,100lbs (500kg)	Clamping heavy pieces of furniture when gluing	
Clamp Heads	Light Duty (depends on timber used)	Low cost alternative to sash clamps	
G Clamps (Extra heavy duty)	Frame Proof Loads 3,300lbs - 4,500lbs (1500kg - 2050kg)	Heavy duty fabrication and engineering tasks	
G Clamps (Heavy duty)	Frame Proof Loads 660lbs - 1,700lbs (300kg - 770kg)	Multi-purpose - generally woodworking & metalworking	
Screw Clamps (Mid range)	660lbs (300kg)	Lightweight wood/metal clamping	
One Handed Bar Clamp & Spreaders	150kg	A 'third hand'	



### **VICES**

### For general metalworking applications



### Mechanics' Vices

The body and sliding jaw are manufactured from high quality grey cast iron, which has excellent shock absorbing qualities. The precision milled slide ensures a fast, smooth operation, whilst the fused tommy bar will bend before the vice can become over-stressed. Includes hardened steel replaceable jaws and fixing holes for bench mounting

Part No	Jaw Width	Throat Depth (mm)	Opening (mm)	Clamping Force (kN)	Net Weight (kg)	Qty per pallet
EC-EMV1	3"/ 75mm	48	82	20	4.8	144
EC-EMV3	4"/ 100mm	63	109	25	9.3	100
EC-EMV5	5"/ 125mm	73	136	30	15.8	40
EC_EMV6	6"/ 150mm	86	168	35	24.2	36
EC-EMV8	8"/ 200mm	103	208	45	38.1	100

### Replacement Jaw Plates with Screws (pair)

Part No	Description	Pack Qty
EC-EMV-1JPS	For use with EC-EMV1	1
EC-EMV-3JPS	For use with EC-EMV3	1
EC-EMV-5JPS	For use with EC-EMV5	1
EC-EMV-6JPS	For use with EC-EMV6	1
EC-EMV-8JPS	For use with EC-EMV8	1





### **VICES**

### **Swivel Bases**

### For use with Eclipse Mechanics' Vices



Includes three mount holes for attaching to a workbench.

### Soft Jaws

### For use with Eclipse Mechanics' Vices



A range of high quality fibre grips for use with Eclipse Mechanics' Vices. Prevents damage to workpieces with soft or polished surfaces. Supplied in pairs

Part No	Size	For use with	Part No	Size	For use with	Pack Qty
EC-EMV-SB1	Swivel Base for 3" (75mm) Vice	EC-EMV1	EC-EFG1	3" (75mm)	EC-EMV1	10
EC-EMV-SB3	Swivel Base for 4" (100mm) Vice	EC-EMV3	EC-EFG3	4" (100mm)	EC-EMV3	10
EC-EMV-SB5	Swivel Base for 5" (125mm) Vice	EC-EMV5	EC-EFG5	5" (128mm)	EC-EMV5	10
EC-EMV-SB6	Swivel Base for 6" (150mm) Vice	EC-EMV6	EC-EFG6	6" (150mm)	EC-EMV6	10
EC-EMV-SB8	Swivel Base for 8" (200mm) Vice	EC-EMV8	EC-EFG8	8" (200mm)	EC-EMV8	10

### **Quick Release Woodworking Vices**





Quick release trigger opens and closes the vice quickly without using the mainscrew. Fitted with an adjustable front stop – or dog – that gives an additional clamping facility when used with a bench stop, to provide a normal vice and a tail vice in one tool. To increase safety, the fused tommy bar will bend before the vice can become over-stressed

Part No	Jaw Width	Throat Depth (mm)	Opening (mm)	Net Weight (kg)	Qty per pallet
EC-EWWQR7	7"/ 178mm	80	202	9.4	60




Plain screw mechanism works through a separate unbreakable nut housed beneath the body seating, to ensure the constant alignment of the screw mechanism. Precision machined grey cast iron body and front to ensure a smooth, parallel action. Fitted with an adjustable front stop — or dog — that gives an additional clamping facility when used with a bench top, to provide a normal vice and a tail vice in one tool. To increase safety, the fused tommy bar will bend before the vice can become over-stressed

Part No	Jaw Width	Depth (mm)	(mm)	Net Weight (kg)	uty per pallet
EC-EWWPS7	7"/ 178mm	80	202	9.4	60



### **CLAMPS**

### For woodworking & metalworking applications



### **G Clamps - Heavy Duty**



Average clamping force of 300-800kg (660-1760lbs). Guaranteed unbreakable malleable iron frame with a fast action twin start rolled acme thread. The steel swivel shoe applies an even pressure, even on angled surfaces, whilst the tommy bar will bend before the frame can become over-stressed.

Part No	Clamping Capacity	Frame Proof Loads	Pack
EC-E20-3	3" (75mm)	1000lbs / 455kg	6
EC-E20-4	4" (100mm)	1200lbs / 545kg	6
EC-E20-6	6" (150mm)	1400lbs / 636kg	6
EC-E20-8	8" (200mm)	1700lbs / 773kg	2
EC-E20-10	10" (250mm)	2000lbs / 909kg	2
EC-E20-12	12" (300mm)	2500lbs / 1136kg	2





### **CLAMPS**

### One Handed Bar Clamps & Spreaders

Quick release trigger enables the clamp to be quickly positioned and released, whilst the jaw release clip mechanism allows the jaw to be removed and re-attached to the other end of the bar, thus converting the clamp into a spreader. The carbon steel bar and reinforced nylon body make it both tough and durable, whilst the ergonomically-designed, soft feel pistol grip handle fits easily into the hand. In addition, the toe-in feature means that, when fully closed, the jaws only meet at the top, thus providing an even clamping force across the whole depth of the workpiece. Non-marring pads firmly grip and protect the workpiece





Part No	Clamping Capacity	Spreading Capacity (Min)	Spreading Capacity (Max)	Jaw Depth	Pack Qty
EC-EOHBC6	6" (150mm)	6 5/8" (168mm)	13 3/8" (340mm)	3 3/8" (85mm)	20
EC-BCTP300*	6" (150mm)	6 5/8" (168mm)	13 3/8"" (340mm)	3 3/8" (85mm)	5
EC-EOHBC12	12" (300mm)	6 5/8" (168mm	19 1/2" (495mm)	3 3/8" (85mm)	12
EC-EOHBC18	18" (450mm)	6 5/8" (168mm	25 3/8" (645mm)	3 3/8" (85mm)	12
EC-EOHBC24	24" (600mm)	6 5/8" (168mm	31 1/2" (800mm)	3 3/8" (85mm)	12
EC-EOHBC36	36" (900mm)	6 5/8" (168mm	43 1/2" (1105mm)	3 3/8" (85mm)	12

<sup>\*\*</sup>EC-BCTP300 IS TWO PACK OF 300MM CLAMPS

### F Clamps



DIN5117 standard clamps with an average clamping force of 300kg (660lbs). The sliding head quickly sets the clamp to the required capacity, whilst the serrated grooves on the corrosion resistant nickel plated bar prevent slippage in use. The cast iron malleable heads offer maximum strength and the wooden handle provides a firm and comfortable grip.

Part No	Clamping Capacity	<b>Clamping Depth</b>	Pack
EC-SCR8	8" / 200mm	120mm / 4¾"	10
EC-SCR12	12" / 300mm	120mm / 4¾"	10
EC-SCR16	16" / 400mm	120mm / 4¾"	10
EC-SCR24	24" / 600mm	120mm / 4¾"	10
EC-SCR32	32 "/ 800mm	120mm / 4¾"	6



### **CLAMPS**

### Sash Clamps


Sash clamps have an average clamping force of 500kg (1100lbs). The ductile head and slide are guaranteed unbreakable, whilst the steel bar offers maximum tensile and yield strength. The slightly tapered jaws enable perfectly parallel clamping and the fast action rolled thread applies pressure quickly and smoothly to the workpiece



Part No	<b>Maximum Clamping Capacity / Type</b>	Bar Length	Pack
EC-ESC24	24" (600mm)	30" (760mm)	6
EC-ESC30	30" (760mm)	36" (915mm)	6
EC-ESC36	36" (915mm)	42" (1070mm)	6
EC-ESC42	42" (1070mm)	48" (1220mm)	6
EC-ESC48	48" (1220mm)	54" (1370mm)	6

applies pressure quickly and smoothly to the workpiece

### T-Bar Clamps



Part No	<b>Maximum Clamping Capacity</b>	Bar Length	Pack
EC-ETBR42	42" (1070mm)	48" (1220mm)	4
EC-ETBR48	48" (1220mm)	54" (1370mm)	4
EC-ETBR54	54" (1370mm)	60" (1525mm)	4



### **MAGNETIC WELDING TOOLS**

### **Magnetic Variable Clamp**

### Part No Length mm Height mm Width mm Weight (kg) Pull Force (kg) EC-E952 195 200 11 0.49 20



Fast accurate holding of ferrous sheets and tubes for welding and assembly work

### **Heavy Duty Variable Clamp**

Part No	Length mm	Height mm	Width mm	Weight (kg)	Pull Force (kg)
EC-E974	140	140	35	1.40	40



Clamp components during welding, fabrication and assembly. Powerful 40kg clamping force, enabling larger components to be clamped with ease

### 90° Fixed Magnetic Clamps

Part No	Length mm	Height mm	Width mm	Weight (kg)	Pull Force (kg)
1 EC-E971	140	140	35	1.40	40
2 EC-E972	225	225	22	2.20	75
3 EC-E973	300	300	35	4.70	200



Two magnetic faces in a rigid 90° angle for jigging on sheets, pipes and tubes. A fast and cost effective means of clamping components rigid at 90° angles during fabrication, assembly and weld preparation applications

### **Magnetic Holdfasts**

Part No	Dia mm	Height mm	Fixing Holes PCD	No. of Holes	Weight (kg)	Pull Force (kg)
EC-E939	44.5	44.5	31.75	2 x M8	0.6	20
EC-E940	54.0	49.2	38.1	2 x M8	1.0	40
EC-E941	70.0	64.5	50.8	2 x M8	2.0	88
EC-E942	101.6	74.6	69.05	3 N/A	4.7	183



Supplied with screw release handle. Can be built into workholding, handling and assembly fixtures to provide a high clamping force and positive grip

### **Heavy Duty Magnetic Clamp**

Part No	Length mm	Height mm	Width mm	Weight (kg)	Pull Force (kg)
EC-E954	14	82	120	0.3	10
EC EGE	10	100	160	0.7	15




Hold workpieces at an exact 45 or 90° angle to each other. 10kg and 15kg of magnetic pull make these ideal for a range of workshop welding and holding applications

### 'Quick' Magnetic Clamps

Part No	Length mm	Height mm	Width mm	Weight (kg)	Pull Force (kg)
EC-E951	100.5	65.5	12	0.3	10
EC-E953	100.5	65.5	20	0.4	15





 $Fast \ and \ accurate \ holding \ of \ ferrous \ metals \ at \ different \ fixed \ angles. \ Also \ suitable \ for \ retrieval \ applications$ 



### **MAGNETIC WELDING TOOLS**

### **Magnetic Mitre Clamps**

Part No	Length base face mm	Length top face mm	Height mm	Width mm	Weight (kg)	Pull Force(kg)
1 EC-923	156	66	45	43	1.36	100
2 EC-924	184	94	45	43	1.64	68



Effective and inexpensive method of clamping flat (923) or round (924) ferrous components

### **Magnetic Positioner**

Part No	Length	Height	Width	Weight	Pull on	Pull Force
	mm	mm	mm	(kg)	flat face (kg)	on v face (kg)
EC-922 (Pair)	206	63.5	76	3.17	80	80



2 magnetic blocks connected by 2 non-magnetic steel straps. The blocks contain ferrite magnetic material. Magnetic on two faces. On / off switch located at each end

### Magnetic Adjustable Links

Part No	Length mm	Height mm	Width mm	Weight (kg)	Pull Force (kg)
EC-920 SU (single unit)	60	25	29	0.35	12
EC-920 (pair)	127	25	51	0.70	12



Ferrite magnet material. Clamp components at any angle for welding and assembly applications

### **Magnetic Holder**

Part No	Length mm	Height mm	Width mm	Weight (kg)	Pull Force (kg)
EC-E025	109	140	100	5.67	100



Provides the welder with a powerful, rigid support on flat and round components at various angles during welding and welding preparation applications. Switchable and can be partially energised to aid positioning





### ULTRALIFT PLUS+ ULTRALIFT LM ULTRALIFT TP






### **MAGNETIC LIFTERS**

Magnetic lifters are quicker, easier and safer to use than slings, chains, hooks and grabs, and do not mark the load.

Onboard switching and permanent magnet technology mean installation and operation could not be easier and running costs are non-existent.

Access is only required to the load's top face, allowing for more efficient storage and handling.







## Ultraliftpus+

### Ultralift Plus The world's safest lifter

Lifts up to 2000kg (flat) 800kg (round) 3 safety features:

- · Locking switch handle mechanism
- Unique 'Safety Shim': pre-test any load to ensure a 3:1 safety factor
- Locking eye mechanism: magnet cannot be switched off while holding a load

### 3:1 SAFETY FACTOR



The patented 'safety shim' allows pre-testing of the load to be lifted, irrespective of weight, material type, material thickness and surface condition. If the load passes a 3:1 safety factor is guaranteed

### Ultralift Plus+


		Lift Specifications Flat Section Rou			d Section							
Part No.	Self Weight (kg)	A	В	С	D	E	F	Material Length Max. mm	SWL* (kg)	Thickness Min. mm	SWL* (kg)	Diameter Max. mm
EC-UL0125	4	152	64	74	69	101	155	1500	125	20	50	200
EC-UL0250	11	218	94	96	92	155	214	1500	250	25	100	300
EC-UL0500	27	266	123	128	122	224	300	1500	500	30	200	400
EC-UL1000	63	391	140	174	176	260	359	1500	1000	45	400	450
EC-UL2000	157	493	195	227	233	368	477	2000	2000	70 * SMI - Saf	800 e Work Load	600



### **MAGNETIC LIFTERS**

### Ultralift LM

										Lift Specifications				
			L	ifter Dime	ensions			Flat Section			<b>Round Section</b>			
Part No.	Self Weight (kg)	A	В	C	D	E	F	Material Length Max. mm	SWL (kg)	Thickness Min. mm	SWL (kg)	Diameter Max. mm		
EC-LM0125	4.5	150	54	62	76	110	150	1500	125	20	50	250		
EC-LM0250	8.5	210	76	72	90	165	200	1500	250	25	100	300		
EC-LM0500	17.5	281	103	88	106	225	243	1500	500	30	200	400		
EC-LM1000	36.5	391	113	103	136	325	365	1500	1000	45	400	450		
EC-LM2000	79	483	170	132	186	400	526	2000	2000	70	800	600		




### **Ultralift LM**

Safe, general-purpose lifting

### Lifts up to 2000kg (flat) 800kg (round)

Locking switch handle mechanism





### **Ultralift TP**

### Lift Specifications Material Thickness

Lifter Dimensions						51	mm	6	mm	8	mm	10	Omm		
Part No.	Self Weight (kg)	A	В	C	D	E	F	SWL (kg)	Length Max. mm	SWL (kg)	Length Max. mm	SWL (kg)	Length Max. mm	SWL (kg)	Length Max. mm
EC-TP150 EC-TP300	8 15	181 181	52 52	74 74	100 100	150 300	202 352	75 150	1500 2000	100 200	1500 2000	150 300	1500 2000	200 400	1500 2000

### **Ultralift TP**


Thin plate lifter

### Lifts up to 400kg (flat)

Specifically designed for the safe lifting of thin plate and pressings, it can lift single sheets from the tops of stacks

Locking switch handle mechanism








# ALUMINIUM PIPE WRENCHES ADJUSTABLE WRENCHES





### LEADER PATTERN ALUMINIUM PIPE WRENCHES

### For manipulating large capacity threaded pipe joints



### **Leader Pattern Aluminium Pipe Wrenches**





Ideal for manipulating large capacity threaded pipe joints and tightening or loosening threaded collars on pipe work, nuts & bolts.

Part No	Length (when open)	<b>Pipe Capacity</b>	Pack
EC-EAPW10	10" (250mm)	1 ½" (38mm)	6
EC-EAPW12	12" (300mm)	2" (50mm)	6
EC-EAPW14	14" (350mm)	2" (50mm)	6
EC-EAPW18	18" (450mm)	2 <sup>1</sup> ⁄2" (63mm)	4
EC-EAPW24	24" (600mm)	3" (75mm)	2
FC-FAPW36	36" (910mm)	5" (125mm)	4




### **WRENCHES & PIPE VICES**

### **Adjustable Wrenches**

Part No	Description	<b>Jaw Opening</b>	Pack Qty
EC-ADJW6	6" (150mm)	11/16"(27mm)	5
EC-ADJW8	8" (200mm)	15⁄₁6"(33mm)	5
EC-ADJW10	10" (250mm)	1½"(38mm)	5
EC-ADJW12	12" (300mm)	1¾"(45mm)	5



The adjustable wrench can be used to tighten large nuts and bolts, whilst the metric scale laser etched onto the jaw ensures fast setting of the tool. The rust resistant lacquer increases the product life and the ergonomic soft feel sleeve gives maximum comfort and grip



### Adjustable Wrenches - Extra Wide Jaws

Part No	Description	Jaw Opening	Pack Qty
EC-ADJW6WJ	6" (150mm)	15/16" (34mm)	6
EC-ADJW8WJ	8" (200mm)	1½" (38mm)	6
EC-ADJW10WJ	10" (250mm)	2" (50mm)	5
EC-ADJW12WJ	12" (300mm)	2 ¾" (60mm)	5





Ideal for use in plumbing, installation and automotive tasks. Not only does the extra wide jaw opening increase versatility, but the super thin head means that the wrench can be used in confined spaces. In addition, the throat depth is deeper than standard adjustable wrenches and the head is angled to offer maximum speed and efficiency. Soft grip handle for added comfort

### Adjustable Wrenches - Standard Handle

Part No	Length	Jaw Opening	Pack Qty
EC-ADJW6S	6" (150mm)	1" (24mm)	5
EC-ADJW8S	8" (200mm)	1¾6" (30mm)	5
EC-ADJW10S	10" (250mm)	1½" (37mm)	5
EC-ADJW12S	12" (300mm)	1¾" (43mm)	5
EC-ADJW15S*	15" (375mm)	1%" (47mm)	2

<sup>\*</sup> Ring spanner not included





The extra wide jaw can be used to tighten large nuts and bolts, whilst the metric scale laser etched onto the jaw ensure fast setting of the tool. The rust resistant lacquer increases the product life, whilst the ergonomic handle includes a ring spanner







### **RIVETERS & THREADED INSERT SETTING TOOLS**

### **RIVETERS**

### **Heavy Duty Lazy Tong Riveter**

**Description** EC-2750HD Heavy Duty Lazy Tong

For use with Pack **Rivet Sizes** 3mm (1/8") 4mm (5/32") 5mm (3/16") 6.4mm (1/4")



A fixed head riveter ideal for use with stainless steel rivets up to 6.4mm. Can be used one handed, enabling better control of the work piece. Useful on vehicle maintenance, agricultural projects and construction.



### **Lazy Tong Riveter**

**Part No Description** EC-2750 Lazy Tong

For use with Pack **Rivet Sizes** 3mm (1/8") 4mm (5/32") 5mm (3/16")



This powerful and versatile tool has the advantage of being operated with one hand, providing no loss in efficiency. Useful on vehicle maintenance, agricultural projects and construction.

### **Long Arm Riveter**

**Part No** Description EC-2760 Long Arm

For use with **Pack Rivet Sizes** 4mm (5/32") 5mm (3/16") 6mm (1/4")

### **Heavy Duty Long Nose Riveter**

Description EC-2720 Heavy Duty Long Nose

Pack For use with **Rivet Sizes** 3mm (1/8") 4mm (5/32") 5mm (3/16")

### **Heavy Duty Riveter**

**Part No** Description EC-2730 Heavy Duty

For use with Rivet Sizes 3mm (1/8") 4mm (5/32") 5mm (3/16")



The long armed riveter reduces the minimum the effort required to set rivets up to 6mm. Probably the most powerful industrial hand riveter available today. Ideal for boat building and coachwork, agricultural machine maintenance, etc. Supplied with 4 interchangeable noses



A versatile variation of the 2730, with extra long nose to facilitate access in recessed situations such as corrugated sheet. Supplied with 4 interchangeable noses



The market leading professional heavy duty riveter, best suited to engineering and maintenance projects. Supplied with 3 interchangeable noses

### **Spare Nose Kits**

### **Part No** Description

EC-2738A **EC-2738B** 3 EC-2738C

for use with 2750HD EC-2738A-HD EC-2738B-HD EC-2738C-HD EC-2738D-HD

for use with 2760

Kit 1-5x72HD12A Kit 2-5x72HD13A Kit 3-5x72HD14

Spare Nose Kit - 5 x 3mm Spare Nose Kit - 5 x 4mm Spare Nose Kit - 5 x 5mm

Spare Nose Kit - 5 x 6mm

EC-2768A

Kit 4-1 each 72LA12 72LA13A (for aluminium) 72LA13S (for steel) 72LA14

### For use with rivet sizes

3mm(1/4") 4mm(5/32") 5mm(3/16")

3mm(1/4") 4mm(5/32") 5mm(3/16") 6mm (1/4")

6mm (¼")

4mm(5/32") 5mm(3/16") 5mm(3/16")

### **Riveter Repair Kits**

Part No Description EC-2729 Repair kit for 2720 EC-2739 Repair kit for 2730/2770 EC-2759 Repair kit for 2750 EC-2769 Repair kit for 2760







**Pack** 

1



### THREADED INSERT SETTING TOOLS & KITS





### **Threaded Insert Setting Tool**

### **Part No**

### 1 EC-2743

This thin sheet setting tool has been designed to enable threaded nut inserts to be set easily by hand. Invaluable to maintenance engineers for on-the-spot repairs. Supplied in storage wallet complete with 4mm, 5mm, 6mm and 8mm nose bushes and mandrels

### Threaded Insert Nose Bush / Mandrel Conversion Kit

Part No	Description	Pack
EC-CK4	4mm Conversion Kit to suit EC-2743 & EC-2745	10
EC-CK5	5mm Conversion Kit to suit EC-2743 & EC-2745	10
EC-CK6	6mm Conversion Kit to suit EC-2743 & EC-2745	10
EC-CK8	8mm Conversion Kit to suit EC-2743 & EC-2745	10



### **Threaded Insert Setting Tool Kit**

### Part No

### 2 EC-2745

### Description

As the  $2743\,\text{but}$  supplied with additional 4mm, 5mm, 6mm and 8mm threaded nutserts. Housed in a compact tool box for easy storage

- Designed for the quick, manual insertion of permanent load bearing threads in materials from 0.20" to
- Simple set up and easy uniform stroke allows a nutsert to be set in thin sheet materials without causing surface damage
- A comprehensive range of conversion kits are available

### **Product Benefits**

- One side application
- Flush mounting
- Permanent thread
- Moisture resistant
- Cost effective
- Strong
- Rapid
- Vibration resistant
- Portable

### **Spare Jaw Kits**

Part No Description

Pack of 5 jaws to suit models: 2720, 2730, 2750, 2770 **Part No. 72HD5A** EC-2738

EC-2768

Pack of 5 jaws to suit models: 2760 **Part No. 72LA5** 

SIZE	MINIMUM	MAXIMUM
4mm	0.51mm (0.020")	1.27mm (0.050")
5mm	0.51mm (0.020")	1.27mm (0.050")
6mm	0.76mm (0.030")	1.68mm (0.066")
8mm	0.91mm (0.036")	3.25mm (0.128")







### SCRAPERS / PIN VICES / CHUCKS & COLLETS



### **Engineers' Scrapers**

### Suitable for toolroom and small engineering work

Part No	Blade Length	<b>Cutting Edge</b>	Pack
1 EC-96A	100mm (4")	Three Square	5
2 EC-97A	140mm (5½")	Three Square	5
EC-99A	200mm (8")	Three Square	5
3 EC-96B	100mm (4")	Flat	5
4 EC-97B	150mm (6")	Flat	5
EC-99B	200mm (8")	Flat	5
EC-96C	100mm (4")	Curved half round	5
5 EC-97C	150mm (6")	Curved half round	5
EC-97D	200mm (8")	Curved half round	5
EC-97	Set of 4 comprising Nos 97A, B, C and D	1 set	

### **Trammel Heads**

Supplied as one pair of heads. Suitable for laying out the distance between two points and scribing arcs and circles. To be used in conjunction with any wood offcut between  $\$_4$ " to  $1 \c_2$ " wide, minimum thickness of 363

	Part No	Suitable for beam sizes	Pack
10	EC-33	19 x 38mm (3/8" - 1 1/2") Thick, & 38mm (3/8") Wide	Pair

### Pin Vices

Hand held tools designed for holding round materials. Hollow handle enables material greater than the overall length of the pin chuck to

Part No	Capacity Type	mm	Inches	Overall Length	Pack
EC-12	21 Chuck	0-1.0	0-0.04	75mm (3")	10
EC-12	22 Chuck	0.75-1.5	0.03-0.062	85mm (311/42")	10
EC-12	23 Chuck	1.4-3.1	0.055-0.122	95mm (3¾")	10
8 EC-12	24 Chuck	3.1-5.00	0.122-0.196	105mm (4½")	10
EC-12	<b>20</b> Set of 1 e	ach (121, 1	22, 123 and 12	14)	1 set

### Pin Chuck & Replacement Collects

Part No	Overall Length mm/inches	Description	Pack
9 EC-160	65mm (1/16")	Chuck with 3 collets capacity	1

Used for gripping very small drills, mainly on automatic lathes, where pin chuck does not revolve

### **Erector Scrapers**

Part No	Overall Length	Blade Length	Cutting Edge	Pack
6 EC-256	335mm (131/4")	210mm (81/4")	Flat	5
EC-257	350mm (14")	225mm (9")	Curved	5

Suitable for large jobs or heavy engineering. Manufactured from chrome vanadium steel

### **Bearing Scrapers**

	Part No	Overall Length	biade Length	Pack
	EC-258/4	180mm (7½")	100mm (4")	5
	EC-258/6	240mm (9½")	150mm (6")	5
7	EC-258/8	290mm (11½")	200mm (8")	5

Suitable for removing high spots from bearings

**Auto Centre Punches** 

### **NUTSPINNERS & PUNCHES**

Nut Sp	Nut Spinner - BA				
Part No			Pack		
EC-7800	150mm (6")	0 BA	6		
EC-7801	150mm (6")	1 BA	6		
EC-7802	150mm (6")	2 BA	6		
EC-7803	150mm (6")	3 BA	6		
EC-7804	150mm (6")	4 BA	6		

### **Nut Spinner - Metric**

Part No			Pack
EC-7840	150mm (6")	4mm	6
EC-7850	150mm (6")	5mm	6
EC-7860	150mm (6")	6mm	6
EC-7870	150mm (6")	7mm	6
EC-7880	150mm (6")	8mm	6
EC-7810	150mm (6")	10mm	6

Part No			Pack
EC-7840	150mm (6")	4mm	6
EC-7850	150mm (6")	5mm	6
EC-7860	150mm (6")	6mm	6
EC-7870	150mm (6")	7mm	6
EC-7880	150mm (6")	8mm	6
EC-7810	150mm (6")	10mm	6

_		
_		

**Part No** 

EC-65/171R	120mm (4 11/16")	13.5-2.25	30-5	10
EC-E172	149mm (5 7/8")	22.5-6.3	50-14	1



For loosening and securing nuts particularly where spanners cannot reach or are awkward to use. Trilobular handle with tapered neck for ergonomic fit. Dual material handle for comfort in use. Integral moulded finger grips around neck to allow increased torque



For loosening and securing nuts particularly where spanners cannot reach or are awkward to use. Trilobular handle with tapered neck for ergonomic fit. Dual material handle for comfort in use. Integral moulded finger grips around neck to allow increased torque



Delivers a punch when hand pressure applied to knurled head. One handed operation, hammer should not be used. Depth of impression adjusted by turning knurled head



### **TAP WRENCHES & COMBINATION SQUARES**



### **Scribers**

Pocket Scriber - Available with either hardened steel or tungsten carbide points. Reversible point prevents tearing and snagging of clothing when clipped in a pocket.

Engineers Double Ended Scriber - Double ended for marking out in confined spaces such as grooves and keyways

Machinists Scriber - Designed for the machinist. For marking out in confined spaces, particularly on pre-machined workpieces.

Part No	Overall Length mm/inches	Description	Pack
1 EC-E220	89mm ( 3 <sup>1/2</sup> ")	Scriber - Pocket - Hardened	10
2 EC-E222	190mm (7 <sup>1/2</sup> ")	Scriber - Engineers - Double Ended	25
3 EC-E225	89mm ( 31/2")	Scriber - Pocket - Carbide Tipped	10
4 EC-E227	114mm ( 41/2")	Scriber - Machinists	10

### Standard Bar Type Tap Wrench

Provides a comfortable and positive grip plus the sensitivity required when tapping a blind hole. Knurled locknut ensures a constant grip on the tap when in use

Part No.	Cap	acity Square	A/F		BSW		Length		
	mm	ISO	BA	BSF	UNC	UNF	mm	in	Pack
5 EC-E240	1.5-4.6	M1-M6	14-0	1/8-1/4	0-12	1/4	110/105	41/4	1
6 EC-E242	2.5-9.0	M4-M16	3-0	3/16-5/8	8-12	1/4-5/8	230/220	9	1

### **Chuck Type Tap Wrench**

Part No

Stepped jaws greatly extend range of taps for each wrench. Adjustable tommy bar for tapping close to a shoulder or other obstructions. Available in normal and long reach designs

Width

**Body Length** 

Z EC-E141 (Fixed Bar)	50mm (1½ ") 57mm (2½")						
EC-E142	65mm (211/16")	65mm (2 <sup>1</sup> ½ <sub>16</sub> ") 90mm (3½")					1
8 EC-E143	90mm (3%")	90mm (3½") 127mm (5")					1
EC-E145	165mm (6½")	½") 90mm (3½")					1
9 EC-E146	245mm (10")		127mm (5")				
Part No.	Jaw Capacities	Square mm	A/F ISO	ВА	BSF	BSW UNC	UNF
<b>7</b> EC-E141	Min	1	M1	14	-	1	-
	Max	2.8	M3.5	4	1/8	6	-
EC-E142 & EC-E145	Min	2.0	M1	14	1/6	6	-
	Max	5.0	M6	0	1/4	12	1/4
8 EC-E143 & EC-E146	Min	3.0	M4	3	¾6	8	1/4
9	Max	8.0	M12	0	1/2	12	1/2

### **COMBINATION SQUARES & SETS**

### **Combination Squares Professional Combination Square Combination Set** Part No Description Part No Part No Description EC-CS150 150mm (6") Combination Square EC-CS300 300mm (12") Combination Square 10 EC-50-460R 300mm (12") Combination Set EC-50-470R 300mm (12") Combination Square



A combination square is used for multiple measuring purposes in woodworking, stonemasonry and metalworking. Available in 150mm & 300mm Combination Squares includes a hardened stainless steel rule with metric & imperial graduations, level & scriher



This 300mm Professional Combination Square features a cast iron square head. Equiped with a Stainless Steel Rule 300mm/12 inch with both Metric & Imperial Graduations.

Includes Level and Scriber Hardened & Ground Slideways



The 300mm Combination Set includes Centre Finder, Protractor Head and Square Head Stainless Steel Rule  $\frac{1}{2} \left( \frac{1}{2} \right) = \frac{1}{2} \left( \frac{1}{2} \right) \left( \frac$ 

Handy Scriber

Graduated in Metric and Imperial Spirit Level and Knurled Brass Lock Nut

Made in UK



# PERMANENT MAGNETS ELECTRO-MAGNETS





### **PERMANENT MAGNETS - MAGNET MATERIALS**

### **ALNICO**

AlNiCo

- Alnico 5 magnet material (unless stated)
- 550°C max. operating temp.
- Magnetically stable at high temperatures
- Good corrosion resistance

### **Cylindrical Bar Magnets**

Part No	Diameter mm	Length* mm	Weight per pair (kg)	Gauss	Qty (Pair)
EC-E805	6	20	0.008	1200	10
EC-E806	8	25	0.018	1200	5
EC-E807	10	30	0.035	1200	5

### **Rectangular Bar Magnets**

Part No	Material	Width mm	Height mm	Length* mm	per pair (kg)	Gauss	Qty (Pair)
EC-E842	Alnico 2	15	10	50	0.220	750	2
EC-E843	Alnico 2	15	10	75	0.330	750	2
EC-E844	Alnico 5	10	5	20	0.030	1100	5
EC-E845	Alnico 5	12.5	5	40	0.040	1100	5
EC-E846	Alnico 5	15	5	60	0.130	1100	5



Sold in pairs



Sold in pairs. North pole is indicated by a notch / dimple

### **Minor Magnet**

Part No	Width mm	Height mm	Length mm	Pole Gap	Weight (kg)	Max Pull (kg)	Pack Qty
EC-E801	7.9	11.1	22.2	6.3	0.01	0.9	10

### **Button Magnets**

Part No	Dia. mm	Height mm	Slot Size Min - Max mm	Hole Size	Weight (kg)	Max Pull (kg)	Pack Qty
EC-E821	12.7	9.5	4.0 - 7.2	4.4	0.006	0.7	10
EC-E822	19.1	12.7	5.6 - 8.7	4.8	0.020	1.9	10
EC-E825	22.2	19.1	6.3 - 6.3	4.8	0.050	3	10
EC-E823	25.4	15.9	5.6 - 8.7	4.8	0.050	3.4	10
EC-E824	31.8	25.4	8.0 - 12.7	7.1	0.113	4.8	2

### **Pocket Magnets**

Part No	Length mm	Width mm	Height mm	Width of Gap	Weight (kg)	Max Pull (kg)	Pack Qty
EC-E802	28.5	7.6	25.4	6.3	0.030	2.4	10
EC-E803	33.3	15.9	35	7.9	0.090	4	5







### **Power Magnets**

Part No	Length mm	Height mm	Width mm	Width of Gap mm	Hole Size mm	Hole Centres mm	Weight (kg)	Pull Force (kg)	Pack Qty
EC-811	30	20	20	15	5	N/A	0.060	4.5	5
EC-812	40	25	25	20	5	N/A	0.120	9	5
EC-813	45	30	30	23	5	N/A	0.180	11.8	2
EC-814	57	35	44.5	27.8	2 x 7.9	31.75	0.370	23.5	1
EC-815	70	41.3	57.2	34.1	2 x 7.9	38.10	0.710	37	1
EC-816	79.4	54	82.6	38.1	2 x 9.5	42.86	1.450	47	1
EC-817***	60.3	39.7	62	31.75	N/A	N/A	0.80	35	1
EC-818	79.4	54	85.7	47.6	N/A	N/A	1.80	60	1



\*\*\*\* Special Order Only







### **PERMANENT MAGNETS - POT MAGNETS**

### **ALNICO**

**AlNiCo** 


Standard products indicated

### Shallow Pot Magnets

Pack Qty Size 7.5 10 EC-826 4.5 M3 Csk 0.010 3.0 EC-827 28.5 8.5 5.2 M4 Csk 0.030 5.0 10 EC-828 10.35 5.2 M4 Csk 0.080 38.1 13.0 5

### Deep Pot Magnets

Part No	Dia. mm	Height	Thread Size	Weight Kg	Pull Force Kg	Pack Qty
EC-829	9.5	15	M3	0.005	1	10
EC-830	12.7	15.9	M4	0.015	2	10
EC-831	17.5	16	M6	0.023	2.65	10
EC-832	20.5	19	M6	0.040	4	5
EC-833	27	25	M6	0.085	6.1	5
EC-834	25	30	MG	0.194	14.75	2









Max. operating temperature 220° Mild Steel pot, aluminium spacer Painted Red

### **Hook Magnets**

Part No	Dia. mm	Pot Height mm	Total Height mm	Thread Size	Weight (kg)	Pull Force (kg)	Pack Qty
EC-E879-RB	25	8	34	M4	0.027	4.0	1
EC-E880-RB	32	8	34	M4	0.034	8.0	1
EC-E881-RB	36	8	34	M4	0.038	10.0	1
EC-M19863XR	32	7	38	M5	0.051	35	1



Part No	Dia. mm	Height mm	Thread Size	Weight (kg)	Force (kg)	Pack Qty
EC-E890	46	10.7	M6	0.090	6	5
EC-E891	56	10.7	M6	0.130	16	5
EC-E892	66	10.7	M6	0.190	25	5

Max. operating temperature 120° Mild steel pot with removeable hook Painted red











### Shallow Pot Magnets - M6 Tapped Holes

Part No	Dia. mm	Height mm	Fixing Stud Centres PCD M6	Centre Fixing Point	Weight (kg)	Pull Force (kg)	Pack Qty
EC-E895	66	10.7	46mm - 3 Holes	M6	0.270	25	1
EC-E896	76	12.5	46mm - 3 Holes	M6	0.300	33	1
EC-E897	100	15.5	70mm - 3 Holes	M6	0.610	55	1

Max. operating temperature 120° Mild steel pot with removeable hook Painted red Three M6 tapped holes to aid mounting products









# Please see our website for further details on all of our ranges

























www.spearandjackson.com.au

### **INDEX**

A		C - Continued		G - Continued	
Air Blow Guns	103	Claw Hammer	52	Grommet Punch	58
Air Fittings General	108	Club Hammer	53	Grommets	58
Air Fittings Jamec Style	109	Coil Nailer	105	Groover - Cement	84, 99
Air Fittings Nitto Style Air Fittings Ryco Style	109 108	Cold Chisel Colours - Hand Cultivator	66, 121 44	Grout Remover Grout Spreader	89 89
Air Hose	108	Colours - Hand Fork	44	Guarded Chisel	121
Air Hose - Recoil	108	Colours - Hand Trowel	44	Gutter Scoop	8
Air Hose Repair Kit	108	Colours - Loppers	44	·	
Air In Line Moisture Trap	107	Colours - Scoops	44, 45	H	
Air Kits & Accessories	106 103	Colours - Secateurs Colours - Shears	44 44	Hachet Hacksaw - Blades	41 116. 117
Air Mini Filter Regulator Air Nailers / Staplers	104, 105	Colours - Snears Colours - Transplanter	44	Hacksaw - Blades Hacksaw - Junior	119
Air Tool & Compressor Oils	104, 103	Colours - Weeder	44	Hacksaw - Mini	56. 118
Air Tyre Inflators	103	Colours Display Box Secateurs	45	Hacksaws	56, 118
Aluminium Pipe Wrench	138	Combination Set	145	Hammer - Ball Pein	53
Angle Bradder	105	Combination Square	145	Hammer - Brick	52, 73
Angle Brads	110	Compass Saw	82	Hammer - Claw	52
Archaeology Trowel Aviation Snips	72 119	Concrete Chisel Concreting Float	66, 121 83, 84, 94, 99	Hammer - Club Hammer - Cross Pein	53 53
Aviation Ships Axes	40	Contour Gauge	60, 90	Hammer - Dead Blow	55
7 000	10	Coping Saw	56, 118, 119	Hammer - Replacement Tips	55
В		Coping Saw Blades	117	Hammer - Sledge	54
Ball Pein Hammer	53	Coving Tool External Corner	99	Hammer - Soft Face	55
Bar Magnet	147	Cross Pein Hammer	53	Hand Cultivator	8, 23
Bearing Scrapers Bevel	144 59	Crosscut Chisel	121	Hand Cultivator - Colours Hand Fork	44
Bevel - Premium	59 59	Cultivator - 3 Prong Cultivator - Hand	7, 19 8, 23, 44	Hand Fork - Colours	8, 20, 23, 25, 27 44
Bevel - T Sliding	68	Cutter - Glass	89	Hand Soil Scoop	23
Blades - Coping Saw	117	Cutter - Scoring	89	Hand Tool - Gift Sets	20, 23
Blades - Fretsaw	117	Cutter - Tile	89	Hand Transplanter	8, 23, 25
Blades - General Purpose	117	Cutter - Tile Circular	89	Hand Transplanter - Colours	44
Blades - Hacksaw	116, 117	Cutter - Tile Mechanical	89	Hand Trowel Hand Trowel - Colours	8, 20, 23, 25, 27
Blades - Junior Blades - Piercing Saw	117 117	D		Hand Trowel - Colours Hand Weeder	44 8, 23
Block Jointer	100	Dead Blow Hammer	55	Hand Weeder - Colours	44
Blocksplitters	41	Dutch Hoe	7, 19	Handle - Broom	42
Blow Guns	103	Dutch Pins	75	Handle - File	42
Board Lifter	81			Handle - Rake	42
Bolsters - Brick	66, 73	<b>E</b>	04.00	Hardwood Float	85
Bolsters - Brick Professional Bolsters - Electricians	66, 73 73	Edger - Cement Edging Knife	84, 99 20	Hawk - Plasterers Hoe - Dutch	79, 94, 97 7, 19
Bolt Cutters - Forged, Tubular	120	Edging Shears	36	Hoe - Mortar	7, 19
Bow Saws	39	Engineers' Scrapers	144	Hoe - Swan Neck	7, 19
Bow Saws - Predator	38	Erector Scrapers	144	Hole Saw Set	56
Bradder - Angle	105	External Corner Coving Tool	99	Hook Magnet	148
Bradder - C, C1	104	External Corner Trowel	78, 98	Hopper Gun	87
Bradder / Stapler 2 in 1	104	Eyelets	58	Hose - Air	108
Brads - Angle Brads - C, C1	110 110	F		Hose Repair Kit - Air Hose Tidies	108 16
Brick Carrier	75	F Clamps	130	Hose Hules	10
Brick Hammer	52, 73	Fern Hook	37	1	
Brick Jointer	75, 100	File Handle	42	In Line Moisture Trap	107
Brick Trowel	71	Flat Chisel	121	Inflation Kits & Air Tool Starter Kits	103, 106
Brickline	74	Float - Concreting	83, 84, 94, 99	Internal Corner Trowel	78, 98
Broom Handle Bucket Trowel	42 79	Float - Finishing Float - Grout	83 89	J	
Bulb Planter	8	Float - Hardwood	85	Jab Saw	82
Button Magnet	147	Float - Magnesium	85	Jamec Style Air Fittings	109
3		Float - Notched	88, 94	Jeweller's Snips	119
С		Float - Pine	85	Joint Raker	75, 100
C Bradder	104	Float - Plasterers	78, 93, 95, 96, 97	Jointers - Block	100
C Bradder	110	Float - Pointed Finishing	83, 84	Jointers - Brick Jointers - Sled	75, 100 75
C1 Bradder C1 Brads	104 110	Float - Polyurethane Float - Rendering	80 81, 94	Jointing Knives	73 82
Cabinet Scapers	100	Float - Sanding Poly	81	Junior Hacksaw	119
Camping Axe	41	Float - Sponge	80, 96		
Cane Knife	37	Float - Sponge Replacement	80, 96	K	
Carpenters Mallet	54	Floor Scrapers	91, 99	Kneeler Board	86
Carpenters Square Caulking Gun	59 90	Floor Scrapers Blades Floorboard Chisel	91, 99 121	Knife - Cane Knife - Filling	37 67
C-Clamps - Locking	125	Forged Bolt Cutters	121	Knife - Filling Knife - Hacking	57
Cement Edger	84, 99	Fork - Border	18, 22, 25	Knife - Jointing	82
Cement Groover	84, 99	Fork - Garden	5, 18, 22, 25, 27	Knife - Lino	57
Cement Sheet Cutter	85	Fork - Hand	8, 20, 23, 25, 27, 44	Knife - Putty	67, 91
Chalk Reel	60	Fork - Hay, Manure	6	Knife - Retractable	57
Chisel - Crosscut Chisel - Flat	121 121	Fork - Professional Framing Nailer	13 105	Knife - Shoe Knife - Stripping	57 67
Chisel - Flat Chisel - Floorboard	121	Framing Nailer Framing Nails	110	Knife - Stripping Knife - Taping	82
Chisel - Guarded	121	Fret Saw	118	Knife Edging	20
Chisels - Cold	66, 121				
Chisels - Concrete	66, 121	G		L	
Chisels - Plugging	66, 121	G Clamps	129	Lawn Shears	36
Chisels - Scutch Clamps - F	66 130	Gauge - Marking Gauge - Mortice & Marking	68 68	Leaf Grabber Leather Punch	20 58
Clamps - G	129	Gauging Trowel	79	Leather Workwear	61, 62
Clamps - One Handed Bar	130	General Air Fittings	108	Level - Box	59
Clamps - Profile	75	General Purpose Saw	119	Level - Box Professional	59
Clamps - Sash	131	General Purpose Snips	119	Level - Bullseye	59
Clamps - Spring	57	Grass Shears	35 107	Level - Cross Check	59 50
Clamps - T-Bar	131	Gravity Feed Spray Guns & Kits	107	Level - Line	59
150					

### INDEX

L - Continued		P - Continued		S - Continued	
Level - Torpedo	59	Power Magnet	147	Sled Jointer	75
Line Block - Rubber	74	Profile Clamp	75	Sledge Hammer	54
Line Pins	68, 75	Pruner - Tree Telescopic	39	Small Tools	81
Litter Picker Locking C-Clamps	20 125	Pruning Saw Punch - Auto Centre	39 60, 144	Snips - Aviation Snips - General Purpose	119 119
Locking Jaw Pliers	124	Punch - Eyelets	58	Snips - General Fulpose Snips - Jeweller's	119
Loppers	32,33,44	Punch - Grommet	58	Socket Adaptor Set	56
Loppers - Anvil	33	Punch - Leather	58	Soft Face Hammer	55
Loppers - Bypass	32, 33, 44	Punch - Plier	58	Soil Scoop - Hand	23
Loppers - Colours	44			Soil Spreader	7
Loppers - Professional	32	_		Spacer - Cross Shape	91
		R		Spacer - T-Shape	91
M Magnet Der	1 47	Rake - Fan	14, 15	Spacer - Wedge Shape	91
Magnet - Bar Magnet - Button	147 147	Rake - Leaf / Plastic Rake - Nail / Garden	14, 19 7,19	Spade - Border Spade - Cottage	18, 22, 25 5
Magnet - Hook	147	Rake Handle	42	Spade - Cottage Spade - Draining	13
Magnet - Minor	147	Rake - Landscapers	7	Spade - Brailing Spade - Garden	5, 18, 22, 25, 27
Magnet - Pocket	147	Raker - Joint	75, 100	Spade - Professional	13
Magnet - Pot	148	Recoil Air Hose	108	Splash Trowel	100
Magnet - Power	147	Rendering Float	81, 94	Splatter Gun	94
Magnetic Adjustable Links	133	Riveters	57, 141	Sponge Float	80, 96
Magnetic Clamps "Quick"	132	Riveters Spares	141, 142	Sponge Float Replacement	80, 96
Magnetic Clamps Heavy Duty	132	Rubber Mallet	54	Spray Guns	107
Magnetic Fixed Clamps	132	Rubber Mallet - White	54	Sprayer - Pressure	16
Magnetic Holder	133	Rulers	60	Sprayer - Trigger	16
Magnetic Holdfasts	132	Ryco Style Air Fittings	108	Spreader - Adhesive	88
Magnetic Lifters - Ultralift	135-136 133	s		Spreader - Grout Spreader - Soil	89 7
Magnetic Mitre Clamps Magnetic Positioner	133	Sanding Float	81	Spring Clamps	57
Magnetic Variable Clamp	132	Sash Clamps	131	Square - Carpenters	59, 68
Magnetic Variable Clamp H/D	132	Saw - Bow	38, 39	Square - Combination	145
Magnets - D.I.Y	56	Saw - Brass Back Tenon	50	Square - Try & Mitre	59
Mallet - Carpenters	54	Saw - Compass	82	Stapler - 80 Series	104
Mallet - Rubber	54	Saw - Coping	56, 118, 119	Stapler - Narrow Crown	104
Mallet - Rubber White	54	Saw - Fret	118	Stapler / Bradder 2 in 1	104
Margin Trowel	100	Saw - General Purpose	119	Staples - 80 Series	110
Marker - White Paint	56	Saw - Hardpoint First Fix	49	Staples - Narrow Crown	110
Markers - Bullet Point	64	Saw - Hardpoint Laminate	49	Straight Edges	86
Markers - Chisel Point	64	Saw - Hardpoint Predator X	49	Stringline	74
Marking Gauge	68	Saw - Hardpoint Quick Cut	50	Support Prop	81
Masonry Brush Mattock - Cutter End	73 6, 9	Saw - Hardpoint Tenon	50 50	Swan Neck Hoe	7, 19
Mattock - Cutter End Mattock - Pick End	6, 9	Saw - Hardpoint Toolbox Saw - Hardpoint Triplefast	49	т	
Measuring Tape	60	Saw - Hardpoint Impletast Saw - Hardpoint Universal	49	Tap Wrench	145
Mechanics Vice	127	Saw - Hardpoint UPVC	49	Taping Knives	82
Mini Filter Regulator	103	Saw - Jab	82	Tape Measure	60
Minor Magnet	147	Saw - Mini Hacksaw	56, 118	T-Bar Clamps	131
Mixing Paddle	81	Saw - Piercing	118	Telescopic Tree Pruner	39
Mortar Hoe	7, 87	Saw - Professional Tenon	50	Threaded Insert Tool	142
Mortice & Marking Gauge	68	Saw - Pruning	39	Threaded Insert Tool Spares	142
Moulders Trowel	100	Saw - Traditional Skew Back	50	Tile Borer, Nipper & Cutter	90
Mulch / Grain Scoop	6	Saw Tooth Setter	119	Tile Hole Cutter	90
M		Scoop - Gutter	8	Tiling Sponge	90 35
<b>N</b> Nailer - Coil	105	Scoop - Mulch / Grain Scoops - Colours	6 44	Topiary Shears Trammel Heads	144
Nailer - Coll Nailer - Framing	105	Scraper Sets	67	Transplanter - Hand	8, 23, 25
Nails - Framing	110	Scrapers - Bearing	144	Trowel - Archaeology	72
Narrow Crown Stapler	104	Scrapers - Cabinet	100	Trowel - Brick	71
Narrow Crown Staples	110	Scrapers - Engineers	144	Trowel - Bucket	79
Nitto Style Air Fittings	109	Scrapers - Erectors	144	Trowel - External Corner	78, 98
Notched Float	88, 94	Scrapers - Flexible	91	Trowel - Gauging	79
Nut Spinners - BA/Metric	144	Scrapers - Floor	91, 99	Trowel - Hand	8, 20, 23, 25, 27, 44
Nylon Workwear	63	Scrapers - Floor Blades	91, 99	Trowel - Internal Corner	78, 98
0		Scrapers - Stiff Screeds	91 86	Trowel - Margin Trowel - Moulders	100 100
Oils - Air Tool & Compressor	103	Scribers	145	Trowel - Pointing	72
2113 7 11 1001 a 00111p1e3501	100	Scutch Combs	66	Trowel - Folitting Trowel - Splash	100
Р		Scythettes	37	Trowel - Window	100
Pencils - Carpenters	64	Scythettes - Blade	37	Tuck Pointer	100
Pencils - Chinagraph	64	Secateurs	30, 31, 32, 44, 45	Tyre Inflators	103
Piercing Saw	118	Secateurs - Anvil	30, 31	-	
Pin Chuck	144	Secateurs - Bypass	30, 31, 32, 44, 45	V	
Pin Vices	144	Secateurs - Colours	44	Vice - Accessories	128
Pine Float	85	Secateurs - Colours Display Box	45	Vice - Mechanics	127
Pincer - Post Hole	13	Secateurs - Professional	32	Vice - Replacement Jaw Plates	127
Pipe Wrench Pipe Wrench - Aluminium	68, 138 138	Secateurs - Sharpener Sharpening Stone	31 57	Vice - Woodworking	128
Plasterers Float	78, 93, 95, 96, 97	Shears	34, 35, 44	w	
Plasterers Hawk	79, 94, 97	Shears - Colours	44	Weeder - Hand	8, 23, 44
Plasterers Square	82	Shears - Edging/Lawn	36	Window Trowel	100
Plier Punch	58	Shears - Grass	35	Woodworking Vice	128
Pliers - Locking Jaw	124	Shears - Telescopic	35	Workwear - Accessories	62
Plugging Chisel	66, 121	Shears - Topiary	35	Workwear - Leather	61, 62
Pocket Magnet	147	Shears - Wishbone	34	Workwear - Nylon	63
Pointer Tuck	100	Shovel - All Steel	13, 87	Wrecking Bars	58
Pointing Trowel	72	Shovel - General Purpose	12	Wrench Adjustable Soft Grip	139
Pointing Finishing Float Polyurethane Float	83 80	Shovel - Plumbers Shovel - Post Hole	9, 10, 11, 12 4, 9, 10, 11, 12	Wrench Adjustable Steel Wrench Adjustable Wide Jaw	139 139
Post Hole Pincer	13	Shovel - Post Hole Shovel - Round Mouth	4, 9, 10, 11, 12	Wrench - Pipe	138
Pot Magnet	148	Shovel - Square Mouth	4, 5, 9, 10, 11	Wrench - Tap	145
		Shovel - Trenching	4, 9, 10, 11		
			, -, -, -,		151

# ECLIPSE PROFESSIONAL TOOLS







### **ECLIPSE CATALOGUE 2015**

Due to continuous development and improvement, Spear & Jackson reserves the right to modift product design, specifications and materials without orior notice.

# WERONG WEARS WE WAS AND WEARS WE WANTED WAS AND WE WANTED WAS AND WE WANTED WHITE WE WANTED WAS AND WE WANTED WANTED WAS AND WAS AND WE WANTED WAS AND WAS AND WE WANTED WAS AND WAS AND WANTED WAS AND WAS AND WAS AND WANTED WAS AND WAS AND WANTED WANTED WAS AND WANTED WANTED WANTED WANTED WAS AND WANTED WANTED WANTED WANTED WANTED WAS AND WANTED WANT

### Eclipse Group – World Class Products for Worldwide Markets

Eclipse Group incorporates the world famous Eclipse Magnetics and Eclipse Professional Tools brands to form a portfolio of over 30,000 products. With over 100 years of experience Eclipse is a trusted supplier to some of the leading names in industry and commerce.

We are committed to supporting our customers through our worldwide sales support network. We also have distribution centres in Europe, Asia and North America.

CONTACT US: Ph: 1300 731 818 Fax: 1300 735 858

Email: sales@spear-and-jackson.com.au Web: www.spearandjackson.com.au















